



CERTIFICATE OF ANALYSIS

Date: 05/12/17

PRODUCT NAME : AGAR AGAR TISSUE CULTURE GRADE

CAS No : 9002- 18- 0

Product code : 11361

Mfd. : Dec. 2017

Batch No : MCR-14919

Exp. : Nov. 2022

S. R	Test	Specification	Observation
1	Moisture	15% max	11.61%
2	pH	6.0 – 7.5	6.1
3	Ash	3% max	1.2%
4	Gel strength	900 – 1000 gm/cm ²	980gm/cm ²
5	Gelling temperature	36 – 40 ⁰ C	36 ⁰ C
6	Melting temperature	90 – 97 ⁰ C	96 ⁰ C
7	Water absorption	55 – 65 ml	58ml
8	Gelatin	Passes test	Passes test
9	Starch	Nil	Nil

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[Q.C Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net

Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503