



CERTIFICATE OF ANALYSIS

Date: 26/12/17

PRODUCT NAME : POTASSIUM TELLURITE FOR MICROBIOLOGY

CAS No : 123333-66-4
Mol. Formula : K_2TeO_3
Mol. WT : 253.80
Exp. : Nov. 2022

Product code : 17510
Batch No : MCR-15074
Mfd. : Dec. 2017

S.R	Test	Specification	Observation
1	Assay (ex Te)	90 % min.	90.2%
2	Chloride (Cl)	0.005% max	< 0.005%
3	Iron (Fe)	0.002% max	< 0.002%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503