



CERTIFICATE OF ANALYSIS

Date: 27/12/17

PRODUCT NAME : SODIUM THIOCYANATE LR

CAS No : 540- 72- 7
Mol. Formula : NaSCN
Mol. WT : 81.07
Exp. : Nov. 2022

Product code : 18870
Batch No : MCR-15080
Mfd. : Dec. 2017

S. R	Test	Specification	Observation
1	Assay	98% w/w min	99.75% w/w
2	Chloride (Cl)	0.02% max	< 0.02%
3	Sulphate (SO ₄)	0.01% max	< 0.01%
4	Iodine absorption (I)	1 ml N%	< 1 ml N%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[Q.C Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No B. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503