



CERTIFICATE OF ANALYSIS

Date: 24/01/18

PRODUCT NAME : ANTIMONY TRIOXIDE

(Antimony (III) Oxide)

CAS No : 1309-64-4

Product code : 12360

Mol. Formula : Sb_2O_3

Batch No : MCR-3809-02

Mol. WT : 291.50

Mfd. : Jan. 2018

Exp. : Dec. 2022

S. R	Test	Specification	Observation
1	Assay	98.5 % min	98.72 %
2	Chloride(Cl)	0.05 % max	< 0.05 %
3	Sulphate(SO_4)	0.05 % max	< 0.05 %
4	Iron (Fe)	0.005 % max	< 0.005 %
5	Arsenic(As)	0.06 % max	< 0.06 %
6	Lead(Pb)	0.05 % max	< 0.05 %
7	Antimony oxide(Sb_2O_5)	1.5 % max	1.1 %

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

**HEAD-QUALITY ASSUARANCE
(G.G.Salian)**

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net

Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,

Kulgaon, Badlapur (E), Dist.-Thane-421 503