



CERTIFICATE OF ANALYSIS

Date: 31/01/18

PRODUCT NAME : HEMATOXYLIN STAIN CERTIFIED FOR MICROSCOPY

CAS No : 517- 28- 2
Mol. Formula : $C_{16}H_{14}O_6$
Mol. WT : 302.3
Exp. : Dec. 2022

Product code : 31840
Batch No : MCR-11478-01
Mfd. : Jan. 2018

S. R	Test	Specification	Observation
1	pH of 1% soln	5 – 7	5.28
2	Absorptivity A1%/1cm max in methanol (on dry basis)	140 - 170	144.94
3	Moisture by K.F	10% max.	5.4
4	Suitability for use as stain	Passes test	Passes test

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503