



CERTIFICATE OF ANALYSIS

Date: 31/01/18

PRODUCT NAME : CHLOROFORM HPLC

CAS No : 67-66-3
Mol. Formula : CHCl_3
Mol. WT : 119.38
Exp. : Dec. 2022

Product code : 41050
Batch No : MCR-7279-02
Mfd. : Jan. 2018

S. R	Test	Specification	Observation
1	Assay (GC)	99.8 % min	99.90%
2	Wt. per ml (at 20 ⁰ c)	1.474-1.479 g	1.477 g
3	Water(by KF)	0.05% max	0.04%
4	Acidity(HCl)	0.0005%max	< 0.0005 %
5	Non Volatile matter	0.0005 % max	0.0003%
6	Minimum transmission (1.0 cm cell vs H ₂ O)		
	250 nm	20% min	52.74%
	260 nm	60% min	88.19%
	270 nm	85% min	92.23%
	280 nm	92% min	93.96%
	290 nm	95% min	97.88%
	300 nm	97% min	98.59%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net

Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503