



CERTIFICATE OF ANALYSIS

Date: 04/02/18

PRODUCT NAME : NITROBENZENE AR

CAS No : 98- 95- 3
Mol. Formula : C₆H₅NO₂
Mol. WT : 123.11
Exp. : Jan. 2023

Product code : 60201
Batch No : MCRT-15431
Mfd. : Feb. 2018

S.R	Test	Specification	Observation
1	Assay(GC)	99.0%min	99.86%
2	Chloride (Cl)	0.0002% max	<0.0002%
3	Residue after evaporation	0.005%max	0.001%
4	Thiophene	Passes test	Passes test
5	Water	0.15% max	0.05%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[Q.C Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503