



CERTIFICATE OF ANALYSIS

Date : 03/01/18

PRODUCT NAME : AMMONIUM IODIDE LR

CAS No : 12027- 06- 4

Product code : 12130

Mol. Formula : NH_4I

Batch No : MCR-10123-01

Mol. WT : 144.94

Mfd. : Jan. 2018

Exp. : Dec. 2022

S. R	Test	Specification	Observation
1	Assay	99 % min	99.88%
2	Chloride and bromide (as Cl)	0.02% max	<0.02%
3	Sulphate (SO_4)	0.05% max	<0.05%
4	Copper (Cu)	0.001% max	<0.001%
5	Iron (Fe)	0.001% max	<0.001%
6	Nickel (Ni)	0.001% max	<0.001%
7	Lead (Pb)	0.001% max	<0.001%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503