



CERTIFICATE OF ANALYSIS

Date: 13/12/12

PRODUCT NAME : DICHLOROMETHANE

CAS No : 75-09-2

Mol. Formula : CH_2Cl_2

Mol. WT : 84.93

Product code : 14138

Batch No : MCR- 6102

Mfd. : Dec. 2012

S. R	Test	Specification	Observation
1	Assay (GC)	98 % min.	99.98 %
2	Wt.per ml (at 20 ^o c)	1.323-1.327 g	1.324 g
3	Water	0.1% max.	0.006 %
4	Refractive index (n ²⁰ _D)	1.4235-1.4250	1.4250
5	Non Volatile Matter	0.005% max.	0.0005 %

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . **Fax:** + 91 22 2203 4442. **Email :** info@molychem.net
Works: Plot No./9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503