



## CERTIFICATE OF ANALYSIS

Date: 25/01/18

PRODUCT NAME : TURK'S SOLUTION

Product code : 32222  
Batch No : MCR-4993-02  
Mfd. : Jan. 2018  
Exp. : Dec. 2022

S. R	Test	Specification	Observation
1	pH value	2.5 - 3.5	2.6
2	Absorption maxima	582 - 586nm	584nm
3	Absorbance A ( $\lambda_{\max}$ ; diluted 1:50, 1cm)	0.450 - 0.600	0.501
4	Suitability for microscopy	Passes test	Passes test

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[Q.C Incharge]

HEAD-QUALITY ASSUARANCE  
(G.G.Salian)

**Note:** Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)  
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)  
Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503