



CERTIFICATE OF ANALYSIS

Date: 17/01/18

PRODUCT NAME : LEISHMAN'S STAIN FOR MICROSCOPY

CAS No : 12627- 53- 1
Mfd. : Jan. 2018
Exp. : Dec. 2022

Product code : 31860
Batch No : MCR-8378-02

S. R	Test	Specification	Observation
1	Specific Absorptivity A1% / 1 cm λ_{\max} at 522 to 525 nm in methanol (on dry basis)	min. 650	732
2	Specific Absorptivity A 1%/1cm λ_{\max} at 640 to 648 nm in methanol (on dry basis)	min. 900	1021
3	Suitability for use as stain	Passes test	Passes test

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503