



CERTIFICATE OF ANALYSIS

Date: 06/12/17

PRODUCT NAME : CHLORAMINE T AR 99%

CAS No	: 7080-50-4	Product code	: 22600
Mol. Formula	: $C_7H_7ClNaO_2 \cdot 3H_2O$	Batch No	: MCRT-12326-01
Mol. WT	: 281.69	Mfd.	: Dec. 2017
Exp.	: Nov. 2022		

S. R	Test	Specification	Observation
1	Assay	99% min	99.13%
2	pH (5% aq.solution)	8 - 10	10
3	Substances insoluble in absolute ethanol	1.5% max	1.1%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503