CERTIFICATE OF ANALYSIS

Date: 07/03/18

PRODUCT NAME : RHODAMINE B AR FOR MICROSCOPY

CAS No : 81-88-9
Mol. Formula : $C_{28}H_{31}ClN_2O_3$
Mol. WT : 479.02
Exp. : Feb. 2023

Product code : 17670
Batch No : MCR-7847-02
Mfd. : March 2018

S. R	Test	Specification	Observation
1	**Absorptivity(A 1% / 1 cm 555nm pH 7,on dried substance)**	2100 min.	2126
2	**Loss on drying (105^0c)**	5% max	2.26%
3	**Suitability For microscopy**	Passes test	Passes test

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503