



CERTIFICATE OF ANALYSIS

Date: 21/03/18

PRODUCT NAME : BEEF EXTRACT POWDER BACTERIOLOGICAL GRADE

Product code : 12640
Mfd. : March 2018

Batch No : MCR-15750
Exp. : Feb. 2023

S. R	Test	Specification	Observation
1	Nitrogen of alcohol soluble matter	6% min.	6.5%
2	Loss on drying at 105° C	5% max	1.91%
3	Alcohol insoluble	10% max	4.8%
4	Residue on ignition	30% max	12.1%
5	Chlorides	6% max	<6%
6	Bacteriological quality	Passes test	Passes test

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503