



CERTIFICATE OF ANALYSIS

Date: 22/03/18

PRODUCT NAME : WATER DISTILLED

CAS No : 7732- 18- 5
Mol. Formula : H₂O
Mol. WT : 18
Exp. : Jan. 2021

Product code : 32229
Batch No : MCM 1675
Mfd. : Feb. 2018

S. R	Test	Specification	Observation
1	pH	5.5 – 7.5	6.21
2	Density	About 1.000	1.000
3	Chloride (Cl)	0.0001% max.	< 0.0001%
4	Substance reducing KMnO ₄	0.00004% max.	< 0.00004%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503