



## CERTIFICATE OF ANALYSIS

Date : 21/03/18

**PRODUCT NAME : PHLOXIN B FOR MICROSCOPY**

CAS No : 18472- 87- 2  
Mfd. : March 2018  
Exp. : Feb. 2023

Product code : 16835  
Batch No. : MCR-6157-02

S. R	Test	Specification	Observation
1	Absorption maxima (in 50% ethanol)	546-550 nm	548.2 nm
2	Absorptivity (1cm, $\lambda_{max}$ )	min. 750.0	762
3	Loss on drying at 110 <sup>0</sup> C	max. 10%	1.52%

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE  
(G.G.Salian)

**Note:** Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)  
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)  
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503