



## CERTIFICATE OF ANALYSIS

Date: 10/04/13

**PRODUCT NAME : POTASSIUM TELLURITE FOR MICROBIOLOGY**

**CAS No : 123333- 66- 4**

**Product code : 17510**

**Mol. Formula :  $K_2TeO_3$**

**Batch No : MCR-6583**

**Mol. WT : 253.80**

**Mfd. : April 2013**

S.R	Test	Specification	Observation
1	Assay (ex Te)	90% min	90.2 %
2	Chloride (Cl)	0.005% max	<0.005%
3	Iron (Fe)	0.002% max	<0.002%

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

**[Tested By]**

**[QC Incharge]**

**HEAD-QUALITY ASSUARANCE  
(G.G.Salian)**

**Note:** Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)  
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)  
Works: Plot No./9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**