



CERTIFICATE OF ANALYSIS

Date: 10/06/18

PRODUCT NAME : CHLOROFORM AR

CAS No : 67-66-3
Mol. Formula : CHCl₃
Mol. WT : 119.38
Exp. : May.2023

Product code : 22620
Batch No : MCRT-16301
Mfd. : June. 2018

S. R	Test	Specification	Observation
1	Description	A clear, colourless liquid,with characteristic odor, APHA not greater than 10 HU.	A clear, colourless liquid,with characteristic odor, APHA less than 10 HU.
2	Assay (GC)	99.8 % min	99.90%
3	Wt.per ml (at 20 ⁰ c)	1.474-1.479g	1.476g
4	Refractive index	1.444 – 1.445	1.445
5	Water	0.05% max	0.01%
6	Acidity (HCl)	0.0005% max	< 0.0005%
7	Non Volatile Matter	0.0005% max	0.0004%
8	Ionized chloride(Cl)	0.00002% max	<0.00002%
9	Free chlorine(Cl)	0.0005% max	< 0.0005%
10	Metallic impurities	No reaction	No reaction
11	Aldehydes & Ketones (CH ₃ CHO)	0.005% max	< 0.005%
12	Organic impurities	Passes Test	Passes Test

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503