



CERTIFICATE OF ANALYSIS

Date: 06/10/12

PRODUCT NAME : GLYCINE

CAS No : 56-40-6
Mol. Formula : $\text{NH}_2\text{CH}_2\text{COOH}$
Mol. WT : 75.07

Product code : 14710
Batch No : MCR-5823
Mfd . : Oct. 2012

S. R	Test	Specification	Observation
1	Assay	98.5% w/w min	99.88 % w/w
2	Melting point	235°- 245°C	235.8°C
3	Water	0.2% max	0.14%
4	Sulphated ash	0.05 % max	0.03%
5	Iron (Fe)	0.005% max	< 0.005%
6	Lead (Pb)	0.01% max	< 0.01%
7	Chloride (Cl)	0.005 % max	< 0.005 %
8	Sulphate (SO_4)	0.005 % max	< 0.005 %

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No./9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503