



CERTIFICATE OF ANALYSIS

PRODUCT NAME : UREA LR

CAS No	: 57-13-6	Product code	: 19800
Mol. Formula	: NH₂.CO.NH₂	Batch No	: MCR-17126
Mol. WT	: 60.06	Mfd.	: Oct. 2018
Date of analysis	: 15/10/18	Exp.	: Sept. 2023

S. R	Test	Specification	Observation
1	Description	White crystals or crystalline powder or granules.	White granules.
2	Assay	99% min	99.52%
3	Melting point	131-134 ⁰ C	132.2 ⁰ C
4	Sulphated ash	0.1% max	0.04%
5	Chloride (Cl)	0.002% max	<0.002%
6	Sulphate(SO₄)	0.05% max	<0.05%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

**HEAD-QUALITY ASSUARANCE
(G.G.Salian)**

Note: Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503**