



CERTIFICATE OF ANALYSIS

PRODUCT NAME: GELATIN POWDER FOR BACTERIOLOGY

CAS No : 9000- 70- 8

Date of analysis : 31/10/18

Mfd. : Oct. 2018

Product code : 14610

Batch No : MCR-17237

Exp. : Sept. 2023

S.R	Test	Specification	Observation
1	Description	Colourless or pale yellowish, or Yellowish brown translucent sheets, flakes or a coarse to fine powder or free flowing crystals	Yellowish brown free flowing crystals
2	pH of 6.7% aqueous solution	5.3 – 5.9	5.75
3	Jelly strength	Passes test	Passes test
4	Bulk density	0.6 – 0.7 g/ml	0.7 g/ml
5	Loss on drying at 105°C	16% max	11.51%
6	Ash	3.3% max	1.6%
7	Lead (Pb)	0.005% max	< 0.005%
8	Sulphur dioxide	0.15% max	< 0.15%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

**HEAD-QUALITY ASSUARANCE
(G.G.Salian)**

Note: Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503**