

|                                   |                                                                                    |
|-----------------------------------|------------------------------------------------------------------------------------|
| <b>Material Safety Data Sheet</b> |  |
| <b>CAPRYLIC ACID 99%</b>          | <b>VERSION : 02</b><br><b>DATE OF ISSUE : 26-08-2019</b><br><b>SUPERSEDES : 01</b> |
| <b>Product Code :13378</b>        | <b>Page 1 of 10</b>                                                                |

## **1. Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

**Trade name :** CAPRYLIC ACID 99%

**Product code :** 13378

**Identification of the product :** CAPRYLIC ACID 99%

**CAS No :** 124-07-2

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use :** Industrial. For professional use only.

### **1.3. Details of the supplier of the safety data sheet**

**Company identification :** MOLYCHEM

**Office:** 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA) Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442.

**Email :** [info@molychem.net](mailto:info@molychem.net)

**Works:** Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503.

### **1.4. Emergency telephone number**

**Emergency number :** +91 22 4066 8111 (10:00am - 6:00 pm)

## **2. Hazards identification**

### **2.1. Classification of the substance or mixture**

**Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Skin corrosion/irritation, H314

Category 1B

**Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]**

**Adverse physicochemical, human health and environmental effects**

No additional information available

### **2.2. Label elements**

**Labelling according to Regulation (EC) No. 1272/2008 [CLP] Extra labelling to display**

**Extra classification(s) to display**

**Symbol(s) :** C: Corrosive



**R Phrase(s) :** R34: Cause burns.

**S Phrase(s) :** S26: Very toxic by inhalation.

S45: May cause cancer.

S36/37/39: Irritating to eyes, respiratory system and skin.

**Hazard pictograms**

**MOLYCHEM Office:** 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

**Tel:** +91 22 4066 8111, 2205 7772 . **Fax:** + 91 22 2203 4442. **Email :** [info@molychem.net](mailto:info@molychem.net)

**Works:** Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503

# Material Safety Data Sheet



**CAPRYLIC ACID 99%**

**VERSION : 02**

**DATE OF ISSUE : 26-08-2019**

**SUPERSEDES : 01**

**Product Code :13378**

**Page 2 of 10**



**Signal word : Danger**

**Hazard statements** : H314 - Causes severe skin burns and eye damage.

**Precautionary statements** : P280 - Wear protective gloves, protective clothing, eye protection, face protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER/doctor

## **2.3. Other hazards**

No additional information available

## **3. Composition/information on ingredients**

**3.1. Substances** : CAPRYLIC ACID 99%

CAS-No. : 124-07-2

Substance.

Contains no other components or impurities which will influence the classification of the product.

## **4. First aid measures**

### **4.1. Description of first aid measures**

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.

First-aid measures after skin contact : Immediately call a POISON CENTER/doctor.

Wash with plenty of water/.... Wash contaminated clothing before reuse.

First-aid measures after eye contact : Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

First-aid measures after ingestion : Rinse mouth. Call a POISON CENTER/doctor if you feel unwell. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

### **4.2. Most important symptoms and effects, both acute and delayed**

Symptoms/effects : Causes severe skin burns and eye damage.

### **4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

## **5. Firefighting measures**

### **5.1. Extinguishing media**

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**

**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**

**Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**

|                                   |                                                                                    |
|-----------------------------------|------------------------------------------------------------------------------------|
| <b>Material Safety Data Sheet</b> |  |
| <b>CAPRYLIC ACID 99%</b>          | <b>VERSION : 02</b><br><b>DATE OF ISSUE : 26-08-2019</b><br><b>SUPERSEDES : 01</b> |
| <b>Product Code :13378</b>        | <b>Page 3 of 10</b>                                                                |

Unsuitable extinguishing media : Do not use a heavy water stream.

## **5.2. Special hazards arising from the substance or mixture**

No additional information available

## **5.3. Advice for firefighters**

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## **6. Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

#### **6.1.1. For non-emergency personnel**

Emergency procedures : Evacuate unnecessary personnel.

#### **6.1.2. For emergency responders**

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

### **6.2. Environmental precautions**

Avoid release to the environment.

### **6.3. Methods and material for containment and cleaning up**

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers.

### **6.4. Reference to other sections**

No additional information available

## **7. Handling and storage**

### **7.1. Precautions for safe handling**

Precautions for safe handling : Avoid contact with skin and eyes. Do not breathe vapours. Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### **7.2. Conditions for safe storage, including any incompatibilities**

Storage conditions : Store in a well-ventilated place. Keep container tightly closed.

### **7.3. Specific end use(s)**

No additional information available

## **8. Exposure controls/personal protection**

### **8.1. Control parameters**

No additional information available

### **8.2. Exposure controls**

Hand protection : Protective gloves

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**

**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**

**Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**

# Material Safety Data Sheet



**CAPRYLIC ACID 99%**

**VERSION : 02**  
**DATE OF ISSUE : 26-08-2019**  
**SUPERSEDES : 01**

**Product Code :13378**

**Page 4 of 10**

Eye protection : Chemical goggles or face shield  
Skin and body protection : Wear suitable protective clothing  
Respiratory protection : [In case of inadequate ventilation] wear respiratory protection.

## **9. Physical and chemical properties**

### **9.1. Information on basic physical and chemical properties**

**Odour threshold** : No data available

**pH** : 3.5

**Relative evaporation rate (butylacetate=1)** : No data available

**Melting point** : 15 - 17 °C

**Freezing point** : No data available

**Boiling point** : 237 °C

**Flash point** : 110 °C

**Auto-ignition temperature** : No data available

**Decomposition temperature** : No data available

**Flammability (solid, gas)** : No data available

**Vapour pressure** : 1 mm Hg at 780°C

**Relative vapour density at 20 °C** : 4.98

**Relative density** : No data available

**Density** : 0.91 g/cm<sup>3</sup>

**Solubility** : Water: Insoluble in water

**Log Pow** : No data available

**Viscosity, kinematic** : No data available

**Viscosity, dynamic** : No data available

**Explosive properties** : No data available

**Oxidising properties** : No data available

**Explosive limits** : No data available

### **9.2. Other information**

No additional information available

## **10. Stability and reactivity**

### **10.1. Reactivity**

Thermal decomposition generates : Corrosive vapours.

### **10.2. Chemical stability**

Stable under normal conditions.

### **10.3. Possibility of hazardous reactions**

No additional information available

### **10.4. Conditions to avoid**

Air contact. Direct sunlight. Heat.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**

**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**

**Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**

# Material Safety Data Sheet



**CAPRYLIC ACID 99%**

**VERSION : 02**

**DATE OF ISSUE : 26-08-2019**

**SUPERSEDES : 01**

**Product Code :13378**

**Page 5 of 10**

## **10.5. Incompatible materials**

No additional information available

## **10.6. Hazardous decomposition products**

Thermal decomposition generates : Corrosive vapours.

## **11. Toxicological information**

### **11.1. Information on toxicological effects**

Acute toxicity : Not classified

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: 3.5

Serious eye damage/irritation : Serious eye damage, category 1, implicit

pH: 3.5

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Potential adverse human health effects and symptoms

: Harmful if swallowed. Harmful in contact with skin.

## **12. Ecological information**

### **12.1. Toxicity**

No additional information available

### **12.2. Persistence and degradability**

No additional information available

### **12.3. Bioaccumulative potential**

No additional information available

### **12.4. Mobility in soil**

No additional information available

### **12.5. Results of PBT and vPvB assessment**

No additional information available

### **12.6. Other adverse effects**

No additional information available

## **13. Disposal considerations**

### **13.1. Waste treatment methods**

Product/Packaging disposal

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**

**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**

**Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**

# Material Safety Data Sheet



**CAPRYLIC ACID 99%**

**VERSION : 02**

**DATE OF ISSUE : 26-08-2019**

**SUPERSEDES : 01**

**Product Code :13378**

**Page 6 of 10**

Recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

## **14. Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

### **14.1. UN number**

UN-No. (ADR) : 3265

UN-No. (IMDG) : 3265

UN-No. (IATA) : 3265

UN-No. (ADN) : 3265

UN-No. (RID) : 3265

### **14.2. UN proper shipping name**

Proper Shipping Name (ADR) : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

Proper Shipping Name (IMDG) : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

Proper Shipping Name (IATA) : Corrosive liquid, acidic, organic, n.o.s.

Proper Shipping Name (ADN) : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

Proper Shipping Name (RID) : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

Transport document description (ADR) : UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S., 8, III, (E)

Transport document description (IMDG) : UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S., 8, III

Transport document description (IATA) : UN 3265 Corrosive liquid, acidic, organic, n.o.s., 8, III

Transport document description (ADN) : UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S., 8, III

Transport document description (RID) : UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S., 8, III

### **14.3. Transport hazard class(es)**

**ADR-** Transport hazard class(es) (ADR) : 8

Danger labels (ADR) : 8

**IMDG-** Transport hazard class(es) (IMDG) : 8

Danger labels (IMDG) : 8

**IATA-** Transport hazard class(es) (IATA) : 8

Hazard labels (IATA) : 8

**ADN-** Transport hazard class(es) (ADN) : 8

Danger labels (ADN) : 8

**RID-** Transport hazard class(es) (RID) : 8

Danger labels (RID) : 8

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**

**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**

**Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**

# Material Safety Data Sheet



**CAPRYLIC ACID 99%**

**VERSION : 02**

**DATE OF ISSUE : 26-08-2019**

**SUPERSEDES : 01**

**Product Code :13378**

**Page 7 of 10**

## **14.4. Packing group**

Packing group (ADR) : III

Packing group (IMDG) : III

Packing group (IATA) : III

Packing group (ADN) : III

Packing group (RID) : III

## **14.5. Environmental hazards**

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

## **14.6. Special precautions for user**

**Overland transport-** Classification code (ADR) : C3

Special provisions (ADR) : 274

Limited quantities (ADR) : 5l

Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19

Portable tank and bulk container instructions (ADR) : T7

Portable tank and bulk container special provisions (ADR) : TP1, TP28

Tank code (ADR) : L4BN

Vehicle for tank carriage : AT

Transport category (ADR) : 3

Special provisions for carriage – Packages (ADR) : V12

Hazard identification number (Kemler No.) : 80

Orange plates :

Tunnel restriction code (ADR) : E

EAC code : 2X

APP code : B

**Transport by sea-** Special provisions (IMDG) : 223, 274

Packing instructions (IMDG) : P001, LP01

IBC packing instructions (IMDG) : IBC03

Tank instructions (IMDG) : T7

Tank special provisions (IMDG) : TP1, TP28

EmS-No. (Fire) : F-A

EmS-No. (Spillage) : S-B

Stowage category (IMDG) : A

Stowage and handling (IMDG) : SW2

Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**

**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**

**Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**

# Material Safety Data Sheet



**CAPRYLIC ACID 99%**

**VERSION : 02**

**DATE OF ISSUE : 26-08-2019**

**SUPERSEDES : 01**

**Product Code :13378**

**Page 8 of 10**

MFAG-No : 153

**Air transport-** PCA Excepted quantities (IATA) : E1

PCA Limited quantities (IATA) : Y841

PCA limited quantity max net quantity (IATA) : 1L

PCA packing instructions (IATA) : 852

PCA max net quantity (IATA) : 5L

CAO packing instructions (IATA) : 856

CAO max net quantity (IATA) : 60L

Special provisions (IATA) : A3, A803

ERG code (IATA) : 8L

**Inland waterway transport-** Classification code (ADN) : C3

Special provisions (ADN) : 274

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EP

Number of blue cones/lights (ADN) : 0

**Rail transport-** Classification code (RID) : C3

Special provisions (RID) : 274

Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19

Portable tank and bulk container instructions (RID) : T7

Portable tank and bulk container special provisions (RID) : TP1, TP28

Tank codes for RID tanks (RID) : L4BN

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Colis express (express parcels) (RID) : CE8

Hazard identification number (RID) : 80

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable

## **15. Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

### **15.1.1. EU-Regulations**

No REACH Annex XVII restrictions

CAPRYLIC ACID is not on the REACH Candidate List

CAPRYLIC ACID is not on the REACH Annex XIV List

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**

**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**

**Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**

|                                   |                                                                                    |
|-----------------------------------|------------------------------------------------------------------------------------|
| <b>Material Safety Data Sheet</b> |  |
| <b>CAPRYLIC ACID 99%</b>          | <b>VERSION : 02</b><br><b>DATE OF ISSUE : 26-08-2019</b><br><b>SUPERSEDES : 01</b> |
| <b>Product Code :13378</b>        | <b>Page 9 of 10</b>                                                                |

### **15.1.2. National regulations**

#### **Germany**

Reference to AwSV : Water hazard class (WGK) 1, low hazard to water (Classification according to AwSV; ID No. 657)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV

: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

#### **Netherlands**

SZW-lijst van kankerverwekkende stoffen : The substance is not listed

SZW-lijst van mutagene stoffen : The substance is not listed

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen – Borstvoeding : The substance is not listed

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen –

Vruchtbaarheid : The substance is not listed

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

#### **Denmark**

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

### **15.2. Chemical safety assessment**

No additional information available

### **16. Other information**

**Abbreviations and acronyms** : PBT: persistent, bioaccumulative and toxic.

vPvB: very persistent and very bioaccumulative

**Sources of key data used** : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

**Further information** : None.

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008 **DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**

**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**

**Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**

# Material Safety Data Sheet



**CAPRYLIC ACID 99%**

**VERSION : 02**  
**DATE OF ISSUE : 26-08-2019**  
**SUPERSEDES : 01**

**Product Code :13378**

**Page 10 of 10**

This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

## **End of document**

**Prepared by: MOLYCHEM (INDIA)**

**For questions contact: MOLYCHEM**

**Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)**

**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442.**

**Email : [info@molychem.net](mailto:info@molychem.net)**

**Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**

(The statements contained herein are offered for informational purposes only and are based upon technical data that MOLYCHEM believes to be accurate. It is intended for use only by persons having the necessary technical skills and at their own discretion and risk. Since conditions and manner of use are outside our control, we make NO WARRANTY, EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS OR OTHERWISE.)

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**

**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**

**Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**