

# Material Safety Data Sheet



**CARBON TETRACHLORIDE LR**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

Product Code : 13430

Page 1 of 14

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name : CARBON TETRACHLORIDE LR  
Product code : 13430  
Identification of the product : CARBON TETRACHLORIDE LR  
CAS No : 56-23-5  
EC Index-No. : 602-008-00-5  
EC No. : 200-262-8

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

### 1.3. Details of the supplier of the safety data sheet

#### Company identification

MOLYCHEM INDIA LLP  
Office: Maker Tower 'E', 41-A2, 4th Floor, Above Maker  
Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)  
Tel: +91 22 4066 8111, 2205 7772 .  
Email : [info@molychem.net](mailto:info@molychem.net)  
Works: Plot No. B/9, Badlapur M.I.D.C.,  
OPP.Shobhavat Textile Co., Kulgaon, Badlapur (E),  
Dist.-Thane-421 503.

### 1.4. Emergency telephone number

Emergency number : +91 22 4066 8111 (10:00am - 6:00 pm)

## 2. Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 3 H301  
Acute toxicity (dermal), Category 3 H311  
Acute toxicity (inhal.), Category 3 H331  
Carcinogenicity, Category 2 H351  
Specific target organ toxicity – Repeated  
exposure, Category 1 H372  
Hazardous to the aquatic environment –  
Chronic Hazard, Category 3 H412  
Hazardous to the ozone layer – category 1 H420

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

#### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**CARBON TETRACHLORIDE LR**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

Product Code : 13430

Page 2 of 14

Suspected of causing cancer. Causes damage to organs through prolonged or repeated exposure. Toxic in contact with skin. Toxic if inhaled. Toxic if swallowed. Harmful to aquatic life with long lasting effects. Harms public health and the environment by destroying ozone in the upper atmosphere.

## 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS06 GHS09

Signal word (CLP)

: Danger

Hazard statements (CLP)

: H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled  
H351 - Suspected of causing cancer  
H372 - Causes damage to organs through prolonged or repeated exposure.  
H412 - Harmful to aquatic life with long lasting effects  
H420 - Harms public health and the environment by destroying ozone in the upper atmosphere.  
Precautionary statements (CLP)  
: P273 - Avoid release to the environment.  
P280 - Wear protective gloves, protective clothing, eye protection, face protection.  
P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor  
P304+P340+P311 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor.  
P302+P352 - IF ON SKIN: Wash with plenty of water.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

## 2.3. Other hazards

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

## 3. Composition/information on ingredients

### 3.1. Substances

Name : CARBON TETRACHLORIDE LR

#### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**CARBON TETRACHLORIDE LR**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

**Product Code : 13430**

Page 3 of 14

CAS-No : 56-23-5

## 4. First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Call a physician immediately
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice. Call a doctor.
First-aid measures after skin contact	: Immediately call a POISON CENTER/doctor. Take off immediately all contaminated clothing. Wash with plenty of water/.... Specific measures (see supplemental first aid instruction on this label). Wash contaminated clothing before reuse. Wash skin with plenty of water.
First-aid measures after eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Obtain emergency medical attention. Immediately call a POISON CENTER/doctor. Specific treatment (see supplemental first aid instruction on this label). Call a physician immediately
First-aid measures for first aider	: First aid workers will be equipped with suitable personal protective equipment

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Causes damage to organs through prolonged or repeated exposure.
Symptoms/effects after inhalation	: Toxic if inhaled.
Symptoms/effects after skin contact	: Toxic in contact with skin.
Symptoms/effects after eye contact	: None under normal conditions.
Symptoms/effects after ingestion	: Toxic if swallowed.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**CARBON TETRACHLORIDE LR**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

Product Code : 13430

Page 4 of 14

## 5. Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO<sub>2</sub>). Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : No fire hazard.

Explosion hazard : No direct explosion hazard.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Harms public health and the environment by destroying ozone in the upper atmosphere. Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothing.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Use personal protective equipment as required. For further information refer to section 8: "Exposure controls/ personal protection"

#### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**CARBON TETRACHLORIDE LR**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

**Product Code : 13430**

Page 5 of 14

Emergency procedures : Stop release. Evacuate unnecessary personnel. Stop leak if safe to do so.

## 6.2. Environmental precautions

Avoid release to the environment. Harmful to aquatic life with long lasting effects. Try to stop release.

## 6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material. Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Notify authorities if product enters sewers or public waters. Clean up any spills as soon as possible, using an absorbent material to collect it.

Other information : Dispose of materials or solid residues at an authorized site.

## 6.4. Reference to other sections

For further information refer to section 13.

## 7. Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use

Precautions for safe handling : Do not breathe dust/fume/gas/mist/vapours/spray. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Use only outdoors or in a well-ventilated area.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands, forearms and face thoroughly after handling. Wash contaminated clothing before reuse. Wear personal protective equipment. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

#### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**CARBON TETRACHLORIDE LR**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

**Product Code : 13430**

**Page 6 of 14**

Technical measures : Keep in a cool, well-ventilated place away from heat.  
Storage conditions : Store in original container. Keep container tightly closed.  
Store in a dry place. Store locked up. Store in a well-ventilated place.  
Storage away from : Direct sunlight. Overheating. Open flame. Heat. Sparks.

## 7.3. Specific end use(s)

No additional information available

## 8. Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

Eye protection : Chemical goggles or safety glasses  
Hand protection : Wear protective gloves  
Skin protection : Wear a mask  
Respiratory protection : Wear appropriate mask

#### 8.2.3. Environmental exposure controls

Avoid release to the environment

## 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : Liquid  
Appearance : Clear liquid.  
Molecular mass : 153.82 g/mo  
Colour : Colourless.  
Odour : Sweet  
Odour threshold : Not available  
pH : Not available  
Melting point : Not applicable  
Freezing point : -23 °C  
Boiling point : 76 – 77 °C

#### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**CARBON TETRACHLORIDE LR**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

**Product Code : 13430**

Page 7 of 14

Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: > 100 °C
Flammability (solid, gas)	: Not available
Vapour pressure	: 121.3 hPa at 20°C
Relative vapour density at 20 °C	: 5.3 (Air = 1)
Relative density	: Not available
Density	: 1.593-1.595g
Solubility	: Water: Immiscible Ethanol: Miscible Ether: Miscible
Partition coefficient n-octanol/water (Log Pow)	: 2.83
Viscosity, kinematic	: 609.296 mm <sup>2</sup> /s
Viscosity, dynamic	: 0.97 Pa·s at 20 °C

## 9.2. Other information

No additional information available

## 10. Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Direct sunlight. Overheating. Open flame. Heat. Sparks.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## 11. Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Toxic if swallowed.
Acute toxicity (dermal)	: Toxic in contact with skin.
Acute toxicity (inhalation)	: Toxic if inhaled.
Skin corrosion/irritation	: Not classified

#### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered



# Material Safety Data Sheet



**CARBON TETRACHLORIDE LR**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

**Product Code : 13430**

**Page 8 of 14**

Additional information	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Suspected of causing cancer
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified

## 12. Ecological information

### 12.1. Toxicity

Ecology - general	: Harmful to aquatic life with long lasting effects
Ecology - air	: Dangerous for the ozone layer
Ecology - water	: Harmful to aquatic life with long lasting effects
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Harmful to aquatic life with long lasting effects

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## 13. Disposal considerations

### 13.1. Waste treatment methods

Regional waste regulation	: Disposal must be done according to official regulations
Waste treatment methods	: Must not be discharged to atmosphere. Assure that emissions are compliant with all applicable air pollution

#### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered



# Material Safety Data Sheet



**CARBON TETRACHLORIDE LR**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

**Product Code : 13430**

**Page 9 of 14**

Sewage disposal recommendations	: control regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations. : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. Disposal must be done according to official regulations
Additional information	: Do not re-use empty containers.
Ecological information	: Hazardous waste due to toxicity

## 14. Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1. UN number

UN-No. (ADR)	: UN 1846
UN-No. (IMDG)	: UN 1846
UN-No. (IATA)	: UN 1846
UN-No. (ADN)	: UN 1846
UN-No. (RID)	: UN 1846

### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: CARBON TETRACHLORIDE
Proper Shipping Name (IMDG)	: CARBON TETRACHLORIDE
Proper Shipping Name (IATA)	: Carbon tetrachloride
Proper Shipping Name (ADN)	: CARBON TETRACHLORIDE
Proper Shipping Name (RID)	: CARBON TETRACHLORIDE
Transport document description (ADR)	: UN 1846 CARBON TETRACHLORIDE, 6.1, II, (D/E)
Transport document description (IMDG)	: UN 1846 CARBON TETRACHLORIDE, 6.1, II, MARINE POLLUTANT
Transport document description (IATA)	: UN 1846 Carbon tetrachloride, 6.1, II
Transport document description (ADN)	: UN 1846 CARBON TETRACHLORIDE, 6.1, II
Transport document description (RID)	: UN 1846 CARBON TETRACHLORIDE, 6.1, II

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR)	: 6.1
Danger labels (ADR)	: 6.1

#### IMDG

Transport hazard class(es) (IMDG)	: 6.1
Danger labels (IMDG)	: 6.1

#### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**CARBON TETRACHLORIDE LR**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

**Product Code : 13430**

Page 10 of 14

## IATA

Transport hazard class(es) (IATA) : 6.1

Danger labels (IATA) : 6.1

## ADN

Transport hazard class(es) (ADN) : 6.1

Danger labels (ADN) : 6.1

## RID

Transport hazard class(es) (RID) : 6.1

Danger labels (RID) : 6.1

### 14.4. Packing group

Packing group (ADR) : II

Packing group (IMDG) : II

Packing group (IATA) : II

Packing group (ADN) : II

Packing group (RID) : II

### 14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : Yes (IMDG only)

Other information : No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR) : T1

Limited quantities (ADR) : 100ml

Excepted quantities (ADR) : E4

Packing instructions (ADR) : P001, IBC02

Mixed packing provisions (ADR) : MP15

Portable tank and bulk container

instructions (ADR) : T7

Portable tank and bulk container special

provisions (ADR) : TP2

Tank code (ADR) : L4BH

Vehicle for tank carriage : AT

Transport category (ADR) : 2

Special provisions for carriage - Operation : CV13, CV28  
(ADR)

Hazard identification number (Kemler No.) : 60

Tunnel restriction code (ADR) : D/E

EAC code : 2Z

#### Transport by sea

Limited quantities (IMDG) : 100 ml

#### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**CARBON TETRACHLORIDE LR**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

**Product Code : 13430**

Page 11 of 14

Excepted quantities (IMDG)	: E4
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP2
Stowage category (IMDG)	: A
MFAG-No	: 151
<b>Air transport</b>	
PCA Excepted quantities (IATA)	: E4
PCA Limited quantities (IATA)	: Y641
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 654
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 661
CAO max net quantity (IATA)	: 60L
ERG code (IATA)	: 6L
<b>Inland waterway transport</b>	
Classification code (ADN)	: T1
Limited quantities (ADN)	: 100 ml
Excepted quantities (ADN)	: E4
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP, TOX, A
Ventilation (ADN)	: VE02
Number of blue cones/lights (ADN)	: 2
<b>Rail transport</b>	
Classification code (RID)	: T1
Limited quantities (RID)	: 100ml
Excepted quantities (RID)	: E4
Packing instructions (RID)	: P001, IBC02
Mixed packing provisions (RID)	: MP15
Portable tank and bulk container instructions (RID)	: T7
Portable tank and bulk container special provisions (RID)	: TP2
Tank codes for RID tanks (RID)	: L4BH
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE5
Hazard identification number (RID)	: 60

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**CARBON TETRACHLORIDE LR**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

**Product Code : 13430**

Page 12 of 14

Not applicable

## 15. Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1 EU-Regulations

##### EU restriction list (REACH Annex XVII)

Reference code Applicable on	Reference code Applicable on
3(b)	CARBON TETRACHLORIDE
3(c)	CARBON TETRACHLORIDE
3(d)	CARBON TETRACHLORIDE

Not listed on REACH Annex XIV (Authorisation List)

Not listed on the REACH Candidate List

Listed on the PIC list (Regulation EU 649/2012): Carbon tetrachloride

Not listed on the POP list (Regulation EU 2019/1021)

Listed on the Ozone Depletion list (Regulation EU 1005/2009): Tetrachloromethane (carbon tetrachloride)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

##### France

##### Occupational diseases

Code	Description
RG 11	Professional poisoning by carbon tetrachloride

##### Germany

Water hazard class (WGK)

: WGK 3, Highly hazardous to water (Classification according to AwSV).

Chemicals Prohibition Ordinance (ChemVerbotsV)

: This product is subject to ChemVerbotsV Annex 2 Entry 1. The following requirements must be observed: authorization requirement (according to § 6 paragraph 1 sentence 1), basic requirements for

#### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**CARBON TETRACHLORIDE LR**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

**Product Code : 13430**

Page 13 of 14

Hazardous Incident Ordinance (12. BImSchV) carrying out the delivery (according to § 8 paragraph 1, 3 and 4), identification and documentation (according to § 9 paragraph 1 to 3) and exclusion of the shipping route (according to § 10).  
Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

**Netherlands**  
SZW-lijst van kankerverwekkende stoffen : The substance is not listed  
SZW-lijst van mutagene stoffen : The substance is not listed  
SZW-lijst van reprotoxische stoffen – Borstvoeding : The substance is not listed  
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : The substance is not listed  
SZW-lijst van reprotoxische stoffen – Ontwikkeling : The substance is not listed

**Denmark**  
Danish National Regulations : Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## 16. Other information

Abbreviations and acronyms	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand
COD	Chemical oxygen demand
COD	Chemical oxygen demand
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level

### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**CARBON TETRACHLORIDE LR**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

**Product Code : 13430**

Page 14 of 14

EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties
<b>Full text of H- and EUH-statements</b>	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
EUH066	Repeated exposure may cause skin dryness or cracking.

Safety Data Sheet (SDS), EU This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

## MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered