


<b>Material Safety Data Sheet</b>	
<b>CHLOROFORM LR</b>	<b>VERSION : 03</b> <b>DATE OF ISSUE : 31-01-2022</b> <b>SUPERSEDES : 02</b>
<b>Product Code : 13620</b>	<b>Page 1 of 9</b>

## **1. Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

**Trade name :** CHLOROFORM LR

**Product code :** 13620

**Identification of the product :** CHLOROFORM

**CAS No :** 67-66-3

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use :** Industrial. For professional use only.

### **1.3. Details of the supplier of the safety data sheet**

**Company identification :** MOLYCHEM

**Office:** 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA) Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442.

**Email :** [info@molychem.net](mailto:info@molychem.net)

**Works:** Plot No. B/9, Badlapur M.I.D.C., OPP. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

### **1.4. Emergency telephone number**

**Emergency number :** +91 22 4066 8111 (10:00am - 6:00 pm)

## **2. Hazards identification -DSD**

### **2.1. Classification of the substance or mixture**

**Classification EC 67/548 or EC 1999/45**

**Classification :** Carc. Cat. 3; R40

Xn; R22-48/20/22

Xi; R38

**Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)**

**Health hazards :** Carcinogenicity - Category 2 - Warning (CLP : Carc. 2) H351

Specific Target Organ Toxicity - Repeated exposure - Category 2 - Warning (CLP : STOT RE 2) H373


Skin irritation - Category 2 - Warning (CLP : Skin Corr. 2) H315

Acute toxicity, Oral - Category 4 - Warning (CLP : Acute Tox. 4) H302

### **2.2. Label elements**

**Labelling EC 67/548 or EC 1999/45**

**Symbol(s) :** Xn : Harmful



**R Phrase(s) :** R22 : Harmful if swallowed.

R38 : Irritating to skin.

R40 : Limited evidence of a carcinogenic effect.

**MOLYCHEM Office:** 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

**Tel:** +91 22 4066 8111, 2205 7772 . **Fax:** + 91 22 2203 4442. **Email :** [info@molychem.net](mailto:info@molychem.net)

**Works:** Plot No. B/9, Badlapur M.I.D.C., OPP. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503

# Material Safety Data Sheet



**CHLOROFORM LR**

**VERSION : 03**

**DATE OF ISSUE : 31-01-2022**

**SUPERSEDES : 02**

**Product Code : 13620**

**Page 2 of 9**

R48/20/22 : Harmful : danger of serious damage to health by prolonged exposure through inhalation and if swallowed.

**S Phrase(s) :** S2 : Keep out of the reach of children.

S36/37 : Wear suitable protective clothing and gloves.

**Labelling Regulation EC 1272/2008 (CLP)**

**Hazard pictograms**



**Signal words :** Warning

**Hazard statements :** H351 : Suspected of causing cancer.

H302 : Harmful if swallowed.

H315 : Causes skin irritation.

H373 : May cause damage to organs through prolonged or repeated exposure.

**Precautionary statements**

• **General :** P102: Keep out of reach of children.

P103: Read label before use.

P101: If medical advice is needed, have product container or label at hand.

P201: Obtain special instructions before use.

• **Prevention :** P280: Wear protective gloves, protective clothing, eye protection, face protection.

P260: Do not breathe dust, fume, gas, mist, vapours, spray.

P264: Wash thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

• **Response :** P302+P352: IF ON SKIN : Wash with plenty of soap and water.

P301+P312: IF SWALLOWED : Call a POISON CENTER or doctor if you feel unwell.

P308+P313: If exposed or concerned : get medical advice.

P332+P313: If skin irritation occurs : Get medical advice.

P363: Wash contaminated clothing before reuse.

P314: Get medical advice if you feel unwell.

• **Storage :** P405: Store locked up.

• **Disposal considerations :** P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

## 2.3. Other hazards

**Other hazards :** The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

**MOLYCHEM Office:** 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

**Tel:** +91 22 4066 8111, 2205 7772 . **Fax:** + 91 22 2203 4442. **Email :** [info@molychem.net](mailto:info@molychem.net)

**Works:** Plot No. B/9, Badlapur M.I.D.C., OPP. Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503

# Material Safety Data Sheet



**CHLOROFORM LR**

**VERSION : 03**

**DATE OF ISSUE : 31-01-2022**

**SUPERSEDES : 02**

**Product Code : 13620**

**Page 3 of 9**

## **3. Composition/information on ingredients**

**Substance / Preparation :** Chloroform

CAS No : 67-66-3

Substance.

Contains no other components or impurities which will influence the classification of the product.

## **4. First aid measures**

### **4.1. Description of first aid measures**

**Inhalation :** Assure fresh air breathing. Allow the victim to rest.

**Skin contact :** Get medical advice. If skin irritation occurs : Wash with plenty of soap and water. Wash contaminated clothing before reuse. Specific treatment (see on this label).

**Eye contact :** Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.

**Ingestion :** Obtain emergency medical attention. Do NOT induce vomiting. Call a POISON CENTER or doctor if you feel unwell. Rinse mouth.

### **4.2. Most important symptoms and effects, both acute and delayed**

**Symptoms relating to use :** Swallowing a small quantity of this material will result in serious health hazard. Suspected of causing cancer. Causes damage to organ. Causes skin irritation.

### **4.3. Indication of any immediate medical attention and special treatment needed**

**General information :** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

## **5. Fire-fighting measures**

### **5.1. Extinguishing media**

**Suitable extinguishing media :** Foam. Dry powder. Carbon dioxide. Water spray. Sand.

**Unsuitable extinguishing media :** Do not use a heavy water stream.

**Surrounding fires :** Use water spray or fog for cooling exposed containers.

### **5.2. Special hazards arising from the substance or mixture**

**Hazardous combustion products :** Under fire conditions, hazardous fumes will be present.

### **5.3. Advice for fire-fighters**

**Protection against fire :** Do not enter fire area without proper protective equipment, including respiratory protection.

**Special procedures :** Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

**MOLYCHEM Office:** 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

**Tel:** +91 22 4066 8111, 2205 7772 . **Fax:** + 91 22 2203 4442. **Email :** [info@molychem.net](mailto:info@molychem.net)

**Works:** Plot No. B/9, Badlapur M.I.D.C., OPP. Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503

# Material Safety Data Sheet



**CHLOROFORM LR**

**VERSION : 03**

**DATE OF ISSUE : 31-01-2022**

**SUPERSEDES : 02**

**Product Code : 13620**

**Page 4 of 9**

## **6. Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

**For emergency responders :** Equip cleanup crew with proper protection.

Ventilate area.

**For non-emergency personnel :** Evacuate unnecessary personnel.

### **6.2. Environmental precautions**

**Environmental precautions :** Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

### **6.3. Methods and material for containment and cleaning up**

**Clean up methods :** Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

### **6.4. Reference to other sections**

See section 8. Exposure controls/personal protection

## **7. Handling and storage**

### **7.1. Precautions for safe handling**

**Handling :** Obtain special instructions before use. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Wash thoroughly after handling.

**Technical protective measures :** Provide good ventilation in process area to prevent formation of vapour.

**Special precautions :** Avoid breathing dust, fume, gas, mist, vapours, spray.

### **7.2. Conditions for safe storage, including any incompatibilities**

**Storage :** Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.

**Storage - away from :** Strong bases. Strong acids. Sources of ignition. Direct sunlight.

### **7.3. Specific end use(s)**

**Specific end use(s) :** None.

## **8. Exposure controls/personal protection**

### **8.1. Exposure controls**

**Personal protection :** Avoid all unnecessary exposure.

- **Respiratory protection :** Wear approved mask.
- **Hand protection :** Wear protective gloves.
- **Skin protection :** Wear suitable protective clothing.
- **Eye protection :** Chemical goggles or safety glasses.
- **Others :** When using, do not eat, drink or smoke.

### **8.2. Control parameters**

**Occupational Exposure Limits :** No data available.

**MOLYCHEM Office:** 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

**Tel:** +91 22 4066 8111, 2205 7772 . **Fax:** + 91 22 2203 4442. **Email :** [info@molychem.net](mailto:info@molychem.net)

**Works:** Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503

# Material Safety Data Sheet



CHLOROFORM LR

VERSION : 03

DATE OF ISSUE : 31-01-2022

SUPERSEDES : 02

Product Code : 13620

Page 5 of 9

## **9. Physical and chemical properties**

### **9.1. Information on basic physical and chemical properties**

Physical state at 20 °C : Liquid.

Odour : Sweet pleasant

Odour threshold : No data available.

pH value : No data available.

Melting point [°C] : -63 °C

Decomposition point [°C] : 290°C

Critical temperature [°C] : N/A

Auto-ignition temperature [°C] : N/A

Flammability (solid, gas) : N/A

Flash point [°C] : N/A

Boiling point [°C] : 60.5 - 61.5 °C

Initial boiling point [°C] : 60.5 °C

Final boiling point [°C] : 61.5 °C

Evaporation rate : 11.6

Vapour pressure [20°C] : 213.3 hPa at 20°C

Vapour pressure mm/Hg : N/A

Vapour density : 4.12

Density [g/cm<sup>3</sup>] : 1.492

Relative density, gas (air=1) : N/A

Relative density, liquid (water=1) : N/A

Solubility in water [% weight] : Slightly soluble

Solubility in water : N/A

Log Pow octanol / water at 20°C : No data available.

Solubility : N/A

Viscosity at 40°C [mm<sup>2</sup>/s] : 0.58 cps@ 20 °C

### **9.2. Other information**

Explosive properties : N/A

Explosion limits - upper [%] : N/A

Explosion limits - lower [%] : N/A

Oxidising properties : No data available.

## **10. Stability and reactivity**

### **10.1. Reactivity**

Reactivity : Not established.

### **10.2. Chemical stability**

Chemical stability : Stable under recommended storage conditions.

### **10.3. Possibility of hazardous reactions**

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)

Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503

# Material Safety Data Sheet



CHLOROFORM LR

VERSION : 03

DATE OF ISSUE : 31-01-2022

SUPERSEDES : 02

Product Code : 13620

Page 6 of 9

**Hazardous reactions** : Not established.

## 10.4. Conditions to avoid

**Conditions to avoid** : Direct sunlight. Extremely high or low temperatures.

## 10.5. Incompatible materials

**Materials to avoid** : Strong acids. Strong bases.

## 10.6. Hazardous decomposition products

**Hazardous decomposition products** : Fumes. Carbon monoxide. Carbon dioxide.

## 11. Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity

- **Inhalation** : Based on available data, the classification criteria are not met.
- **Dermal** : Based on available data, the classification criteria are not met.
- **Ingestion** : Harmful if swallowed.

**Corrosion** : Based on available data, the classification criteria are not met.

**Irritation** : Causes skin irritation.

**Sensitization** : Based on available data, the classification criteria are not met.

**Mutagenicity** : Based on available data, the classification criteria are not met.

**Carcinogenicity** : Suspected of causing cancer.

**Toxic for reproduction** : Based on available data, the classification criteria are not met.

**STOT-single exposure** : Based on available data, the classification criteria are not met.

**STOT-repeated exposure** : May cause damage to organs through prolonged or repeated exposure.

**Aspiration hazard** : Based on available data, the classification criteria are not met.

## 12. Ecological information

### 12.1. Toxicity

**Toxicity information** : Not established.

### 12.2. Persistence - degradability

**Persistence - degradability** : Biodegradable.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** : Not established.

### 12.4. Mobility in soil

**Mobility in soil** : Not established.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

### 12.6. Other adverse effects

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)

Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503

# Material Safety Data Sheet



**CHLOROFORM LR**

**VERSION : 03**

**DATE OF ISSUE : 31-01-2022**

**SUPERSEDES : 02**

**Product Code : 13620**

**Page 7 of 9**

**Environmental precautions :** Avoid release to the environment.

## **13. Disposal considerations**

### **13.1. Waste treatment methods**

**General :** Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

## **14. Transport information**

### **14.1. Land transport (ADR-RID)**

**Proper shipping name :** CHLOROFORM

**UN N° :** 1888

**H.I. nr :** 60

**ADR - Class :** 6.1

**Labelling - Transport :** 6.1 : Toxic substances.

**ADR - Classification code :** T1

**ADR - Group :** III

**ADR - Packing instructions :** P001 R001 LP001

**ADR - Limited Quantity :** 5 L

**ADR - Tunnel code :** E : Passage forbidden through tunnels of category E.

### **14.2. Sea transport (IMDG) [English only]**

**Proper shipping name :** CHLOROFORM

**UN N° :** 1888

**IMO-IMDG - Class or division :** 6.1 : Toxic substances.

**IMO-IMDG - Packing group :** III

**IMO-IMDG - Packing instructions :** P001 LP01

**IMO-IMDG - Limited quantities :** 5 L

**IMO-IMDG - Marine pollution :** No

**EMS-Nr :** F-A S-A

### **14.3. Air transport (ICAO-IATA) [English only]**

**Proper shipping name :** CHLOROFORM

**UN N° :** 1888

**IATA - Class or division :** 6.1 : Toxic substances.

**IATA - Packing group :** III

**IATA - Passenger and Cargo Aircraft :** ALLOWED

**- Passenger and Cargo - Packing :** 680

**instruction**

**- Passenger and Cargo - Maximum :** 60 L

**MOLYCHEM Office:** 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

**Tel:** +91 22 4066 8111, 2205 7772 . **Fax:** + 91 22 2203 4442. **Email :** [info@molychem.net](mailto:info@molychem.net)

**Works:** Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503



# Material Safety Data Sheet



CHLOROFORM LR

VERSION : 03  
DATE OF ISSUE : 31-01-2022  
SUPERSEDES : 02

Product Code : 13620

Page 8 of 9

## Quantity/Packing

IATA - Cargo only : ALLOWED

- Cargo only - Packing instruction : 680

- Cargo only - Maximum Quantity/ : 220 L

## Packing

IATA - Limited Quantities : 2 L

ERG-Nr : 6A

## 15. Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Safety, health and environmental** : Ensure all national/local regulations are observed.  
**regulations/legislation specific for the substance or mixture**

**REACH Restrictions - Annex XVII** : Annex XVII With the exception of those listed below: The components of this product are not subject to restrictions.

**REACH Authorisation - Annex XIV** : The components of this product are not subject to authorization.

### 15.2. Chemical Safety Assessment

**Chemical Safety Assessment** : It has not been carried out.

## 16. Other information

**Abbreviations and acronyms** : PBT: persistent, bioaccumulative and toxic.

vPvB: very persistent and very bioaccumulative

**Sources of key data used** : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

**Further information** : None.


In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008 **DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

**MOLYCHEM Office:** 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

**Tel:** +91 22 4066 8111, 2205 7772 . **Fax:** + 91 22 2203 4442. **Email :** [info@molychem.net](mailto:info@molychem.net)

**Works:** Plot No. B/9, Badlapur M.I.D.C., OPP. Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503



<b>Material Safety Data Sheet</b>	
<b>CHLOROFORM LR</b>	<b>VERSION : 03</b> <b>DATE OF ISSUE :31-01-2022</b> <b>SUPERSEDES : 02</b>
<b>Product Code : 13620</b>	<b>Page 9 of 9</b>

**End of document**

**Prepared by: MOLYCHEM (INDIA)**

**For questions contact: MOLYCHEM**

**Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**

**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442.**

**Email : [info@molychem.net](mailto:info@molychem.net)**

**Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**

(The statements contained herein are offered for informational purposes only and are based upon technical data that MOLYCHEM believes to be accurate. It is intended for use only by persons having the necessary technical skills and at their own discretion and risk. Since conditions and manner of use are outside our control, we make NO WARRANTY, EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS OR OTHERWISE.)

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**

**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**

**Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**