

# Material Safety Data Sheet



**ETHYLENE DIAMINE TETRA ACETIC ACID  
DISODIUM SALT LR**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

Product Code : 14340

Page 1 of 11

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name : ETHYLENE DIAMINE TETRA ACETIC ACID  
DISODIUM SALT LR

Product code : 14340

Identification of the product : ETHYLENE DIAMINE TETRA ACETIC ACID  
DISODIUM SALT LR

CAS No : 6381-92-6

EC No. : 205-358-3

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

### 1.3. Details of the supplier of the safety data sheet

Company identification

MOLYCHEM INDIA LLP  
Office: Maker Tower 'E', 41-A2, 4th Floor, Above Maker  
Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)  
Tel: +91 22 4066 8111, 2205 7772 .  
Email : [info@molychem.net](mailto:info@molychem.net)  
Works: Plot No. B/9, Badlapur M.I.D.C.,  
OPP.Shobhavat Textile Co., Kulgaon, Badlapur (E),  
Dist.-Thane-421 503.

### 1.4. Emergency telephone number

Emergency number : +91 22 4066 8111 (10:00am - 6:00 pm)

## 2. Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

#### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**ETHYLENE DIAMINE TETRA ACETIC ACID  
DISODIUM SALT LR**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

**Product Code : 14340**

Page 2 of 11

Hazard pictograms (CLP)



GHS07

## 2.3. Other hazards

No additional information available

## 3. Composition/information on ingredients

### 3.1. Substances

Name : ETHYLENE DIAMINE TETRA ACETIC ACID  
DISODIUM SALT LR  
CAS-No : 6381-92-6

### 3.2. Mixtures

Not applicable

## 4. First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Wash with plenty of water/... Wash contaminated clothing before reuse. Wash skin with plenty of water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Get medical advice/attention. Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## 5. Firefighting measures

### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**ETHYLENE DIAMINE TETRA ACETIC ACID  
DISODIUM SALT LR**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

**Product Code : 14340**

**Page 3 of 11**

## 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Carbon dioxide. Foam.  
Unsuitable extinguishing media : Do not use a heavy water stream.

## 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

## 5.3. Advice for firefighters

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Use personal protective equipment as required. For further information refer to section 8: "Exposure controls/ personal protection"

Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product. Collect spillage. On land, sweep or shovel into suitable containers.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

#### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**ETHYLENE DIAMINE TETRA ACETIC ACID  
DISODIUM SALT LR**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

Product Code : 14340

Page 4 of 11

## 7. Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact with skin and eyes. Do not breathe vapours. Provide good ventilation in process area to prevent formation of vapour..

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed. Store in a well-ventilated place. Keep cool.

Storage away from : Direct sunlight. Extremely high or low temperatures

### 7.3. Specific end use(s)

No additional information available

## 8. Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

Ensure good ventilation of the work station.

## MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**ETHYLENE DIAMINE TETRA ACETIC ACID  
DISODIUM SALT LR**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

**Product Code : 14340**

**Page 5 of 11**

## 8.2.2. Personal protection equipment

|                        |                                                                    |
|------------------------|--------------------------------------------------------------------|
| Eye protection         | : Chemical goggles or safety glasses                               |
| Hand protection        | : Wear protective gloves                                           |
| Skin protection        | : Wear suitable protective clothing                                |
| Respiratory protection | : [In case of inadequate ventilation] wear respiratory protection. |
| Thermal hazards        | : No additional information available                              |

## 8.2.3 Environmental exposure controls

Avoid release to the environment

## 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|                                                 |                                 |
|-------------------------------------------------|---------------------------------|
| Physical state                                  | : Solid                         |
| Appearance                                      | : powder or Crystalline powder. |
| Molecular mass                                  | : 372.24g/mol                   |
| Colour                                          | : White                         |
| Odour                                           | : Odourless                     |
| Odour threshold                                 | : No data available             |
| pH                                              | : 4.3 – 5.3(5% aq.solution)     |
| Relative evaporation rate                       | : No data available             |
| Melting point                                   | : 248 °C                        |
| Freezing point                                  | : Not applicable                |
| Boiling point                                   | : No data available             |
| Flash point                                     | : > 100 °C                      |
| Auto-ignition temperature                       | : > 252 °C                      |
| Decomposition temperature                       | : No data available             |
| Flammability (solid, gas)                       | : Non flammable                 |
| Vapour pressure                                 | : No data available             |
| Relative vapour density at 20 °C                | : No data available             |
| Relative density                                | : No data available             |
| Solubility                                      | : Water: 100 g/l at 20 °C       |
| Partition coefficient n-octanol/water (Log Pow) | : No data available             |
| Viscosity, kinematic                            | : Not applicable                |
| Viscosity, dynamic                              | : No data available             |
| Explosive properties                            | : No data available             |
| Oxidising properties                            | : No data available             |
| Explosive limits                                | : Not applicable                |

#### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**ETHYLENE DIAMINE TETRA ACETIC ACID  
DISODIUM SALT LR**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

**Product Code : 14340**

**Page 6 of 11**

## 9.2. Other information

No additional information available

## 10. Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Carbon dioxide. Carbon monoxide. fume

## 11. Toxicological information

### 11.1. Information on toxicological effects

|                                   |                  |
|-----------------------------------|------------------|
| Acute toxicity (oral)             | : Not classified |
| Acute toxicity (dermal)           | : Not classified |
| Acute toxicity (inhalation)       | : Not classified |
| Skin corrosion/irritation         | : Not classified |
| Additional information            | : Not classified |
| Serious eye damage/irritation     | : Not classified |
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity            | : Not classified |
| Carcinogenicity                   | : Not classified |
| Reproductive toxicity             | : Not classified |
| STOT-single exposure              | : Not classified |
| STOT-repeated exposure            | : Not classified |
| Aspiration hazard                 | : Not classified |

## 12. Ecological information

### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**ETHYLENE DIAMINE TETRA ACETIC ACID  
DISODIUM SALT LR**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

**Product Code : 14340**

**Page 7 of 11**

## 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

## 12.2. Persistence and degradability

No additional information available

## 12.3. Bioaccumulative potential

No additional information available

## 12.4. Mobility in soil

No additional information available

## 12.5 Results of PBT and vPvB assessment

No additional information available

## 12.6 Other adverse effects

No additional information available

## 13. Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions

Product/Packaging disposal recommendations : Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as nonhazardous waste.

## 14. Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1. UN number

UN-No. (ADR) : Not regulated

UN-No. (IMDG) : Not regulated

UN-No. (IATA) : Not regulated

UN-No. (ADN) : Not regulated

### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**ETHYLENE DIAMINE TETRA ACETIC ACID  
DISODIUM SALT LR**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

**Product Code : 14340**

**Page 8 of 11**

UN-No. (RID) : Not regulated

## 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not regulated  
Proper Shipping Name (IMDG) : Not regulated  
Proper Shipping Name (IATA) : Not regulated  
Proper Shipping Name (ADN) : Not regulated  
Proper Shipping Name (RID) : Not regulated

## 14.3. Transport hazard class(es)

### ADR

Transport hazard class(es) (ADR) : Not regulated

### IMDG

Transport hazard class(es) (IMDG) : Not regulated

### IATA

Transport hazard class(es) (IATA) : Not regulated

### ADN

Transport hazard class(es) (ADN) : Not regulated

### RID

Transport hazard class(es) (RID) : Not regulated

## 14.4. Packing group

Packing group (ADR) : Not regulated  
Packing group (IMDG) : Not regulated  
Packing group (IATA) : Not regulated  
Packing group (ADN) : Not regulated  
Packing group (RID) : Not regulated

## 14.5. Environmental hazards

Dangerous for the environment : No  
Marine pollutant : No  
Other information : No supplementary information available

## 14.6. Special precautions for user

### Overland transport

Not regulated

### Transport by sea

Not regulated

### Air transport

Not regulated

### Inland waterway transport

Not regulated

### Rail transport

Not regulated

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered



# Material Safety Data Sheet



**ETHYLENE DIAMINE TETRA ACETIC ACID  
DISODIUM SALT LR**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

**Product Code : 14340**

Page 9 of 11

Not applicable

## 15. Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1 EU-Regulations

No REACH Annex XVII restrictions

ETHYLENE DIAMINE TETRA ACETIC ACID DISODIUM SALT is not on the REACH Candidate List

ETHYLENE DIAMINE TETRA ACETIC ACID DISODIUM SALT is not on the REACH Annex XIV List

ETHYLENE DIAMINE TETRA ACETIC ACID DISODIUM SALT is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals

ETHYLENE DIAMINE TETRA ACETIC ACID DISODIUM SALT is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

##### Germany

Water hazard class (WGK)

: WGK 2, Significantly hazardous to water  
(Classification according to AwSV; ID No. 104)

Hazardous Incident Ordinance (12. BImSchV)

: Is not subject of the Hazardous Incident Ordinance  
(12. BImSchV)

##### Netherlands

SZW-lijst van kankerverwekkende stoffen

: The substance is not listed

SZW-lijst van mutagene stoffen

: The substance is not listed

NIET-limitatieve lijst van voor de voortplanting

: The substance is not listed

giftige stoffen – Borstvoeding

giftige stoffen – Borstvoeding

: The substance is not listed

NIET-limitatieve lijst van voor de voortplanting

: The substance is not listed

giftige stoffen – Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting

: The substance is not listed

giftige stoffen – Ontwikkeling

##### Denmark

Danish National Regulations

: Young people below the age of 18 years are not  
allowed to use the product

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

• ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**ETHYLENE DIAMINE TETRA ACETIC ACID  
DISODIUM SALT LR**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

Product Code : 14340

Page 10 of 11

## 16. Other information

### Abbreviations and acronyms

|         |                                                                                                 |
|---------|-------------------------------------------------------------------------------------------------|
| ADN     | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR     | European Agreement concerning the International Carriage of Dangerous Goods by Road             |
| ATE     | Acute Toxicity Estimate                                                                         |
| BCF     | Bioconcentration factor                                                                         |
| BLV     | Biological limit value                                                                          |
| BOD     | Biochemical oxygen demand                                                                       |
| COD     | Chemical oxygen demand                                                                          |
| COD     | Chemical oxygen demand                                                                          |
| DMEL    | Derived Minimal Effect level                                                                    |
| DNEL    | Derived-No Effect Level                                                                         |
| EC-No.  | European Community number                                                                       |
| EC50    | Median effective concentration                                                                  |
| EN      | European Standard                                                                               |
| IARC    | International Agency for Research on Cancer                                                     |
| IATA    | International Air Transport Association                                                         |
| IMDG    | International Maritime Dangerous Goods                                                          |
| LC50    | Median lethal concentration                                                                     |
| LD50    | Median lethal dose                                                                              |
| LOAEL   | Lowest Observed Adverse Effect Level                                                            |
| NOAEC   | No-Observed Adverse Effect Concentration                                                        |
| NOAEL   | No-Observed Adverse Effect Level                                                                |
| NOEC    | No-Observed Effect Concentration                                                                |
| OECD    | Organisation for Economic Co-operation and Development                                          |
| OEL     | Occupational Exposure Limit                                                                     |
| PBT     | Persistent Bioaccumulative Toxic                                                                |
| PNEC    | Predicted No-Effect Concentration                                                               |
| RID     | Regulations concerning the International Carriage of Dangerous Goods by Rail                    |
| SDS     | Safety Data Sheet                                                                               |
| STP     | Sewage treatment plant                                                                          |
| ThOD    | Theoretical oxygen demand (ThOD)                                                                |
| TLM     | Median Tolerance Limit                                                                          |
| VOC     | Volatile Organic Compounds                                                                      |
| CAS-No. | Chemical Abstract Service number                                                                |
| N.O.S.  | Not Otherwise Specified                                                                         |

### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**ETHYLENE DIAMINE TETRA ACETIC ACID  
DISODIUM SALT LR**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

**Product Code : 14340**

**Page 11 of 11**

|                                           |                                                                        |
|-------------------------------------------|------------------------------------------------------------------------|
| vPvB                                      | Very Persistent and Very Bioaccumulative                               |
| ED                                        | Endocrine disrupting properties                                        |
|                                           |                                                                        |
| <b>Full text of H- and EUH-statements</b> |                                                                        |
| Eye Irrit. 2                              | Serious eye damage/eye irritation, Category 2                          |
| Flam. Liq. 2                              | Flammable liquids, Category 2                                          |
| STOT SE 3                                 | Specific target organ toxicity — Single exposure, Category 3, Narcosis |
| H225                                      | Highly flammable liquid and vapour.                                    |
| H319                                      | Causes serious eye irritation.                                         |
| H336                                      | May cause drowsiness or dizziness.                                     |
| EUH066                                    | Repeated exposure may cause skin dryness or cracking.                  |

Safety Data Sheet (SDS), EU This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

## **MOLYCHEM INDIA LLP**

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered