

# Material Safety Data Sheet



**HYDROGEN PEROXIDE 6% W/V SOLUTION  
(20 VOLUMES)**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

Product Code : 14889

Page 1 of 12

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name : **HYDROGEN PEROXIDE 6% W/V SOLUTION (20 VOLUMES)**  
Product code : 14889  
Identification of the product : HYDROGEN PEROXIDE 6% W/V SOLUTION (20 VOLUMES)  
CAS No : 7722-84-1  
Synonyms : Dihydrogen dioxide, Hydrogen dioxide, Hydroperoxide

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

### 1.3. Details of the supplier of the safety data sheet

#### Company identification

MOLYCHEM INDIA LLP  
Office: Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)  
Tel: +91 22 4066 8111, 2205 7772 .  
Email : [info@molychem.net](mailto:info@molychem.net)  
Works: Plot No. B/9, Badlapur M.I.D.C.,  
OPP.Shobhavat Textile Co., Kulgaon, Badlapur (E),  
Dist.-Thane-421 503.

### 1.4. Emergency telephone number

Emergency number : +91 22 4066 8111 (10:00am - 6:00 pm)

## 2. Hazards identification

### 2.1. Classification of the substance or mixture

**Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Oxidising Liquids, Category 1 H271  
Skin corrosion/irritation, Category 1, Sub-Category 1A H314  
Serious eye damage/eye irritation, Category 2 H319

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

May cause fire or explosion; strong oxidiser. Causes severe skin burns and eye damage. Causes serious eye irritation.

#### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**HYDROGEN PEROXIDE 6% W/V SOLUTION  
(20 VOLUMES)**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

Product Code : 14889

Page 2 of 12

## 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07      GHS03      GHS05

Signal word (CLP)

: Danger

Hazard statements (CLP)

: H271 - May cause fire or explosion; strong oxidiser.  
H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP)

: P280 - Wear protective clothing, eye protection, face protection, protective gloves.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

## 2.3. Other hazards

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## 3. Composition/information on ingredients

### 3.1. Substances

Name : HYDROGEN PEROXIDE 6% W/V SOLUTION (20 VOLUMES)  
CAS-No : 7722-84-1

### 3.2. Mixtures

Name	Product identifier	Classification according to Regulation (EC) No. 1272/2008 [CLP]
WATER	CAS-No.: 7732-18-5	Not classified
Hydrogen peroxide	CAS-No.: 7722-84-1	Ox. Liq. 1, H271 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin

#### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**HYDROGEN PEROXIDE 6% W/V SOLUTION  
(20 VOLUMES)**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

Product Code : 14889

Page 3 of 12

Corr. 1A, H314 Eye Dam. 1,  
H318 STOT SE 3, H335

## 4. First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of water/.... Get immediate medical advice/attention. Rinse skin with water/shower. Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth out with water. If you feel unwell, seek medical advice. Rinse mouth. Do not induce vomiting. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Causes serious eye damage. Serious damage to eyes. Eye irritation.
Symptoms/effects after ingestion	: Harmful if swallowed. Burns.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## 5. Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: dry chemical powder, alcohol-resistant foam, carbon dioxide (CO <sub>2</sub> ). Water spray. Dry powder. Foam. Carbon dioxide.
------------------------------	--

#### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**HYDROGEN PEROXIDE 6% W/V SOLUTION  
(20 VOLUMES)**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

Product Code : 14889

Page 4 of 12

Unsuitable extinguishing media : Carbon dioxide (CO<sub>2</sub>).

## 5.2. Special hazards arising from the substance or mixture

Fire hazard : May cause fire or explosion; strong oxidiser

Hazardous decomposition products in case of fire : Toxic fumes may be released.

## 5.3 Advice for firefighters

Firefighting instructions : In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Use personal protective equipment as required. For further information refer to section 8: "Exposure controls/ personal protection"

Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized

#### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**HYDROGEN PEROXIDE 6% W/V SOLUTION  
(20 VOLUMES)**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

Product Code : 14889

Page 5 of 12

site.

## 6.4. Reference to other sections

For further information refer to section 13.

## 7. Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapours/spray.

Hygiene measures

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Store in a well-ventilated place. Keep cool.

Storage away from

: Direct sunlight. Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 7.3. Specific end use(s)

No additional information available

## 8. Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**HYDROGEN PEROXIDE 6% W/V SOLUTION  
(20 VOLUMES)**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

Product Code : 14889

Page 6 of 12

No additional information available

## 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

Eye protection : Chemical goggles or safety glasses  
Hand protection : Wear protective gloves  
Skin protection : Wear suitable protective clothing  
Respiratory protection : Wear appropriate mask.  
Thermal hazards : No additional information available

### 8.2.3. Environmental exposure controls

Avoid release to the environment

## 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : Liquid  
Appearance : clear liquid.  
Molecular mass : 34.01  
Colour : colourless to pale yellow  
Odour : Slight acrid.  
Odour threshold : Not available  
pH : 6 – 8 at 25 °C  
Melting point : Not applicable  
Freezing point : ≈ 0 °C  
Boiling point : ≈ 100 °C  
Flash point : Not available  
Auto-ignition temperature : Not available  
Decomposition temperature : Not available  
Flammability (solid, gas) : Non flammable.  
Vapour pressure : Not available  
Relative vapour density at 20 °C : > 1 (Air = 1.0)  
Relative density : Not available  
Density : 1.02 g/cm<sup>3</sup>  
Solubility : Water: Miscible  
Partition coefficient n-octanol/water (Log Kow) : Not available

#### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**HYDROGEN PEROXIDE 6% W/V SOLUTION  
(20 VOLUMES)**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

Product Code : 14889

Page 7 of 12

Viscosity, kinematic : Not available  
Explosive limits : Not available

## 9.2. Other information

No additional information available

## 10. Stability and reactivity

### 10.1. Reactivity

May cause fire or explosion; strong oxidiser.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Direct sunlight. Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

Combustible materials.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## 11. Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified  
Skin corrosion/irritation : Causes severe skin burns  
Serious eye damage/irritation : Causes serious eye irritation.  
Respiratory or skin sensitisation : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified  
STOT-single exposure : May cause respiratory irritation.  
STOT-repeated exposure : Not classified  
Aspiration hazard : Not classified

#### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**HYDROGEN PEROXIDE 6% W/V SOLUTION  
(20 VOLUMES)**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

Product Code : 14889

Page 8 of 12

## 12. Ecological information

### 12.1. Toxicity

Ecology - general	Before neutralisation, the product may represent a danger to aquatic organisms.
Hazardous to the aquatic environment, short-term (acute)	Not classified
Hazardous to the aquatic environment, long-term (chronic)	Not classified

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## 13. Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions

## 14. Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1. UN number

Not regulated for transport

### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: Not regulated
Proper Shipping Name (IMDG)	: Not regulated
Proper Shipping Name (IATA)	: Not regulated
Proper Shipping Name (ADN)	: Not regulated
Proper Shipping Name (RID)	: Not regulated

#### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**HYDROGEN PEROXIDE 6% W/V SOLUTION  
(20 VOLUMES)**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

Product Code : 14889

Page 9 of 12

## 14.3. Transport hazard class(es)

### ADR

Transport hazard class(es) (ADR) : Not regulated

### IMDG

Transport hazard class(es) (IMDG) : Not regulated

### IATA

Transport hazard class(es) (IATA) : Not regulated

### ADN

Transport hazard class(es) (ADN) : Not regulated

### RID

Transport hazard class(es) (RID) : Not regulated

## 14.4. Packing group

Packing group (ADR) : Not regulated

Packing group (IMDG) : Not regulated

Packing group (IATA) : Not regulated

Packing group (ADN) : Not regulated

Packing group (RID) : Not regulated

## 14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

## 14.6. Special precautions for user

### Overland transport

Not regulated

### Transport by sea

Not regulated

### Air transport

Not regulated

### Inland waterway transport

Not regulated

### Rail transport

Not regulated

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## 15. Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1 EU-Regulations

EU restriction list (REACH Annex XVII)

#### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**HYDROGEN PEROXIDE 6% W/V SOLUTION  
(20 VOLUMES)**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

**Product Code : 14889**

**Page 10 of 12**

Reference code Applicable on	Reference code Applicable on
3(a)	HYDROGEN PEROXIDE SOLUTION 6% ; Hydrogen peroxide
3(b)	HYDROGEN PEROXIDE SOLUTION 6% ; Hydrogen peroxide

Contains no REACH Annex XIV substances

Contains no substance on the REACH candidate list

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

## 15.1.2. National regulations

### Germany

Water hazard class (WGK)

: WGK 1, Slightly hazardous to water  
(Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV)

: Is not subject of the Hazardous Incident Ordinance  
(12. BImSchV)

### Netherlands

SZW-lijst van kankerverwekkende stoffen

: None of the components are listed

SZW-lijst van mutagene stoffen

: None of the components are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding

: None of the components are listed

SZW-lijst van reprotoxische stoffen –

: None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen –

: None of the components are listed

Ontwikkeling

### Denmark

Danish National Regulations

: Young people below the age of 18 years are not  
allowed to use the product

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## 16. Other information

### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**HYDROGEN PEROXIDE 6% W/V SOLUTION  
(20 VOLUMES)**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

Product Code : 14889

Page 11 of 12

## Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand
COD	Chemical oxygen demand
COD	Chemical oxygen demand
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative

### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**HYDROGEN PEROXIDE 6% W/V SOLUTION  
(20 VOLUMES)**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

**Product Code : 14889**

**Page 12 of 12**

ED	Endocrine disrupting properties
<b>Full text of H- and EUH-statements</b>	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
EUH066	Repeated exposure may cause skin dryness or cracking.

Safety Data Sheet (SDS), EU This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

## MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered