

# Material Safety Data Sheet



MERCURIC ACETATE LR

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

Product Code : 15680

Page 1 of 13

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name : MERCURIC ACETATE LR  
Product code : 15680  
Identification of the product : MERCURIC ACETATE LR  
CAS No : 1600- 27- 7  
EC Index-No. : 080-004-00-7  
EC No. : 216-491-1  
Synonyms : Mercury (II) acetate

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

### 1.3. Details of the supplier of the safety data sheet

#### Company identification

MOLYCHEM INDIA LLP  
Office: Maker Tower 'E', 41-A2, 4th Floor, Above Maker  
Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)  
Tel: +91 22 4066 8111, 2205 7772 .  
Email : [info@molychem.net](mailto:info@molychem.net)  
Works: Plot No. B/9, Badlapur M.I.D.C.,  
OPP.Shobhavat Textile Co., Kulgaon, Badlapur (E),  
Dist.-Thane-421 503.

### 1.4. Emergency telephone number

Emergency number : +91 22 4066 8111 (10:00am - 6:00 pm)

## 2. Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 1 H300  
Acute toxicity (dermal), Category 1 H310  
Acute toxicity (inhal.), Category 2 H330  
Specific target organ toxicity – Repeated  
exposure, Category 2 H373  
Hazardous to the aquatic environment –  
Chronic Hazard, Category 1 H410

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

May cause damage to organs through prolonged or repeated exposure. Fatal in contact with skin. Fatal if

#### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



MERCURIC ACETATE LR

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

Product Code : 15680

Page 2 of 13

swallowed. Fatal if inhaled. Very toxic to aquatic life with long lasting effects.

## 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS06 GHS09

Signal word (CLP)

: Danger

Hazard statements (CLP)

: H300+H310+H330 - Fatal if swallowed, in contact with skin or if inhaled.

H373 - May cause damage to organs through prolonged or repeated exposure.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP)

: P260 - Do not breathe dust/fume/gas/mist/vapours/spray

P264 - Wash hands, forearms and face thoroughly after handling.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, eye protection, face protection.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P304+P340+P310 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor.

## 2.3. Other hazards

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

## 3. Composition/information on ingredients

### 3.1. Substances

Name : MERCURIC ACETATE LR

CAS-No : 1600- 27- 7

### 3.2. Mixtures

Not applicable

## 4. First aid measures

### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



MERCURIC ACETATE LR

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

Product Code : 15680

Page 3 of 13

## 4.1. Description of first aid measures

First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice. Call a doctor.
First-aid measures after skin contact	: Gently wash with plenty of soap and water. Wash skin with plenty of water. Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth out with water. If you feel unwell, seek medical advice. Rinse mouth. Call a physician immediately.
First-aid measures for first aider	: First aid workers will be equipped with suitable personal protective equipment.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Causes damage to organs through prolonged or repeated exposure.
Symptoms/effects after inhalation	: Fatal if inhaled.
Symptoms/effects after skin contact	: Fatal in contact with skin.
Symptoms/effects after eye contact	: None under normal conditions. Dust from this product may cause eye irritation.
Symptoms/effects after ingestion	: Fatal if swallowed.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## 5. Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam.
Unsuitable extinguishing media	: Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : No fire hazard.

**MOLYCHEM INDIA LLP**

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



MERCURIC ACETATE LR

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

Product Code : 15680

Page 4 of 13

Explosion hazard : No direct explosion hazard.  
Hazardous decomposition products in case of fire : Toxic fumes may be released.

## 5.3 Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.  
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel. Do not breathe dust/fume/gas/mist/vapours/spray. Only qualified personnel equipped with suitable protective equipment may intervene.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Use personal protective equipment as required. For further information refer to section 8: "Exposure controls/ personal protection"  
Emergency procedures : Stop release. Evacuate unnecessary personnel.

### 6.2. Environmental precautions

Avoid release to the environment. Very toxic to aquatic life with long lasting effects.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product. Clear up rapidly by scoop or vacuum.  
Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

#### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**MERCURIC ACETATE LR**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

**Product Code : 15680**

Page 5 of 13

## 7. Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment. Use only outdoors or in a well-ventilated area.

Hygiene measures : Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.  
Storage conditions : Store in original container. Keep container tightly closed. Store in a dry place. Protect from moisture. Store locked up. Store in a well-ventilated place.  
Storage away from : Direct sunlight. Air contact. Moisture.

### 7.3. Specific end use(s)

No additional information available

## 8. Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

Eye protection : Chemical goggles or safety glasses  
Hand protection : Wear protective gloves  
Skin protection : Wear suitable protective clothing  
Respiratory protection : Wear appropriate mask.  
Thermal hazards : No additional information available

#### 8.2.3. Environmental exposure controls

Avoid release to the environment

### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



MERCURIC ACETATE LR

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

Product Code : 15680

Page 6 of 13

## 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: crystalline powder.
Molecular mass	: 318.68 g/mol
Colour	: white
Odour	: slight acetic acid. vinegar odour.
Odour threshold	: Not available
pH	: Not available
Melting point	: 179 – 182 °C (Decomposes)
Freezing point	: Not applicable
Boiling point	: Decomposes
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: 0.17 mm Hg
Relative vapour density at 20 °C	: 11
Relative density	: Not available
Density	: 3.28 g/cm <sup>3</sup> at 20 °C
Solubility	: Water: 25 g/100ml at 10 °C - Soluble Ethanol: Soluble in Ethanol Ether: Soluble in Ether
Partition coefficient n-octanol/water (Log <sub>kw</sub> )	: Not available
Viscosity, kinematic	: Not applicable
Explosive limits	: Not applicable

### 9.2. Other information

No additional information available

## 10. Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

#### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**MERCURIC ACETATE LR**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

**Product Code : 15680**

Page 7 of 13

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

Direct sunlight. Air contact. Moisture.

## 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## 11. Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Fatal if swallowed
Acute toxicity (dermal)	: Fatal in contact with skin.
Acute toxicity (inhalation)	: Fatal if inhaled.
Skin corrosion/irritation	: Not classified
Additional information	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified

## 12. Ecological information

### 12.1. Toxicity

Ecology - general	Very toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	Not classified
Hazardous to the aquatic environment, long-term (chronic)	Very toxic to aquatic life with long lasting effects.

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

#### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



MERCURIC ACETATE LR

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

Product Code : 15680

Page 8 of 13

No additional information available

## 12.5 Results of PBT and vPvB assessment

No additional information available

## 12.6 Other adverse effects

No additional information available

## 13. Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. Disposal must be done according to official regulations
Additional information	: Do not re-use empty containers.

## 14. Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1. UN number

UN-No. (ADR)	: UN 1629
UN-No. (IMDG)	: UN 1629
UN-No. (IATA)	: UN 1629
UN-No. (ADN)	: UN 1629
UN-No. (RID)	: UN 1629

### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: MERCURY ACETATE
Proper Shipping Name (IMDG)	: MERCURY ACETATE
Proper Shipping Name (IATA)	: Mercury acetate
Proper Shipping Name (ADN)	: MERCURY ACETATE
Proper Shipping Name (RID)	: MERCURY ACETATE
Transport document description (ADR)	: UN 1629 MERCURY ACETATE, 6.1, II, (D/E)
Transport document description (IMDG)	: UN 1629 MERCURY ACETATE, 6.1, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA)	: UN 1629 Mercury acetate, 6.1, II, ENVIRONMENTALLY HAZARDOUS

#### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

• ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



MERCURIC ACETATE LR

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

Product Code : 15680

Page 9 of 13

Transport document description (ADN) : UN 1629 MERCURY ACETATE, 6.1, II,  
ENVIRONMENTALLY HAZARDOUS  
Transport document description (RID) : UN 1629 MERCURY ACETATE, 6.1, II,  
ENVIRONMENTALLY HAZARDOUS

## 14.3. Transport hazard class(es)

### ADR

Transport hazard class(es) (ADR) : 6.1  
Danger labels (ADR) : 6.1

### IMDG

Transport hazard class(es) (IMDG) : 6.1  
Danger labels (IMDG) : 6.1

### IATA

Transport hazard class(es) (IATA) : 6.1  
Danger labels (IATA) : 6.1

### ADN

Transport hazard class(es) (ADN) : 6.1  
Danger labels (ADN) : 6.1

### RID

Transport hazard class(es) (RID) : 6.1  
Danger labels (RID) : 6.1

## 14.4. Packing group

Packing group (ADR) : II  
Packing group (IMDG) : II  
Packing group (IATA) : II  
Packing group (ADN) : II  
Packing group (RID) : II

## 14.5. Environmental hazards

Dangerous for the environment : Yes  
Marine pollutant : Yes  
Other information : No supplementary information available

## 14.6. Special precautions for user

### Overland transport

Classification code (ADR) : T5  
Limited quantities (ADR) : 500g  
Excepted quantities (ADR) : E4  
Packing instructions (ADR) : P002, IBC08  
Mixed packing provisions (ADR) : MP10  
Portable tank and bulk container  
instructions (ADR) : T3  
Portable tank and bulk container special : TP33

### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

• ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**MERCURIC ACETATE LR**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

**Product Code : 15680**

Page 10 of 13

provisions (ADR)  
Tank code (ADR) : SGAH  
Vehicle for tank carriage : AT  
Transport category (ADR) : 2  
Special provisions for carriage - Operation (ADR) : S9, S19  
Hazard identification number (Kemler No.) : 60  
Tunnel restriction code (ADR) : D/E  
EAC code : 2X

### Transport by sea

Limited quantities (IMDG) : 500 g  
Excepted quantities (IMDG) : E4  
Packing instructions (IMDG) : P002  
IBC packing instructions (IMDG) : IBC08  
Tank instructions (IMDG) : T3  
Tank special provisions (IMDG) : TP33  
Stowage category (IMDG) : A  
MFAG-No : 141

### Air transport

PCA Excepted quantities (IATA) : E4  
PCA Limited quantities (IATA) : Y644  
PCA limited quantity max net quantity (IATA) : 1kg  
PCA packing instructions (IATA) : 669  
PCA max net quantity (IATA) : 25kg  
CAO packing instructions (IATA) : 676  
CAO max net quantity (IATA) : 100kg  
ERG code (IATA) : 6L

### Inland waterway transport

Classification code (ADN) : T5  
Limited quantities (ADN) : 500 g  
Excepted quantities (ADN) : E4  
Equipment required (ADN) : PP, EP  
Number of blue cones/lights (ADN) : 2

### Rail transport

Classification code (RID) : T5  
Limited quantities (RID) : 500g  
Excepted quantities (RID) : E4  
Packing instructions (RID) : P002, IBC08  
Mixed packing provisions (RID) : MP10  
Portable tank and bulk container : T3

### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



MERCURIC ACETATE LR

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

Product Code : 15680

Page 11 of 13

instructions (RID)

Portable tank and bulk container special : TP33

provisions (RID)

Tank codes for RID tanks (RID) : SGAH

Transport category (RID) : 2

Colis express (express parcels) (RID) : CE9

Hazard identification number (RID) : 60

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## 15. Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1 EU-Regulations

##### EU restriction list (REACH Annex XVII)

Reference code	Applicable on	Reference code	Applicable on
18.		MERCURIC ACETATE	

Not listed on REACH Annex XIV (Authorisation List)

Not listed on the REACH Candidate List

Listed on the PIC list (Regulation EU 649/2012): mercury di(acetate)

Not listed on the POP list (Regulation EU 2019/1021)

Not listed on the Ozone Depletion list (Regulation EU 1005/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

##### France

##### Occupational diseases

Code	Description
RG 2	Occupational diseases caused by mercury and its compounds

##### Germany

### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



MERCURIC ACETATE LR

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

Product Code : 15680

Page 12 of 13

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

**Netherlands**

SZW-lijst van kankerverwekkende stoffen : The substance is not listed

SZW-lijst van mutagene stoffen : The substance is not listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : The substance is not listed

SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : The substance is not listed

SZW-lijst van reprotoxische stoffen – Ontwikkeling : The substance is not listed

**Denmark**

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## 16. Other information

Abbreviations and acronyms	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand
COD	Chemical oxygen demand
COD	Chemical oxygen demand
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard

### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



MERCURIC ACETATE LR

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

Product Code : 15680

Page 13 of 13

IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties
<b>Full text of H- and EUH-statements</b>	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
EUH066	Repeated exposure may cause skin dryness or cracking.

Safety Data Sheet (SDS), EU This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

## MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered