

MERCUROUS CHLORIDE

VERSION : 02 DATE OF ISSUE : 26-08-2019 SUPERSEDES : 01 Page 1 of 9

Product Code : 15820

1. Identification of the substance/mixture and of the company/undertaking **1.1. Product identifier Trade name : MERCUROUS CHLORIDE Product code** : 15820 **Identification of the product** : Dimercury dichloride CAS No :10112-91-1 1.2. Relevant identified uses of the substance or mixture and uses advised against Use : Industrial. For professional use only. **1.3.** Details of the supplier of the safety data sheet **Company identification** : MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA) Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email: info@molychem.net Works: Plot No. B/9, Badlapur M.I.D.C., OPP. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503. **1.4. Emergency telephone number** Emergency number : +91 22 4066 8111 (10:00am - 6:00 pm). **<u>2. Hazards identification -DSD</u>** 2.1. Classification of the substance or mixture Classification EC 67/548 or EC 1999/45 **Classification** : Xn: R22 Xi: R36/37/38 N: R50-53 Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP) Health hazards : Specific Target Organ Toxicity - Single exposure - Respiratory tract irritation - Category 3 - Warning (CLP : STOT SE 3) H335 Skin irritation - Category 2 - Warning (CLP : Skin Corr. 2) H315 Eye irritation - Category 2A - Warning (CLP : Eye Irrit. 2) H319 Acute toxicity, Oral - Category 4 - Warning (CLP : Acute Tox. 4) H302 Environmental hazards : Hazardous to the aquatic environment - Acute hazard -Category 1 - Warning (CLP : Aquatic Acute 1) H400 Hazardous to the aquatic environment - Chronic hazard - Category 1 - Warning (CLP: Aquatic Chronic 1) H410 2.2. Label elements Labelling EC 67/548 or EC 1999/45 **Symbol**(s) : Xn : Harmful N : Dangerous for the environment

Material Safety Data Sheet



MERCUROUS CHLORIDE

VERSION : 02 DATE OF ISSUE : 26-08-2019 SUPERSEDES : 01 Page 2 of 9

Product Code : 15820



R Phrase(**s**) : R22 : Harmful if swallowed.

R36/37/38 : Irritating to eyes, respiratory system and skin.

R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S Phrase(**s**) : S2 : Keep out of the reach of children.

S13 : Keep away from food, drink and animal feedingstuffs.

S24/25 : Avoid contact with skin and eyes.

S46 : If swallowed seek medical advice immediately and show this container or label.

S60 : This material and its container must be disposed of as hazardous waste.

S61 : Avoid release to the environment. Refer to special instructions/Safety data sheets.

Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms



Signal words : Warning

Hazard statements : H302 : Harmful if swallowed.

H319 : Causes serious eye irritation.

H315 : Causes skin irritation.

H335 : May cause respiratory irritation.

H410 : Very toxic to aquatic life with long lasting effects.

Precautionary statements

• General : P102: Keep out of reach of children.

P103: Read label before use.

P101: If medical advice is needed, have product container or label at hand.

• **Prevention** : P280: Wear protective gloves, protective clothing, eye protection, face protection.

P271: Use only outdoors or in a well-ventilated area.

P261: Avoid breathing dust, fume, gas, mist, vapours, spray.

P273: Avoid release to the environment.

P264: Wash thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

• Response : P302+P352: IF ON SKIN : Wash with plenty of soap and water.

P301+P312: IF SWALLOWED : Call a POISON CENTER or doctor if you feel unwell.

P332+P313: If skin irritation occurs : Get medical advice.

P391: Collect spillage.

Material Safety Data Sheet	MOLYCHEM
MERCUROUS CHLORIDE	VERSION : 02 DATE OF ISSUE : 26-08-2019 SUPERSEDES : 01
Product Code : 15820	Page 3 of 9

P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.

P363: Wash contaminated clothing before reuse.

• **Storage** : P403+P233: Store in well-ventilated place. Keep container tightly closed. P405: Store locked up.

• **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

Substance / Preparation : Dimercury dichloride CAS No :10112-91-1 Substance.

Substance name	Contents	CAS No
Dimercury dichloride :	100 %	10112-91-1

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first aid measures

Inhalation : Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.

Skin contact : Wash contaminated clothing before reuse. Wash with plenty of soap and water. If skin irritation occurs : Get medical advice. Specific treatment (see on this label). **Eye contact** : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists : Get medical advice. **Ingestion** : Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Swallowing a small quantity of this material will result in serious health hazard. Causes serious eye irritation. Causes skin irritation. May cause respiratory irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Material Safety Data Sheet	MOLYCHEM
MERCUROUS CHLORIDE	VERSION : 02 DATE OF ISSUE : 26-08-2019 SUPERSEDES : 01
Product Code : 15820	Page 4 of 9

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand. **Unsuitable extinguishing media** : Do not use a heavy water stream.

Surrounding fires : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory protection.

Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures For emergency responders : Equip cleanup crew with proper protection. Ventilate area.

For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Clean up methods : On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

Handling : Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Technical protective measures : Provide good ventilation in process area to prevent formation of vapour.

Special precautions : Avoid breathing dust, fume, gas, mist, vapours, spray.

Material Safety Data Sheet	MOLYCHEM
MERCUROUS CHLORIDE	VERSION : 02 DATE OF ISSUE : 26-08-2019 SUPERSEDES : 01
Product Code : 15820	Page 5 of 9

7.2. Conditions for safe storage, including any incompatibilities Storage : Keep only in the original container in a cool, well ventilated place. Keep container tightly closed. Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight. **7.3.** Specific end use(s) **Specific end use(s)** : None. 8. Exposure controls/personal protection 8.1. Exposure controls **Personal protection** : Avoid all unnecessary exposure. • **Respiratory protection** : Wear approved mask. • Hand protection : Wear protective gloves. • Skin protection : Wear suitable protective clothing. • Eve protection : Chemical goggles or safety glasses. • Others : When using, do not eat, drink or smoke. 8.2. Control parameters **Occupational Exposure Limits** : No data available. 9. Physical and chemical properties 9.1. Information on basic physical and chemical properties **Physical state at 20** °C : Solid. **Odour threshold** : No data available. **pH value** : Not applicable. Melting point [°C] : 277 °C **Decomposition point** [°C] : N/A **Critical temperature** [°C] : N/A Auto-ignition temperature [°C] : N/A Flammability (solid, gas) : N/A Flash point [°C] : N/A **Boiling point** [°C] : 302 °C **Initial boiling point** [°C] : N/A **Final boiling point** [°C] : N/A **Evaporation rate : N/A** Vapour pressure [20°C] : N/A Vapour pressure mm/Hg : 1.7 mm Hg at 236 °C Vapour density : N/A **Density** [g/cm3] : 5,44 **Relative density, gas (air=1)** : N/A **Relative density, liquid (water=1)** : N/A

Material Safety Data Sheet	MOLYCHEM
MERCUROUS CHLORIDE	VERSION : 02 DATE OF ISSUE : 26-08-2019 SUPERSEDES : 01
Product Code : 15820	Page 6 of 9

Solubility in water [% weight] : Negligible **Solubility in water** : N/A Log Pow octanol / water at 20°C : No data available. **Solubility** : N/A Viscosity at 40°C [mm2/s] : N/A 9.2. Other information **Explosive properties** : N/A **Explosion limits - upper [%]** : N/A **Explosion limits - lower [%]** : N/A **Oxidising properties** : No data available. **10. Stability and reactivity 10.1. Reactivity Reactivity** : Not established. **10.2.** Chemical stability Chemical stability : Stable under recommended storage conditions. 10.3. Possibility of hazardous reactions Hazardous reactions : Not established. **10.4.** Conditions to avoid **Conditions to avoid** : Direct sunlight. Extremely high or low temperatures. **10.5. Incompatible materials** Materials to avoid : Strong acids. Strong bases. **10.6. Hazardous decomposition products** Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide. **11.** Toxicological information **11.1. Information on toxicological effects** Acute toxicity • Inhalation : Based on available data, the classification criteria are not met. • Dermal : Based on available data, the classification criteria are not met. • Ingestion : Harmful if swallowed. **Corrosion** : Based on available data, the classification criteria are not met. **Irritation** : Causes serious eye irritation. Causes skin irritation. May cause respiratory irritation. **Sensitization** : Based on available data, the classification criteria are not met. **Mutagenicity** : Based on available data, the classification criteria are not met. **Carcinogenicity**: Based on available data, the classification criteria are not met. **Toxic for reproduction**: Based on available data, the classification criteria are not met. **STOT-single exposure** : Based on available data, the classification criteria are not met. MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : <u>info@molychem.net</u> Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,

Material Safety Data Sheet	MOLYCHEM
MERCUROUS CHLORIDE	VERSION : 02 DATE OF ISSUE : 26-08-2019 SUPERSEDES : 01
Product Code : 15820	Page 7 of 9

STOT-repeated exposure : Based on available data, the classification criteria are not met.

Aspiration hazard : Based on available data, the classification criteria are not met.

12. Ecological information

12.1. Toxicity

Toxicity information : Very toxic to aquatic life with long lasting effects.

12.2. Persistence - degradability

Persistence - degradability : May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

13. Disposal considerations

13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

14. Transport information
14.1. Land transport (ADR-RID)
Proper shipping name : MERCURY COMPOUND, SOLID, N.O.S.
UN N° : 2025
H.I. nr : 60
ADR - Class : 6.1
Labelling - Transport : 6.1 : Toxic substances.
ADR - Classification code : T5
ADR - Group : III
ADR - Packing instructions : P002 R001 LP002
ADR - Limited Quantity : 5 KG
ADR - Tunnel code : E : Passage forbidden through tunnels of category E.

Material Safety	Data Sheet
------------------------	------------



MERCUROUS CHLORIDE

VERSION : 02 DATE OF ISSUE : 26-08-2019 SUPERSEDES : 01 Page 8 of 9

Product Code : 15820

14.2. Sea transport (IMDG) [English only] Proper shipping name : MERCURY COMPOUND, SOLID, N.O.S. UN N° : 2025 **IMO-IMDG - Class or division** : 6.1 : Toxic substances. **IMO-IMDG - Packing group** : III **IMO- IMDG - Packing instructions** : P002 LP02 IMO-IMDG - Limited quantities : 500 g **IMO-IMDG - Marine pollution** : Yes EMS-Nr : F-A S-A **14.3.** Air transport (ICAO-IATA) [English only] **Proper shipping name** : MERCURY COMPOUND, SOLID, N.O.S. **UN N°** : 2025 IATA - Class or division : 6.1 : Toxic substances. IATA - Packing group : III IATA - Passenger and Cargo Aircraft : ALLOWED - Passenger and Cargo - Packing : 670 instruction - Passenger and Cargo - Maximum : 100 kg **Quantity/Packing** IATA - Cargo only : ALLOWED - Cargo only - Packing instruction : 677 - Cargo only - Maximum Quantity/: 200 kg Packing IATA - Limited Ouantites : 10 kg ERG-Nr: 6L **15. Regulatory information** 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture **Safety, health and environmental** : Ensure all national/local regulations are observed. regulations/legislation specific for the substance or mixture **REACH Restrictions - Annex XVII**: The components of this product are not subject to restrictions. **REACH Authorisation - Annex XIV**: The components of this product are not subject to authorization. **15.2.** Chemical Safety Assessment Chemical Safety Assessment : It has not been carried out.

Material Safety Data Sheet	MOLYCHEM
MERCUROUS CHLORIDE	VERSION : 02 DATE OF ISSUE : 26-08-2019 SUPERSEDES : 01
Product Code : 15820	Page 9 of 9

16. Other information

Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic.

vPvB: very persistent and very bioaccumulative

Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 **Further information** : None.

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008 DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling,storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

End of document Prepared by: MOLYCHEM (INDIA)

For questions contact: MOLYCHEM

Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA) Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442.

Email : info@molychem.net

Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503

(The statements contained herein are offered for informational purposes only and are based upon technical data that MOLYCHEM believes to be accurate. It is intended for use only by persons having the necessary technical skills and at their own discretion and risk. Since conditions and manner of use are outside our control, we make NO WARRANTY, EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS OR OTHERWISE.)