

Material Safety Data Sheet



NITRIC ACID 69-72% LR

VERSION : 03
DATE OF ISSUE : 31-01-2022
SUPERSEDES : 02

Product Code : 16560

Page 1 of 8

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : NITRIC ACID 69 – 72% LR
Product code : 16560
Identification of the product : NITRIC ACID 69 – 72% LR
CAS No : 7697-37-2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3. Details of the supplier of the safety data sheet

Company identification : MOLYCHEM
Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor,
Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442.
Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C., OPP. Shobhavat Textile
Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

1.4. Emergency telephone number

Emergency number : +91 22 4066 8111 (10:00am - 6:00 pm)

2. Hazards identification –DSD

2.1. Classification of the substance or mixture

Oxidizing liquids, (Category 3) H272: May intensify fire; oxidizer.
Corrosive to Metals, (Category 1) H290: May be corrosive to metals.
Acute toxicity, (Category 3) H331: Toxic if inhaled.
Skin corrosion, (Sub-category 1A) H314: Causes severe skin burns and eye damage.

2.2. Label elements

Labelling EC 67/548 or EC 1999/45

Symbol(s) : C : Corrosive



R Phrase(s) : R35 : Causes severe burns

S Phrase(s) : S1/2 : Keep locked up and out of reach of children.

S23 : Do not breathe the gas, fumes, vapours, spray.

S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36 : Wear suitable protective clothing.

S45 : In case of accident or if you feel unwell, seek medical advice immediately

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . **Fax:** + 91 22 2203 4442. **Email :** info@molychem.net

Works: Plot No. B/9, Badlapur M.I.D.C., OPP. Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503

Material Safety Data Sheet



NITRIC ACID 69-72% LR

VERSION : 03
DATE OF ISSUE : 31-01-2022
SUPERSEDES : 02

Product Code : 16560

Page 2 of 8

Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms



Signal words : Danger

Hazard statements :

- H272 May intensify fire; oxidizer.
- H290 May be corrosive to metals.
- H314 Causes severe skin burns and eye damage.
- H331 Toxic if inhaled.

Precautionary statements

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P220 Keep away from clothing and other combustible materials.
- P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
- P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

3.1 Substances

Synonyms : NITRIC ACID 69 – 72% LR
Formula : HNO_3
Molecular weight : 63.01
CAS-No. : 7697-37-2
No components need to be disclosed according to the applicable regulations.

4. First aid measures

4.1. Description of first aid measures

General advice

First aiders need to protect themselves

If inhaled

Material Safety Data Sheet



NITRIC ACID 69-72% LR

VERSION : 03
DATE OF ISSUE : 31-01-2022
SUPERSEDES : 02

Product Code : 16560

Page 3 of 8

After inhalation: fresh air. Call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

4.2. Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3. Indication of any immediate medical attention and special treatment needed

No data available

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2. Special hazards arising from the substance or mixture

Nitrogen oxides (NOx)

Not combustible.

Has a fire-promoting effect due to release of oxygen.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of : nitrous gases, nitrogen oxides.

5.3. Advice for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2. Environmental precautions

Do not let product enter drains.

6.3. Methods and material for containment and cleaning up

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net

Works: Plot No. B/9, Badlapur M.I.D.C., OPP. Shobhavat Textile Co.,

Kulgaon, Badlapur (E), Dist.-Thane-421 503

Material Safety Data Sheet



NITRIC ACID 69-72% LR

VERSION : 03
DATE OF ISSUE : 31-01-2022
SUPERSEDES : 02

Product Code : 16560

Page 4 of 8

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4. Reference to other sections

For disposal see section 13.

7. Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Observe label precautions. Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance..

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

No metal or light-weight-metal containers.

Tightly closed. Do not store near combustible materials. Keep locked up or in an area accessible only to qualified or authorized persons..

Storage class

Storage class (TRGS 510): 5.1B: Oxidizing hazardous materials

7.3. Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. Exposure controls/personal protection

8.1. Exposure controls

Personal protection : Avoid all unnecessary exposure.
Respiratory protection : Wear approved mask.
Hand protection : Wear protective gloves.
Skin protection : Wear suitable protective clothing.
Eye protection : Chemical goggles or safety glasses.
Others : When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Color : Colourless
Odor : stinging
Melting point/freezing point : Melting point/range: ca-32 °C - dec.

Material Safety Data Sheet



NITRIC ACID 69-72% LR

VERSION : 03
DATE OF ISSUE : 31-01-2022
SUPERSEDES : 02

Product Code : 16560

Page 5 of 8

Initial boiling point and boiling range	121 °C at 1.013 hPa
Flammability (solid, gas)	The product is not flammable.
Upper/lower flammability or explosive limits	No data available
Flash point	Not applicable
Autoignition temperature	No data available
Decomposition temperature	No data available
pH	< 1 at 20 °C
Viscosity	Viscosity, kinematic : No data available Viscosity, dynamic : No data available
Water solubility	at 20 °C soluble
Partition coefficient: n-octanol/water	No data available
Vapor pressure	No data available
Density	1.41 g/cm ³ at 20 °C
Relative density	No data available
Relative vapor density	No data available
Particle characteristics	No data available
Explosive properties	No data available
Oxidizing properties	None

9.2. Other information

No data available

10. Stability and reactivity

10.1. Reactivity

strong oxidising agent

10.2. Chemical stability

No data available

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

no information available

10.5. Incompatible materials

Cellulose, Metals Contact with metals may lead to the formation of nitrous gases and hydrogen.

10.6. Hazardous decomposition products

In the event of fire: see section 5

11. Toxicological information

11.1. Information on toxicological effects

Material Safety Data Sheet



NITRIC ACID 69-72% LR

VERSION : 03
DATE OF ISSUE : 31-01-2022
SUPERSEDES : 02

Product Code : 16560

Page 6 of 8

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes severe skin burns. pH: < 1 at 20°C
Serious eye damage/irritation	: Assumed to cause serious eye damage pH: < 1 at 20°C
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: No data available
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

12. Ecological information

12.1 Toxicity

Mixture

No data available

12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

13. Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal : Dispose of contents/container to hazardous or special waste collection recommendations point, in accordance with local, regional, national and/or international

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net

Works: Plot No. B/9, Badlapur M.I.D.C., OPP. Shobhavat Textile Co.,

Kulgaon, Badlapur (E), Dist.-Thane-421 503

Material Safety Data Sheet



NITRIC ACID 69-72% LR

VERSION : 03
DATE OF ISSUE : 31-01-2022
SUPERSEDES : 02

Product Code : 16560

Page 7 of 8

regulation.

Additional information : Hazardous waste due to potential risk of explosion.

14. Transport information

14.1. UN number

ADR/RID: 2031

IMDG : 2031

IATA: 2031

14.2. UN proper shipping name

ADR/RID :

NITRIC ACID

IMDG:

NITRIC ACID

IATA:

NITRIC ACID

14.3. Transport hazard class(es)

ADR/RID : 8(5.1)

IMDG : 8(5.1)

IATA : 8(5.1)

14.4. Packaging group

ADR/RID : II

IMDG : II

IATA : II

14.5 Environmental hazards

ADR/RID : no

IMDG : Marine pollutant: no

IATA :

14.6 Special precautions for user

Further information

Not classified as dangerous in the meaning of transport regulations.

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2. Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

16. Other information

Abbreviations and acronyms :

PBT : persistent, bioaccumulative and toxic.

vPvB: very persistent and very bioaccumulative

Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

Further information : None.


In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008
DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . **Fax:** + 91 22 2203 4442. **Email :** info@molychem.net

Works: Plot No. B/9, Badlapur M.I.D.C., OPP. Shobhavat Textile Co.,

Kulgaon, Badlapur (E), Dist.-Thane-421 503

Material Safety Data Sheet	
NITRIC ACID 69-72% LR	VERSION : 03 DATE OF ISSUE : 31-01-2022 SUPERSEDES : 02
Product Code : 16560	Page 8 of 8

handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

End of document

Prepared by: MOLYCHEM (INDIA)

For questions contact: MOLYCHEM

Office: Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade,
Cuffe Parade, Mumbai 400 005 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442.

Email : info@molychem.net

Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503

(The statements contained herein are offered for informational purposes only and are based upon technical data that MOLYCHEM believes to be accurate. It is intended for use only by persons having the necessary technical skills and at their own discretion and risk. Since conditions and manner of use are outside our control, we make NO WARRANTY, EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS OR OTHERWISE.)