

# Material Safety Data Sheet



**2,2,4-TRIMETHYLPENTANE (iso-Octane)**

**VERSION : 02**

**DATE OF ISSUE : 26-08-2019**

**SUPERSEDES : 01**

**Product Code : 19615**

**Page 1 of 10**

## **1. Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

**Trade name :** 2,2,4-TRIMETHYL PENTANE

**Product code :** 19615

**Identification of the product :** 2,2,4-TRIMETHYL PENTANE

**CAS No :** 540-84-1

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use :** Industrial. For professional use only.

### **1.3. Details of the supplier of the safety data sheet**

**Company identification :** MOLYCHEM

**Office:** 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA) Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442.

**Email :** [info@molychem.net](mailto:info@molychem.net)

**Works:** Plot No. B/9, Badlapur M.I.D.C., OPP. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

### **1.4. Emergency telephone number**

**Emergency number :** +91 22 4066 8111 (10:00am - 6:00 pm)

## **2. Hazards identification -DSD**

### **2.1. Classification of the substance or mixture**

**Classification EC 67/548 or EC 1999/45**

**Classification :** F; R11

**Xn; R65 R67 Xi; R38 N; R50-53**

**Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)**

**Health hazards :** Specific Target Organ Toxicity - Single exposure - Narcotic effects - Category 3 - Warning (CLP : STOT SE 3) H336

**Aspiration hazard - Category 1 - Danger (CLP : Asp. Tox. 1) H304**

**Skin irritation - Category 2 - Warning (CLP : Skin Corr. 2) H315**

**Physical hazards :** Flammable liquids - Category 2 - Danger (CLP : Flam. Liq. 2) H225

**Environmental hazards :** Hazardous to the aquatic environment - Acute hazard -

**Category 1 - Warning (CLP : Aquatic Acute 1) H400**

**Hazardous to the aquatic environment - Chronic hazard - Category 1 - Warning ( CLP : Aquatic Chronic 1) H410**

### **2.2. Label elements**

**Labelling EC 67/548 or EC 1999/45**

**Symbol(s) :** F : Highly flammable

**N :** Dangerous for the environment

**Xn :** Harmful

**MOLYCHEM Office:** 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

**Tel:** +91 22 4066 8111, 2205 7772 . **Fax:** + 91 22 2203 4442. **Email :** [info@molychem.net](mailto:info@molychem.net)

**Works:** Plot No. B/9, Badlapur M.I.D.C., OPP. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503

# Material Safety Data Sheet



2,2,4-TRIMETHYLPENTANE (iso-Octane)

VERSION : 02

DATE OF ISSUE : 26-08-2019

SUPERSEDES : 01

Product Code : 19615

Page 2 of 10



**R Phrase(s)** : R11 : Highly flammable.

R38 : Irritating to skin.

R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R65 : Harmful : may cause lung damage if swallowed.

R67 : Vapours may cause drowsiness and dizziness.

**S Phrase(s)** :

S16 : Keep away from sources of ignition - No smoking.

S29 : Do not empty into drains.

S33 : Take precautionary measures against static discharges.

S60 : This material and its container must be disposed of as hazardous waste.

S61 : Avoid release to the environment. Refer to special instructions/Safety data sheets.

S62 : If swallowed, do not induce vomiting : seek medical advice immediately and show this container or label.

**Labelling Regulation EC 1272/2008 (CLP)**

**Hazard pictograms**



**Signal words** : Danger

**Hazard statements** : H225 : Highly flammable liquid and vapour.

H304 : May be fatal if swallowed and enters airways.

H315 : Causes skin irritation.

H336 : May cause drowsiness or dizziness.

H410 : Very toxic to aquatic life with long lasting effects.

**Precautionary statements**

• **Prevention** : P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical, ventilating, lighting, ..., equipment.

P210: Keep away from heat, sparks, open flames or hot surfaces. – No smoking.

P280: Wear protective gloves, protective clothing, eye protection, face protection.

P271: Use only outdoors or in a well-ventilated area.

P261: Avoid breathing dust, fume, gas, mist, vapours, spray.

P273: Avoid release to the environment.

P233: Keep container tightly closed.

P264: Wash thoroughly after handling.

**MOLYCHEM Office:** 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

**Tel:** +91 22 4066 8111, 2205 7772 . **Fax:** + 91 22 2203 4442. **Email :** [info@molychem.net](mailto:info@molychem.net)

**Works:** Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503

# Material Safety Data Sheet



**2,2,4-TRIMETHYLPENTANE** (iso-Octane)

**VERSION : 02**

**DATE OF ISSUE : 26-08-2019**

**SUPERSEDES : 01**

**Product Code : 19615**

**Page 3 of 10**

• **Response** : P301+P310: IF SWALLOWED : Immediately call a POISON CENTER or doctor.

P302+P352: IF ON SKIN : Wash with plenty of soap and water.

P332+P313: If skin irritation occurs : Get medical advice.

P391: Collect spillage.

P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.

P303+P361+P353: IF ON SKIN (or hair) : Remove immediately all contaminated clothing. Rinse skin with water/shower.

P363: Wash contaminated clothing before reuse.

P370+P378: In case of fire: Use for extinction.

• **Storage** : P403+P233: Store in well-ventilated place. Keep container tightly closed.

P403+P235: Store in well-ventilated place. Keep cool.

P405: Store locked up.

• **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

## **2.3. Other hazards**

**Other hazards** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

## **3. Composition/information on ingredients**

**Substance / Preparation** : 2,2,4-TRIMETHYL PENTANE

CAS No :540-84-1

Substance.

Contains no other components or impurities which will influence the classification of the product.

## **4. First aid measures**

### **4.1. Description of first aid measures**

**Inhalation** : Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.

**Skin contact** : Wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. Specific treatment (see on this label). Get medical advice.

Wash contaminated clothing before reuse. If skin irritation occurs :

**Eye contact** : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.

**Ingestion** : Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting.

**MOLYCHEM Office:** 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

**Tel:** +91 22 4066 8111, 2205 7772 . **Fax:** + 91 22 2203 4442. **Email :** [info@molychem.net](mailto:info@molychem.net)

**Works:** Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503

# Material Safety Data Sheet



**2,2,4-TRIMETHYLPENTANE (iso-Octane)**

**VERSION : 02**

**DATE OF ISSUE : 26-08-2019**

**SUPERSEDES : 01**

**Product Code : 19615**

**Page 4 of 10**

## **4.2. Most important symptoms and effects, both acute and delayed**

**Symptoms relating to use :** May be fatal if swallowed and enters airways.

Causes skin irritation. May cause drowsiness or dizziness.

## **4.3. Indication of any immediate medical attention and special treatment needed**

**General information :** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

## **5. Fire-fighting measures**

### **5.1. Extinguishing media**

**Suitable extinguishing media :** Foam. Dry powder. Carbon dioxide. Water spray. Sand.

**Unsuitable extinguishing media :** Do not use a heavy water stream.

**Surrounding fires :** Use water spray or fog for cooling exposed containers.

### **5.2. Special hazards arising from the substance or mixture**

**Flammable class :** Highly flammable liquid and vapour.

**Hazardous combustion products :** Under fire conditions, hazardous fumes will be present.

### **5.3. Advice for fire-fighters**

**Protection against fire :** Do not enter fire area without proper protective equipment, including respiratory protection.

**Special procedures :** Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

## **6. Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

**For emergency responders :** Equip cleanup crew with proper protection.

Ventilate area.

Avoid breathing dust, fume, gas, mist, vapours, spray.

**Technical measures :** Use special care to avoid static electric charges.

**Special precautions :** Remove ignition sources. No naked lights. No smoking.

**For non-emergency personnel :** Evacuate unnecessary personnel.

### **6.2. Environmental precautions**

**Environmental precautions :** Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters. Avoid release to the environment.

### **6.3. Methods and material for containment and cleaning up**

**Clean up methods :** Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

### **6.4. Reference to other sections**

See section 8. Exposure controls/personal protection

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**

**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**

**Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**

# Material Safety Data Sheet



2,2,4-TRIMETHYLPENTANE (iso-Octane)

VERSION : 02

DATE OF ISSUE : 26-08-2019

SUPERSEDES : 01

Product Code : 19615

Page 5 of 10

## **7. Handling and storage**

### **7.1. Precautions for safe handling**

**Handling** : Handle empty containers with care because residual vapours are flammable. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area.

**Technical protective measures** : Provide good ventilation in process area to prevent formation of vapour. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof electrical, ventilating, lighting, ..., equipment.

**Special precautions** : No naked lights. No smoking.

Avoid breathing dust, fume, gas, mist, vapours, spray.

### **7.2. Conditions for safe storage, including any incompatibilities**

**Storage** : Keep only in the original container in a cool, well ventilated place. Keep in fireproof place. Ground/bond container and receiving equipment. Keep container tightly closed.

**Storage - away from** : Strong bases. Strong acids. Sources of ignition. Direct sunlight. Heat sources.

### **7.3. Specific end use(s)**

**Specific end use(s)** : None.

## **8. Exposure controls/personal protection**

### **8.1. Exposure controls**

**Personal protection** : Avoid all unnecessary exposure.

- **Respiratory protection** : Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Wear respiratory protection.

- **Hand protection** : Wear protective gloves.

- **Skin protection** : Wear suitable protective clothing.

- **Eye protection** : Chemical goggles or safety glasses.

- **Others** : When using, do not eat, drink or smoke.

### **8.2. Control parameters**

**Occupational Exposure Limits** : No data available.

## **9. Physical and chemical properties**

### **9.1. Information on basic physical and chemical properties**

**Physical state at 20 °C** : Liquid.

**Odour threshold** : No data available.

**pH value** : No data available.

**Melting point [°C]** : -107.45°C

**Decomposition point [°C]** : N/A

**Critical temperature [°C]** : N/A

**Auto-ignition temperature [°C]** : 418°C

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)

Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503

# Material Safety Data Sheet



**2,2,4-TRIMETHYLPENTANE (iso-Octane)**

**VERSION : 02**

**DATE OF ISSUE : 26-08-2019**

**SUPERSEDES : 01**

**Product Code : 19615**

**Page 6 of 10**

**Flammability (solid, gas) : Flammable.**

Highly flammable liquid and vapour.

**Flash point [°C] : -12°C**

**Boiling point [°C] : 98 - 99 °C**

**Initial boiling point [°C] : 98°C**

**Final boiling point [°C] : 99 °C**

**Evaporation rate : N/A**

**Vapour pressure [20°C] : 5.4 kPa (@ 20°C)**

**Vapour pressure mm/Hg : N/A**

**Vapour density : 3,93**

**Density [g/cm3] : 0,69194**

**Relative density, gas (air=1) : N/A**

**Relative density, liquid (water=1) : 0,69194**

**Solubility in water [% weight] : Insoluble.**

**Solubility in water : N/A**

**Log Pow octanol / water at 20°C : No data available.**

**Solubility : N/A**

**Viscosity at 40°C [mm2/s] : N/A**

## **9.2. Other information**

**Explosive properties : N/A**

**Explosion limits - upper [%] : 6%**

**Explosion limits - lower [%] : 1%**

**Oxidising properties : No data available.**

## **10. Stability and reactivity**

### **10.1. Reactivity**

**Reactivity : Not established.**

### **10.2. Chemical stability**

**Chemical stability : Stable under recommended storage conditions.**

### **10.3. Possibility of hazardous reactions**

**Hazardous reactions : Not established.**

### **10.4. Conditions to avoid**

**Conditions to avoid : Direct sunlight. Extremely high or low temperatures. Open flame.**

### **10.5. Incompatible materials**

**Materials to avoid : Strong acids. Strong bases.**

### **10.6. Hazardous decomposition products**

**Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.**

**May release flammable gases.**

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**

**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**

**Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**

# Material Safety Data Sheet



2,2,4-TRIMETHYLPENTANE (iso-Octane)

VERSION : 02

DATE OF ISSUE : 26-08-2019

SUPERSEDES : 01

Product Code : 19615

Page 7 of 10

## **11. Toxicological information**

### **11.1. Information on toxicological effects**

#### **Acute toxicity**

- **Inhalation** : May be fatal if swallowed and enters airways.
- **Dermal** : Based on available data, the classification criteria are not met.
- **Ingestion** : May be fatal if swallowed and enters airways.

**Corrosion** : Based on available data, the classification criteria are not met.

**Irritation** : Causes skin irritation.

**Sensitization** : Based on available data, the classification criteria are not met.

**Mutagenicity** : Based on available data, the classification criteria are not met.

**Carcinogenicity** : Based on available data, the classification criteria are not met.

**Toxic for reproduction** : Based on available data, the classification criteria are not met.

**STOT-single exposure** : May cause drowsiness or dizziness.

**STOT-repeated exposure** : Based on available data, the classification criteria are not met.

**Aspiration hazard** : May be fatal if swallowed and enters airways.

## **12. Ecological information**

### **12.1. Toxicity**

**Toxicity information** : Very toxic to aquatic life with long lasting effects.

### **12.2. Persistence - degradability**

**Persistence - degradability** : May cause long-term adverse effects in the environment.

### **12.3. Bioaccumulative potential**

**Bioaccumulative potential** : Not established.

### **12.4. Mobility in soil**

**Mobility in soil** : Not established.

### **12.5. Results of PBT and vPvB assessment**

**Results of PBT and vPvB assessment** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

### **12.6. Other adverse effects**

**Environmental precautions** : Avoid release to the environment.

## **13. Disposal considerations**

### **13.1. Waste treatment methods**

**General** : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)

Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503

# Material Safety Data Sheet



2,2,4-TRIMETHYLPENTANE (iso-Octane)

VERSION : 02

DATE OF ISSUE : 26-08-2019

SUPERSEDES : 01

Product Code : 19615

Page 8 of 10

**Special precautions :** Handle empty containers with care because residual vapours are flammable. Hazardous waste due to toxicity.

## **14. Transport information**

### **14.1. Land transport (ADR-RID)**

**Proper shipping name :** OCTANES

**UN N° :** 1262

**H.I. nr :** 33

**ADR - Class :** 3

**Labelling - Transport :** 3 : Flammable liquid.

**ADR - Classification code :** F1

**ADR - Group :** II

**ADR - Packing instructions :** P001 R001

**ADR - Limited Quantity :** 1 L

**ADR - Tunnel code :** D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.

### **14.2. Sea transport (IMDG) [English only]**

**Proper shipping name :** OCTANES

**UN N° :** 1262

**IMO-IMDG - Class or division :** 3 : Flammable liquid.

**IMO-IMDG - Packing group :** II

**IMO- IMDG - Packing instructions :** P001

**IMO-IMDG - Limited quantities :** 1 L

**IMO-IMDG - Marine pollution :** Yes

**EMS-Nr :** F-E S-E

### **14.3. Air transport (ICAO-IATA) [English only]**

**Proper shipping name :** OCTANES

**UN N° :** 1262

**IATA - Class or division :** 3 : Flammable liquid.

**IATA - Packing group :** II

**IATA - Passenger and Cargo Aircraft :** ALLOWED

**- Passenger and Cargo - Packing :** 353

**instruction**

**- Passenger and Cargo - Maximum :** 5 L

**Quantity/Packing**

**IATA - Cargo only :** ALLOWED

**- Cargo only - Packing instruction :** 364

**- Cargo only - Maximum Quantity/ :** 60 L

**Packing**

**MOLYCHEM Office:** 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

**Tel:** +91 22 4066 8111, 2205 7772 . **Fax:** + 91 22 2203 4442. **Email :** [info@molychem.net](mailto:info@molychem.net)

**Works:** Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503

# Material Safety Data Sheet



2,2,4-TRIMETHYLPENTANE (iso-Octane)

VERSION : 02

DATE OF ISSUE : 26-08-2019

SUPERSEDES : 01

Product Code : 19615

Page 9 of 10

IATA - Limited Quantities : 1 L

ERG-Nr : 3H

## **15. Regulatory information**

### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Safety, health and environmental** : Ensure all national/local regulations are observed.  
**regulations/legislation specific for the substance or mixture**

**REACH Restrictions - Annex XVII** : The components of this product are not subject to restrictions.

**REACH Authorisation - Annex XIV** : The components of this product are not subject to authorization.

### **15.2. Chemical Safety Assessment**

**Chemical Safety Assessment** : It has not been carried out.

## **16. Other information**

**Abbreviations and acronyms** : PBT: persistent, bioaccumulative and toxic.

vPvB: very persistent and very bioaccumulative

**Sources of key data used** : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

**Further information** : None.

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008 **DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

## **End of document**

**Prepared by:** MOLYCHEM (INDIA)

**For questions contact:** MOLYCHEM


**Office:** 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)

**Tel:** +91 22 4066 8111, 2205 7772 . **Fax:** + 91 22 2203 4442.

**MOLYCHEM Office:** 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

**Tel:** +91 22 4066 8111, 2205 7772 . **Fax:** + 91 22 2203 4442. **Email :** [info@molychem.net](mailto:info@molychem.net)

**Works:** Plot No. B/9, Badlapur M.I.D.C., OPP. Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503

<b>Material Safety Data Sheet</b>	
<b>2,2,4-TRIMETHYLPENTANE (iso-Octane)</b>	<b>VERSION : 02</b> <b>DATE OF ISSUE : 26-08-2019</b> <b>SUPERSEDES : 01</b>
<b>Product Code : 19615</b>	<b>Page 10 of 10</b>

**Email : [info@molychem.net](mailto:info@molychem.net)**

**Works: Plot No. B/9, Badlapur M.I.D.C., OPP. Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**

(The statements contained herein are offered for informational purposes only and are based upon technical data that MOLYCHEM believes to be accurate. It is intended for use only by persons having the necessary technical skills and at their own discretion and risk. Since conditions and manner of use are outside our control, we make NO WARRANTY, EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS OR OTHERWISE.)