

# Material Safety Data Sheet



**n-AMYL ALCOHOL AR**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

**Product Code : 21810**

**Page 1 of 13**

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name : n-AMYL ALCOHOL AR  
Product code : 21810  
Identification of the product : n-AMYL ALCOHOL AR  
CAS No : 71- 41- 0  
EC Index-No. : 603-200-00-1  
EC No. : 200-752-1  
Synonyms : 1-Pentanol, n-Pentyl alcohol

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

### 1.3. Details of the supplier of the safety data sheet

**Company identification**  
MOLYCHEM INDIA LLP  
Office: Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)  
Tel: +91 22 4066 8111, 2205 7772 .  
Email : [info@molychem.net](mailto:info@molychem.net)  
Works: Plot No. B/9, Badlapur M.I.D.C.,  
OPP.Shobhavat Textile Co., Kulgaon, Badlapur (E),  
Dist.-Thane-421 503.

### 1.4. Emergency telephone number

Emergency number : +91 22 4066 8111 (10:00am - 6:00 pm)

## 2. Hazards identification

### 2.1. Classification of the substance or mixture

**Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Flammable liquids, Category 3 H226  
Acute toxicity (inhal.), Category 4 H332  
Skin corrosion/irritation, Category 2 H315  
Specific target organ toxicity – Single  
exposure, Category 3, Respiratory tract  
irritation H335

Full text of H- and EUH-statements: see section 16

### Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. Harmful if inhaled. May cause respiratory irritation. Causes skin irritation

#### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



n-AMYL ALCOHOL AR

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

Product Code : 21810

Page 2 of 13

## 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

Hazard statements (CLP)

Precautionary statements (CLP)

GHS02

GHS07

: Warning

: H226 - Flammable liquid and vapour.

H315 - Causes skin irritation.

H332 - Harmful if inhaled.

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 - Keep container tightly closed.

P280 - Wear protective clothing, eye protection, face protection, protective gloves

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

## 2.3. Other hazards

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

## 3. Composition/information on ingredients

### 3.1. Substances

Name : n-AMYL ALCOHOL AR

CAS-No : 71-41-0

### 3.2. Mixtures

Not applicable

## 4. First aid measures

### 4.1. Description of first aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for

**MOLYCHEM INDIA LLP**

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

• ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



n-AMYL ALCOHOL AR

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

Product Code : 21810

Page 3 of 13

breathing. Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. Call a poison center or a doctor if you feel unwell.

First-aid measures after skin contact : Wash with plenty of water/.... Wash contaminated clothing before reuse. Get medical advice/attention. Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a poison center or a doctor if you feel unwell

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause respiratory irritation

Symptoms/effects after skin contact : Causes skin irritation. Irritation

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## 5. Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## 6. Accidental release measures

### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



n-AMYL ALCOHOL AR

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

Product Code : 21810

Page 4 of 13

## 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Do not breathe dust, fume, gas, mist, spray, vapours. Avoid contact with skin and eyes.

### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Use personal protective equipment as required. For further information refer to section 8: "Exposure controls/ personal protection"

Emergency procedures : Ventilate area.

## 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

## 6.4. Reference to other sections

For further information refer to section 13.

## 7. Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Take precautionary measures against static discharge. Use only non-sparking tools. Keep away from sources of ignition - No smoking. Use only outdoors or in a well-ventilated area. Do not breathe vapours. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Flammable vapours may accumulate in the

**MOLYCHEM INDIA LLP**

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



n-AMYL ALCOHOL AR

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

Product Code : 21810

Page 5 of 13

Hygiene measures

container. Use explosion-proof equipment. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.  
: Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse. Always wash hands after handling the product.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment.

Storage conditions

: Keep container tightly closed. Keep in fireproof place. Store in a well-ventilated place. Keep cool. Store locked up.

Storage away from

: Open flame. Heat. Sparks. Avoid contact with hot surfaces. No flames, no sparks. Eliminate all sources of ignition

Recommended storage temperature

:

## 7.3. Specific end use(s)

No additional information available

## 8. Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

**MOLYCHEM INDIA LLP**

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**n-AMYL ALCOHOL AR**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

**Product Code : 21810**

**Page 6 of 13**

Ensure good ventilation of the work station.

## 8.2.2. Personal protection equipment

|                        |                                       |
|------------------------|---------------------------------------|
| Eye protection         | : Chemical goggles or safety glasses  |
| Hand protection        | : Wear protective gloves              |
| Skin protection        | : Wear suitable protective clothing   |
| Respiratory protection | : Wear appropriate mask.              |
| Thermal hazards        | : No additional information available |

## 8.2.3 Environmental exposure controls

Avoid release to the environment

## 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|                                                 |                                                            |
|-------------------------------------------------|------------------------------------------------------------|
| Physical state                                  | : Liquid                                                   |
| Appearance                                      | : clear liquid.                                            |
| Molecular mass                                  | : 88.15 g/mol                                              |
| Colour                                          | : Colourless                                               |
| Odour                                           | : pleasant                                                 |
| Odour threshold                                 | : 0.1 ppm                                                  |
| pH                                              | : 7 (22 g/L Solution at 20°C)                              |
| Relative evaporation rate                       | : No data available                                        |
| Melting point                                   | : Not applicable                                           |
| Freezing point                                  | : -78 °C                                                   |
| Boiling point                                   | : 137 – 139 °C                                             |
| Flash point                                     | : 49 °C                                                    |
| Auto-ignition temperature                       | : 300 °C                                                   |
| Decomposition temperature                       | : No data available                                        |
| Flammability (solid, gas)                       | : Flammable<br>Flammable liquid and vapour, Not applicable |
| Vapour pressure                                 | : 2.04 hPa at 20°C - OECD Test Guideline 104               |
| Relative vapour density at 20 °C                | : 3                                                        |
| Relative density                                | : 0.814 – 0.815 at 20°C                                    |
| Density                                         | : 0.8146 g/cm <sup>3</sup>                                 |
| Solubility                                      | : Water: 22.8 g/l at 25 °C (Miscible)                      |
| Partition coefficient n-octanol/water (Log Pow) | : 1.51                                                     |
| Viscosity, kinematic                            | : 4.224 mm <sup>2</sup> /s                                 |
| Viscosity, dynamic                              | : 3.441 mPa.s at 24.9°C                                    |

### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**n-AMYL ALCOHOL AR**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

**Product Code : 21810**

**Page 7 of 13**

Explosive properties : No data available  
Oxidising properties : No data available

## 9.2. Other information

No additional information available

## 10. Stability and reactivity

### 10.1. Reactivity

Highly flammable liquid and vapour.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Open flame. Direct sunlight. Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

May release flammable gases.

## 11. Toxicological information

### 11.1. Information on toxicological effects

|                                   |                                    |
|-----------------------------------|------------------------------------|
| Acute toxicity (oral)             | : Not classified                   |
| Acute toxicity (dermal)           | : Not classified                   |
| Acute toxicity (inhalation)       | : Harmful if inhaled.              |
| Skin corrosion/irritation         | : Causes skin irritation.          |
| Additional information            | : Not classified                   |
| Serious eye damage/irritation     | : Not classified                   |
| Respiratory or skin sensitisation | : Not classified                   |
| Germ cell mutagenicity            | : Not classified                   |
| Carcinogenicity                   | : Not classified                   |
| Reproductive toxicity             | : Not classified                   |
| STOT-single exposure              | : May cause respiratory irritation |
| STOT-repeated exposure            | : Not classified                   |
| Aspiration hazard                 | : Not classified                   |

#### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



n-AMYL ALCOHOL AR

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

Product Code : 21810

Page 8 of 13

## 12. Ecological information

### 12.1. Toxicity

Ecology - general

The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short-term (acute)

Not classified

Hazardous to the aquatic environment, long-term (chronic)

Not classified

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## 13. Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions

Product/Packaging disposal recommendations

: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

Additional information

: Handle empty containers with care because residual vapours are flammable. Flammable vapours may accumulate in the container.

## 14. Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1. UN number

#### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



n-AMYL ALCOHOL AR

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

Product Code : 21810

Page 9 of 13

UN-No. (ADR) : UN 1105  
UN-No. (IMDG) : UN 1105  
UN-No. (IATA) : UN 1105  
UN-No. (ADN) : UN 1105  
UN-No. (RID) : UN 1105

## 14.2. UN proper shipping name

Proper Shipping Name (ADR) : PENTANOLS  
Proper Shipping Name (IMDG) : PENTANOLS  
Proper Shipping Name (IATA) : Pentanols  
Proper Shipping Name (ADN) : PENTANOLS  
Proper Shipping Name (RID) : PENTANOLS  
Transport document description (ADR) : UN 1105 PENTANOLS, 3, III, (D/E)  
Transport document description (IMDG) : UN 1105 PENTANOLS, 3, II  
Transport document description (IATA) : UN 1105 Pentanols, 3, III  
Transport document description (ADN) : UN 1105 PENTANOLS, 3, II  
Transport document description (RID) : UN 1105 PENTANOLS, 3, II

## 14.3. Transport hazard class(es)

### ADR

Transport hazard class(es) (ADR) : 3  
Danger labels (ADR) : 3

### IMDG

Transport hazard class(es) (IMDG) : 3  
Danger labels (IMDG) : 3

### IATA

Transport hazard class(es) (IATA) : 3  
Danger labels (IATA) : 3

### ADN

Transport hazard class(es) (ADN) : 3  
Danger labels (ADN) : 3

### RID

Transport hazard class(es) (RID) : 3  
Danger labels (RID) : 3

## 14.4. Packing group

Packing group (ADR) : III  
Packing group (IMDG) : III  
Packing group (IATA) : III  
Packing group (ADN) : III  
Packing group (RID) : III

## 14.5. Environmental hazards

### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



n-AMYL ALCOHOL AR

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

Product Code : 21810

Page 10 of 13

Dangerous for the environment : No  
Marine pollutant : No  
Other information : No supplementary information available

## 14.6. Special precautions for user

### Overland transport

Classification code (ADR) : F1  
Limited quantities (ADR) : 5L  
Excepted quantities (ADR) : E1  
Packing instructions (ADR) : P001, IBC03, LP01, R001  
Mixed packing provisions (ADR) : MP19  
Portable tank and bulk container instructions (ADR) : T2  
Portable tank and bulk container special provisions (ADR) : TP1  
Tank code (ADR) : LGBF  
Vehicle for tank carriage : FL  
Transport category (ADR) : 3  
Tunnel restriction code (ADR) : D/E  
EAC code : •3Y

### Transport by sea

Limited quantities (IMDG) : 5 L  
Excepted quantities (IMDG) : E1  
Packing instructions (IMDG) : P001, LP01  
IBC packing instructions (IMDG) : IBC03  
Tank instructions (IMDG) : T2  
Tank special provisions (IMDG) : TP1  
EmS-No. (Fire) : F-E  
EmS-No. (Spillage) : S-D  
MFAG-No : 129

### Air transport

PCA Excepted quantities (IATA) : E1  
PCA Limited quantities (IATA) : Y344  
PCA limited quantity max net quantity (IATA) : 10L  
PCA packing instructions (IATA) : 355  
PCA max net quantity (IATA) : 60L  
CAO packing instructions (IATA) : 366  
CAO max net quantity (IATA) : 220L  
ERG code (IATA) : 3L

### Inland waterway transport

Classification code (ADN) : F1

**MOLYCHEM INDIA LLP**

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



**n-AMYL ALCOHOL AR**

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

**Product Code : 21810**

**Page 11 of 13**

Limited quantities (ADN) : 5 L  
Excepted quantities (ADN) : E1  
Carriage permitted (ADN) : T  
Equipment required (ADN) : PP, EX, A  
Ventilation (ADN) : VE01  
Number of blue cones/lights (ADN) : 0

## **Rail transport**

Classification code (RID) : F1  
Limited quantities (RID) : 5L  
Excepted quantities (RID) : P001, IBC03, LP01, R001  
Packing instructions (RID) : MP19  
Mixed packing provisions (RID) : T2  
Portable tank and bulk container special provisions (RID) : TP1  
Colis express (express parcels) (RID) : CE4  
Hazard identification number (RID) : 30

## **14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable

## **15. Regulatory information**

### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

#### **15.1.1 EU-Regulations**

No REACH Annex XVII restrictions

n-AMYL ALCOHOL AR is not on the REACH Annex XIV List

n-AMYL ALCOHOL AR is not on the REACH Candidate List

n-AMYL ALCOHOL AR is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals

n-AMYL ALCOHOL AR is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

n-AMYL ALCOHOL is not subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

#### **15.1.2. National regulations**

##### **Germany**

Water hazard class (WGK) : WGK 1, Slightly hazardous to water  
(Classification according to AwSV; ID No. 18).

## **MOLYCHEM INDIA LLP**

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



n-AMYL ALCOHOL AR

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

Product Code : 21810

Page 12 of 13

Hazardous Incident Ordinance (12. BImSchV)

: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

## Netherlands

SZW-lijst van kankerverwekkende stoffen

: The substance is not listed

SZW-lijst van mutagene stoffen

: The substance is not listed

SZW-lijst van reprotoxische stoffen – Borstvoeding

: The substance is not listed

SZW-lijst van reprotoxische stoffen –  
Vruchtbaarheid

: The substance is not listed

SZW-lijst van reprotoxische stoffen –  
Ontwikkeling

: The substance is not listed

## Denmark

Classification remarks

: Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations

: Young people below the age of 18 years are not allowed to use the product

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## 16. Other information

### Abbreviations and acronyms

|        |                                                                                                 |
|--------|-------------------------------------------------------------------------------------------------|
| ADN    | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR    | European Agreement concerning the International Carriage of Dangerous Goods by Road             |
| ATE    | Acute Toxicity Estimate                                                                         |
| BCF    | Bioconcentration factor                                                                         |
| BLV    | Biological limit value                                                                          |
| BOD    | Biochemical oxygen demand                                                                       |
| COD    | Chemical oxygen demand                                                                          |
| COD    | Chemical oxygen demand                                                                          |
| DMEL   | Derived Minimal Effect level                                                                    |
| DNEL   | Derived-No Effect Level                                                                         |
| EC-No. | European Community number                                                                       |
| EC50   | Median effective concentration                                                                  |
| EN     | European Standard                                                                               |
| IARC   | International Agency for Research on Cancer                                                     |
| IATA   | International Air Transport Association                                                         |

### MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered

# Material Safety Data Sheet



n-AMYL ALCOHOL AR

VERSION : 05  
REVISION DATE : 14/06/2025  
EFFECTIVE DATE : 16/06/2025

Product Code : 21810

Page 13 of 13

|                                           |                                                                              |
|-------------------------------------------|------------------------------------------------------------------------------|
| IMDG                                      | International Maritime Dangerous Goods                                       |
| LC50                                      | Median lethal concentration                                                  |
| LD50                                      | Median lethal dose                                                           |
| LOAEL                                     | Lowest Observed Adverse Effect Level                                         |
| NOAEC                                     | No-Observed Adverse Effect Concentration                                     |
| NOAEL                                     | No-Observed Adverse Effect Level                                             |
| NOEC                                      | No-Observed Effect Concentration                                             |
| OECD                                      | Organisation for Economic Co-operation and Development                       |
| OEL                                       | Occupational Exposure Limit                                                  |
| PBT                                       | Persistent Bioaccumulative Toxic                                             |
| PNEC                                      | Predicted No-Effect Concentration                                            |
| RID                                       | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS                                       | Safety Data Sheet                                                            |
| STP                                       | Sewage treatment plant                                                       |
| ThOD                                      | Theoretical oxygen demand (ThOD)                                             |
| TLM                                       | Median Tolerance Limit                                                       |
| VOC                                       | Volatile Organic Compounds                                                   |
| CAS-No.                                   | Chemical Abstract Service number                                             |
| N.O.S.                                    | Not Otherwise Specified                                                      |
| vPvB                                      | Very Persistent and Very Bioaccumulative                                     |
| ED                                        | Endocrine disrupting properties                                              |
|                                           |                                                                              |
| <b>Full text of H- and EUH-statements</b> |                                                                              |
| Eye Irrit. 2                              | Serious eye damage/eye irritation, Category 2                                |
| Flam. Liq. 2                              | Flammable liquids, Category 2                                                |
| STOT SE 3                                 | Specific target organ toxicity — Single exposure, Category 3, Narcosis       |
| H225                                      | Highly flammable liquid and vapour.                                          |
| H319                                      | Causes serious eye irritation.                                               |
| H336                                      | May cause drowsiness or dizziness.                                           |
| EUH066                                    | Repeated exposure may cause skin dryness or cracking.                        |

Safety Data Sheet (SDS), EU This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

## MOLYCHEM INDIA LLP

H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015 • ISO 14001: 2015 • ISO 45001:2018 • WHO-GMP Certified • MSME Registered • CAA Registered