Material Safety Data Sheet	MOLYCHEM
BENZYLAMINE 99%	VERSION: 02 DATE OF ISSUE: 26-08-2019 SUPERSEDES: 01
Product Code :22295	Page 1 of 10

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: BENZYLAMINE

Product code: 22295

Identification of the product : BENZYLAMINE

CAS No: 100-46-9

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use: Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification: MOLYCHEM

Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA) Tel:

+91 22 4066 8111, 2205 7772 . Fax: +91 22 2203 4442.

Email: info@molychem.net

Works: Plot No. B/9, Badlapur M.I.D.C., OPP. Shobhavat Textile Co.,

Kulgaon, Badlapur (E), Dist.-Thane-421 503.

1.4. Emergency telephone number

Emergency number: +91 22 4066 8111 (10:00am - 6:00 pm)

2. Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), H302

Category 4

Acute toxicity (dermal), H312

Category 4

Skin corrosion/irritation, H314

Category 1B

Full text of classification categories and H statements: see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Extra labelling to displayExtra classification(s) to display

Symbol(s): C: Corrosive



R Phrase(s): R34: Cause burns.

Material Safety Data Sheet	MOLYCHEM
BENZYLAMINE 99%	VERSION : 02 DATE OF ISSUE : 26-08-2019 SUPERSEDES : 01
Product Code :22295	Page 2 of 10

R21/22: Harmful in contact with skin and if swallowed.

S Phrase(s): S26. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advise.

S45. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

S36/37/39: Wear suitable protective clothing and gloves & eye/face protecting.

Hazard pictograms



Signal word: Danger

Hazard statements: H302+H312 - Harmful if swallowed or in contact with skin

H314 - Causes severe skin burns and eye damage

Precautionary statements: P280 - Wear protective gloves, protective clothing, eye protection, face protection

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a doctor

2.3. Other hazards

No additional information available.

3. Composition/information on ingredients

3.1. Substance: BENZYLAMINE FOR SYNTHESIS

CAS No: 100-46-9

Substance.

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or doctor/physician.

First-aid measures after skin contact: Wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. Get immediate medical advice/attention.

First-aid measures after eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Material Safety Data Sheet	MOLYCHEM
BENZYLAMINE 99%	VERSION : 02 DATE OF ISSUE : 26-08-2019 SUPERSEDES : 01
Product Code :22295	Page 3 of 10

First-aid measures after ingestion: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries: Causes severe skin burns and eye damage.

Symptoms/injuries after skin contact: Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin. Symptoms/injuries after ingestion: Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

5. Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Carbon dioxide. Dry powder. Foam. Water spray. Unsuitable extinguishing media: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures: Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment: Use personal protective equipment as required.

Emergency procedures: Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Collect spillage. On land, sweep or shovel into suitable containers.

6.4. Reference to other sections

No additional information available

7. Handling and storage

7.1. Precautions for safe handling

Material Safety Data Sheet	MOLYCHEM
BENZYLAMINE 99%	VERSION : 02 DATE OF ISSUE : 26-08-2019 SUPERSEDES : 01
Product Code :22295	Page 4 of 10

Precautions for safe handling: Avoid contact with skin and eyes. Do not breathe vapours. Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures: Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a well-ventilated place. Keep container tightly closed.

7.3. Specific end use(s)

No additional information available

8. Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection: Protective gloves

Eye protection: Chemical goggles or face shield

Skin and body protection: Wear suitable protective clothing

Respiratory protection: Wear respiratory protection

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Odour threshold: No data available

pH: 11.4 at 100 g/l at 20 °C

Relative evaporation rate (butylacetate=1): No data available

Melting point : 10 °C

Freezing point : No data available Boiling point : 184 - 185 °C

Flash point : 65 °C

Auto-ignition temperature : 405 °C

Decomposition temperature: No data available **Flammability (solid, gas)**: No data available

Vapour pressure: 0.1 kPa (at 20°C) Relative vapour density at 20 °C: 3.7 Relative density: No data available

Density : 0.981 g/cm³

Solubility: Water: Soluble in water

Log Pow : 1.09

Viscosity, kinematic: No data available **Viscosity, dynamic**: No data available

Material Safety Data Sheet	MOLYCHEM
BENZYLAMINE 99%	VERSION : 02 DATE OF ISSUE : 26-08-2019 SUPERSEDES : 01
Product Code :22295	Page 5 of 10

Explosive properties: No data available **Oxidising properties**: No data available **Explosive limits**: 0.007 - 0.082 vol %

9.2. Other information

No additional information available

10. tability and reactivity

10.1. Reactivity

Thermal decomposition generates: Corrosive vapours.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Thermal decomposition generates: Corrosive vapours.

11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity: Oral: Harmful if swallowed. Dermal: Harmful in contact with skin.

Skin corrosion/irritation: Causes severe skin burns and eye damage.

pH: 11.4 at 100 g/l at 20 °C

Serious eye damage/irritation: Serious eye damage, category 1, implicit

pH: 11.4 at 100 g/l at 20 °C

Respiratory or skin sensitisation: Not classified

Germ cell mutagenicity: Not classified

Carcinogenicity: Not classified

Reproductive toxicity: Not classified

Specific target organ toxicity (single exposure): Not classified Specific target organ toxicity (repeated exposure): Not classified

Aspiration hazard: Not classified

Potential adverse human health effects and symptoms: Harmful if swallowed. Harmful in contact with skin.

12. Ecological information

12.1. Toxicity

Material Safety Data Sheet	MOLYCHEM
BENZYLAMINE 99%	VERSION : 02 DATE OF ISSUE : 26-08-2019 SUPERSEDES : 01
Product Code :22295	Page 6 of 10

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Log Pow 1.09

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

13. Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations: Dispose of contents/container to ...

14. Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR): 2735 UN-No. (IMDG): 2735 UN-No.(IATA): 2735

UN-No.(ADN): Not regulated UN-No. (RID): Not regulated

14.2. UN proper shipping name

Proper Shipping Name (ADR): AMINES, LIQUID, CORROSIVE, N.O.S. /

POLYAMINES, LIQUID, CORROSIVE,

N.O.S.

Proper Shipping Name (IMDG): AMINES, LIQUID, CORROSIVE, N.O.S. Proper Shipping Name (IATA): AMINES, LIQUID, CORROSIVE, N.O.S.

Proper Shipping Name (ADN): Not regulated Proper Shipping Name (RID): Not regulated

Transport document description (ADR): UN 2735 AMINES, LIQUID, CORROSIVE,

N.O.S. / POLYAMINES, LIQUID,

CORROSIVE, N.O.S., 8, II, (E)

Transport document description (IMDG): UN 2735 AMINES, LIQUID, CORROSIVE,

N.O.S., 8, II

Transport document description (IATA): UN 2735 AMINES, LIQUID, CORROSIVE,

N.O.S., 8, II

Material Safety Data Sheet	MOLYCHEM
BENZYLAMINE 99%	VERSION: 02 DATE OF ISSUE: 26-08-2019 SUPERSEDES: 01
Product Code :22295	Page 7 of 10

14.3. Transport hazard class(es)

ADR- Transport hazard class(es) (ADR): 8

Danger labels (ADR): 8

IMDG- Transport hazard class(es) (IMDG): 8

Danger labels (IMDG): 8

IATA- Transport hazard class(es) (IATA): 8

Hazard labels (IATA): 8

ADN- Transport hazard class(es) (ADN): Not regulated **RID**- Transport hazard class(es) (RID): Not regulated

14.4. Packing group

Packing group (ADR): II Packing group (IMDG): II Packing group (IATA): II

Packing group (ADN): Not regulated Packing group (RID): Not regulated

14.5. Environmental hazards

Dangerous for the environment: No

Marine pollutant : No

Other information: No supplementary information available

14.6. Special precautions for user

Overland transport- Classification code (ADR): C7

Special provision (ADR): 274 Limited quantities (ADR): 1L Excepted quantities (ADR): E2

Packing instructions (ADR): P001, IBC02 Mixed packing provisions (ADR): MP15

Portable tank and bulk container instructions (ADR): T11

Portable tank and bulk container special provisions (ADR): TP1, TP27

Tank code (ADR): L4BN Vehicle for tank carriage: AT Transport category (ADR): 2

Hazard identification number (Kemler No.): 80 Orange plates: Tunnel restriction code (ADR): E

EAC code : 2X APP code : B

Transport by sea- Special provision (IMDG): 274

Limited quantities (IMDG): 1 L Excepted quantities (IMDG): E2 Packing instructions (IMDG): P001

Material Safety Data Sheet	MOLYCHEM
BENZYLAMINE 99%	VERSION : 02 DATE OF ISSUE : 26-08-2019 SUPERSEDES : 01
Product Code :22295	Page 8 of 10

IBC packing instructions (IMDG): IBC02

Tank instructions (IMDG): T11

Tank special provisions (IMDG): TP1, TP27

EmS-No. (Fire): F-A EmS-No. (Spillage): S-B Stowage category (IMDG): A Segregation (IMDG): SG35

MFAG-No: 153

Air transport- PCA Excepted quantities (IATA) : E2

PCA Limited quantities (IATA): Y840 PCA limited quantity max net quantity

(IATA): 0.5L

PCA packing instructions (IATA): 851
PCA max net quantity (IATA): 1L
CAO packing instructions (IATA): 855
CAO max net quantity (IATA): 30L

Special provision (IATA) : A3

ERG code (IATA): 8L

Inland waterway transport- Not regulated

Rail transport- Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

BENZYLAMINE is not on the REACH Candidate List BENZYLAMINE is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference: Water hazard class (WGK) 1, slightly hazardous to water (Classification according to VwVwS, Annex 3; WGK No 2324)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Denmark

Class for fire hazard: Class III-1

Store unit: 50 liter

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: +91 22 2203 4442. Email: info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503

Material Safety Data Sheet	MOLYCHEM
BENZYLAMINE 99%	VERSION : 02 DATE OF ISSUE : 26-08-2019 SUPERSEDES : 01
Product Code :22295	Page 9 of 10

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed

Recommendations Danish Regulation: Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No additional information available

16. Other information

Abbreviations and acronyms: PBT: persistent, bioaccumulative and toxic.

vPvB: very persistent and very bioaccumulative

Sources of key data used: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

Further information: None.

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008 DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

End of document

Prepared by: MOLYCHEM (INDIA)

For questions contact: MOLYCHEM

Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: +91 22 2203 4442.

Email: info@molychem.net

Works: Plot No. B/9, Badlapur M.I.D.C., OPP. Shobhavat Textile Co.,

Material Safety Data Sheet	MOLYCHEM
BENZYLAMINE 99%	VERSION : 02 DATE OF ISSUE : 26-08-2019 SUPERSEDES : 01
Product Code :22295	Page 10 of 10

Kulgaon, Badlapur (E), Dist.-Thane-421 503

(The statements contained herein are offered for informational purposes only and are based upon technical data that MOLYCHEM believes to be accurate. It is intended for use only by persons having the necessary technical skills and at their own discretion and risk. Since conditions and manner of use are outside our control, we make NO WARRANTY, EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS OR OTHERWISE.)