


Material Safety Data Sheet	
DIETHYLENE GLYCOL AR	VERSION : 03 DATE OF ISSUE : 31-01-2022 SUPERSEDES : 02
Product Code : 22990	Page 1 of 8

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : DIETHYLENE GLYCOL AR
Product code : 22990
Identification of the product : DIETHYLENE GLYCOL AR
CAS No : 111-46-6

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3. Details of the supplier of the safety data sheet

Company identification : MOLYCHEM
 Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor,
 Mumbai – 400 002 (INDIA)
 Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442.
 Email : info@molychem.net
 Works: Plot No. B/9, Badlapur M.I.D.C., OPP. Shobhavat Textile
 Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

1.4. Emergency telephone number

Emergency number : +91 22 4066 8111 (10:00am - 6:00 pm)

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008
 Acute toxicity, Oral (Category 4), H302
 For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2. Label elements



Xi : Irritation

Xn: Harmful

R Phrase(s) : R19 : May form explosive peroxides.
 R20/22 : Harmful by inhalation and if swallowed.

S Phrase(s) : S24/25 : Avoid contact with skin and eyes

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Warning

Hazard statement(s)

H302 Harmful if swallowed.

Precautionary statement(s)

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Material Safety Data Sheet



DIETHYLENE GLYCOL AR

VERSION : 03
DATE OF ISSUE : 31-01-2022
SUPERSEDES : 02

Product Code : 22990

Page 2 of 8

P301 + P312	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.
P501	Dispose of contents/ container to an approved waste disposal plant.
Supplemental Hazard Statements	none
Pictogram	
Signal Word	Warning
Hazard statement(s)	none
Precautionary statement(s)	none
Supplemental Hazard Statements	none

2.3. Other hazards

Other hazards : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

3. Composition/information on ingredients

3.1 Substances

Synonyms	: 2,2'-Oxydiethanol Bis(2-hydroxyethyl) ether Diglycol 2-Hydroxyethyl ether
Formula	: C ₄ H ₁₀ O ₃
Molecular weight	: 106.12 g/mol
CAS-No.	: 111-46-6

4. First aid measures

4.1. Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact


After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or

Material Safety Data Sheet	
DIETHYLENE GLYCOL AR	VERSION : 03 DATE OF ISSUE :31-01-2022 SUPERSEDES : 02
Product Code : 22990	Page 3 of 8

in section 11

4.3. Indication of any immediate medical attention and special treatment needed

No data available

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2. Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3. Advice for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Cool containers/tanks with water spray.Prevent fire extinguishing water from contaminating surface water or the ground water system.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2. Environmental precautions

Do not let product enter drains.

6.3. Methods and material for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemisorb®). Dispose of properly. Clean up affected area.

6.4. Reference to other sections

For disposal see section 13.

7. Handling and storage

7.1. Precautions for safe handling

For precautions see section 2.2.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

Material Safety Data Sheet



DIETHYLENE GLYCOL AR

VERSION : 03
DATE OF ISSUE : 31-01-2022
SUPERSEDES : 02

Product Code : 22990

Page 4 of 8

Tightly closed.
hygroscopic Heat sensitive. Store under inert gas.

Storage class

Storage class (TRGS 510): 10: Combustible liquids

7.3. Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. Exposure controls/personal protection

8.1. Exposure controls

Personal protection : Avoid all unnecessary exposure.
Respiratory protection : Wear approved mask.
Hand protection : Wear protective gloves.
Skin protection : Wear suitable protective clothing.
Eye protection : Chemical goggles or safety glasses.
Others : When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	viscous liquid
Color	colorless
Odor	odorless
Melting point/freezing point	Melting point/range: -10 °C - lit.
Initial boiling point and boiling range	245 °C - lit.
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	Upper explosion limit: 37 %(V) Lower explosion limit: 1,7 %(V)
Flash point	138 °C - closed cup
Autoignition temperature	372 °C at 1.013,25 hPa
Decomposition temperature	Distillable in an undecomposed state at normal pressure.
pH	6 - 8 at 200 g/l at 20 °C
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: 30 mPa.s at 25 °C
Water solubility	1.000 g/l at 20 °C - miscible
Partition coefficient: n-octanol/water	log Pow: -1,98 at 25 °C - Bioaccumulation is not expected., (IUCLID)
Vapor pressure	< 0,1 hPa at 25 °C

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net

Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503

Material Safety Data Sheet



DIETHYLENE GLYCOL AR

VERSION : 03
DATE OF ISSUE : 31-01-2022
SUPERSEDES : 02

Product Code : 22990

Page 5 of 8

Density	1,117 g/cm ³ at 25 °C - lit.
Relative density	1. at 20 °C
Relative vapor density	3.66
Particle characteristics	No data available
Explosive properties	No data available
Oxidizing properties	None

9.2. Other information

Relative vapor	3.66
Density	

10. Stability and reactivity

10.1. Reactivity

Forms explosive mixtures with air on intense heating.
A range from approx.

10.2 Chemical stability The product is chemical

The product is chemically stable under standard ambient conditions (room temperature) .

10.3. Possibility of hazardous reactions

Violent reactions possible with:
Strong oxidizing agents
Zinc
Exothermic reaction with:
Strong acids

10.4. Conditions to avoid

Heating in air. Exposure to moisture.
Strong heating.

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

In the event of fire: see section 5

11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Inhalation: Harmful if inhaled. Oral: Harmful if swallowed.
Skin corrosion/irritation	: Not classified pH: 5 - 8 at 500 g/l at 20 °C
Serious eye damage/irritation	: Not classified pH: 5 - 8 at 500 g/l at 20 °C
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified

Material Safety Data Sheet



DIETHYLENE GLYCOL AR

VERSION : 03

DATE OF ISSUE : 31-01-2022

SUPERSEDES : 02

Product Code : 22990

Page 6 of 8

STOT-single exposure : Not classified
STOT-repeated exposure : Not classified
Aspiration hazard : Not classified
Potential adverse human health effects and symptoms : Harmful if swallowed.

12. Ecological information

12.1. Toxicity

No additional information available

12.2 Persistence and degradability

No additional information available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

13. Disposal considerations

13.1. Waste treatment methods

No data available

14. Transport information

14.1. UN number

ADR/RID: -

IMDG :

IATA:

14.2. UN proper shipping name

ADR/RID :

Not dangerous goods

IMDG:

Not dangerous goods

IATA:

Not dangerous goods

14.3. Transport hazard class(es)

ADR/RID :

IMDG :


IATA :

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net

Works: Plot No. B/9, Badlapur M.I.D.C., OPP. Shobhavat Textile Co.,

Kulgaon, Badlapur (E), Dist.-Thane-421 503

Material Safety Data Sheet	
DIETHYLENE GLYCOL AR	VERSION : 03 DATE OF ISSUE : 31-01-2022 SUPERSEDES : 02
Product Code : 22990	Page 7 of 8

14.4. Packaging group

ADR/RID :

IMDG :

IATA :

14.5 Environmental hazards

ADR/RID : no

IMDG : Marine pollutant: no

IATA : no

14.6 Special precautions for user

No data available

Further information

Not classified as dangerous in the meaning of transport regulations.

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

15.2. Chemical Safety Assessment

A Chemical Safety Assessment has been carried out for this substance.

16. Other information

Abbreviations and acronyms :

PBT : persistent, bioaccumulative and toxic.


vPvB: very persistent and very bioaccumulative

Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

Further information : None.

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Material Safety Data Sheet	
DIETHYLENE GLYCOL AR	VERSION : 03 DATE OF ISSUE : 31-01-2022 SUPERSEDES : 02
Product Code : 22990	Page 8 of 8

End of document

Prepared by: MOLYCHEM (INDIA)

For questions contact: MOLYCHEM

Office: Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade,
Cuffe Parade, Mumbai 400 005 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442.

Email : info@molychem.net

Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503

(The statements contained herein are offered for informational purposes only and are based upon technical data that MOLYCHEM believes to be accurate. It is intended for use only by persons having the necessary technical skills and at their own discretion and risk. Since conditions and manner of use are outside our control, we make NO WARRANTY, EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS OR OTHERWISE.)