

# Material Safety Data Sheet



**D.P.X. MOUNTANT FOR MICROSCOPY**

**VERSION : 02**

**DATE OF ISSUE : 26-08-2019**

**SUPERSEDES : 01**

**Product Code : 23140**

**Page 1 of 11**

## **1. Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

**Trade name :** D.P.X. MOUNTANT FOR MICROSCOPY

**Product code :** 23140

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use :** Industrial. For professional use only.

### **1.3. Details of the supplier of the safety data sheet**

**Company identification :** MOLYCHEM

**Office:** 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA) Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442.

**Email :** [info@molychem.net](mailto:info@molychem.net)

**Works:** Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

### **1.4. Emergency telephone number**

**Emergency number :** +91 22 4066 8111 (10:00am - 6:00 pm)

## **2. Hazards identification -DSD**

### **2.1. Classification of the substance or mixture**

**Classification EC 67/548 or EC 1999/45**

**Classification :** Repr. Cat. 2; R61-62

**Xn;** R20/21

**Xi;** R38

**Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)**

**Health hazards :** Reproductive toxicity - Unborn Child - Category 1A - Danger (CLP : Repr. 1A) H360

Reproductive toxicity - Fertility - Category 2 - Warning (CLP : Repr. 2) H361

Specific Target Organ Toxicity - Single exposure - Respiratory tract irritation -

Category 3 - Warning (CLP : STOT SE 3) H335

Skin irritation - Category 2 - Warning (CLP : Skin Corr. 2) H315

Acute toxicity, dermal - Category 4 - Warning (CLP : Acute Tox. 4) H312

Acute toxicity, Inhalation - Category 4 - Warning (CLP : Acute Tox. 4) H332

### **2.2. Label elements**

**Labelling EC 67/548 or EC 1999/45**

**Symbol(s) :** T : Toxic



**R Phrase(s) :** R10 : Flammable.

R20/21 : Harmful by inhalation and in contact with skin.

**MOLYCHEM Office:** 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

**Tel:** +91 22 4066 8111, 2205 7772 . **Fax:** + 91 22 2203 4442. **Email :** [info@molychem.net](mailto:info@molychem.net)

**Works:** Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503

# Material Safety Data Sheet



**D.P.X. MOUNTANT FOR MICROSCOPY**

**VERSION : 02**

**DATE OF ISSUE : 26-08-2019**

**SUPERSEDES : 01**

**Product Code : 23140**

**Page 2 of 11**

R38 : Irritating to skin.

R61 : May cause harm to the unborn child.

R62 : Possible risk of impaired fertility.

**S Phrase(s) : S4 : Keep away from living quarters.**

S23: Do not breath gas/fumes/vapour/spray (Appropriate wording to be specified by the manufacturer).

S24/25 : Avoid contact with skin and eyes.

S24 : Avoid contact with skin.

S28 : After contact with skin, wash immediately with

S35 : This material and its container must be disposed of in a safe way.

S36/37 : Wear suitable protective clothing and gloves.

S38 : In case of insufficient ventilation, wear suitable respiratory equipment.

S45 : In case of accident or if you feel unwell, seek medical advice immediately ( show the label when possible).

S53 : Avoid exposure - obtain special instructions before use.

S59 : Refer to manufacturer/supplier for information on recovery/recycling.

**Labelling Regulation EC 1272/2008 (CLP)**

**Hazard pictograms**



**Signal words : Danger**

**Hazard statements : H360D: May damage the unborn child.**

H361f : Suspected of damaging fertility.

H312 : Harmful in contact with skin.

H315 : Causes skin irritation.

H332 : Harmful if inhaled.

H335 : May cause respiratory irritation.

**Precautionary statements**

• **General** : P201: Obtain special instructions before use.

• **Prevention** : P280: Wear protective gloves, protective clothing, eye protection, face protection.

P271: Use only outdoors or in a well-ventilated area.

P261: Avoid breathing dust, fume, gas, mist, vapours, spray.

P264: Wash thoroughly after handling.

• **Response** : P302+P352: IF ON SKIN : Wash with plenty of soap and water.

P308+P313: If exposed or concerned : get medical advice.

P332+P313: If skin irritation occurs : Get medical advice.

P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**

**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**

**Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**

# Material Safety Data Sheet



**D.P.X. MOUNTANT FOR MICROSCOPY**

**VERSION : 02**

**DATE OF ISSUE : 26-08-2019**

**SUPERSEDES : 01**

**Product Code : 23140**

**Page 3 of 11**

comfortable for breathing.

P363: Wash contaminated clothing before reuse.

• **Storage** : P403+P233: Store in well-ventilated place. Keep container tightly closed.

P405: Store locked up.

• **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

**Special labelling** : Restricted to professional users.

## **2.3. Other hazards**

**Other hazards** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

## **3. Composition/information on ingredients**

**Substance / Preparation** : Preparation.

**Hazardous component(s)** : This product is hazardous.

<b>Substance name</b>	<b>Contents</b>	<b>CAS No</b>
<b>Xylene :</b>	> 50 < 75 %	1330-20-7
<b>Dibutyl phthalate :</b>	> 10 < 15 %	84-74-2

## **4. First aid measures**

### **4.1. Description of first aid measures**

**Inhalation** : Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.

**Skin contact** : Wash contaminated clothing before reuse. Specific treatment (see on this label). Immediately call a POISON CENTER or doctor. If skin irritation occurs : Remove. Take off immediately all contaminated clothing. Wash with plenty of soap and water. Get medical advice.

**Eye contact** : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist. Rinse cautiously with water for several minutes. Get medical advice. If eye irritation persists : Remove contact lenses, if present and easy to do. Continue rinsing.

**Ingestion** : Obtain emergency medical attention. Do NOT induce vomiting. Rinse mouth.

### **4.2. Most important symptoms and effects, both acute and delayed**

**Symptoms relating to use** : Repeated exposure to this material can result in absorption through skin causing significant health hazard. Danger of serious damage to health by prolonged exposure through inhalation. May damage the unborn child. Suspected of damaging fertility. Causes serious eye irritation. Causes skin irritation. May cause respiratory irritation. May cause damage to organs.

### **4.3. Indication of any immediate medical attention and special treatment needed**

**MOLYCHEM Office:** 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

**Tel:** +91 22 4066 8111, 2205 7772 . **Fax:** + 91 22 2203 4442. **Email :** [info@molychem.net](mailto:info@molychem.net)

**Works:** Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503

# Material Safety Data Sheet



**D.P.X. MOUNTANT FOR MICROSCOPY**

**VERSION : 02**

**DATE OF ISSUE : 26-08-2019**

**SUPERSEDES : 01**

**Product Code : 23140**

**Page 4 of 11**

**General information** : Never give anything by mouth to an unconscious person.  
If exposed or concerned : get medical advice.

## **5. Fire-fighting measures**

### **5.1. Extinguishing media**

**Suitable extinguishing media** : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

**Unsuitable extinguishing media** : Do not use a heavy water stream.

**Surrounding fires** : Use water spray or fog for cooling exposed containers.

### **5.2. Special hazards arising from the substance or mixture**

**Hazardous combustion products** : Under fire conditions, hazardous fumes will be present.

### **5.3. Advice for fire-fighters**

**Protection against fire** : Do not enter fire area without proper protective equipment, including respiratory protection.

**Special procedures** : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

## **6. Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

**For emergency responders** : Equip cleanup crew with proper protection.

Ventilate area. Avoid breathing dust, fume, gas, mist, vapours, spray.

**Technical measures** : Use special care to avoid static electric charges.

**Special precautions** : Remove ignition sources. No naked lights. No smoking.

**For non-emergency personnel** : Evacuate unnecessary personnel.

### **6.2. Environmental precautions**

**Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters. Avoid release to the environment.

### **6.3. Methods and material for containment and cleaning up**

**Clean up methods** : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

### **6.4. Reference to other sections**

See section 8. Exposure controls/personal protection

## **7. Handling and storage**

### **7.1. Precautions for safe handling**

**Personal protection** : Do not breathe dust, fume, gas, mist, vapours, spray. Wash thoroughly after

handling. Do not eat, drink or smoke when using this product.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**

**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**

**Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**

# Material Safety Data Sheet



**D.P.X. MOUNTANT FOR MICROSCOPY**

**VERSION : 02**

**DATE OF ISSUE : 26-08-2019**

**SUPERSEDES : 01**

**Product Code : 23140**

**Page 5 of 11**

**Handling :** Handle empty containers with care because residual vapours are flammable. Wash thoroughly after handling. Wash thoroughly after handling. Take precautionary measures against static discharge. Obtain special instructions before use. Use only outdoors or in a well-ventilated area. Avoid breathing dust, fume, gas, mist, vapours, spray. Wash thoroughly after handling.

Wash thoroughly after handling. Wash thoroughly after handling.

**Technical protective measures :** Provide good ventilation in process area to prevent formation of vapour. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof electrical, ventilating, lighting, ..., equipment. Use only nonsparking tools.

**Special precautions :** No naked lights. No smoking. Avoid breathing dust, fume, gas, mist, vapours, spray.

## **7.2. Conditions for safe storage, including any incompatibilities**

**Storage :** Keep only in the original container in a cool, well ventilated place. Keep in fireproof place. Keep container tightly closed. Ground/bond container and receiving equipment.

**Storage - away from :** Strong bases. Strong acids. Sources of ignition. Direct sunlight. Heat sources.

## **7.3. Specific end use(s)**

**Specific end use(s) :** None.

## **8. Exposure controls/personal protection**

### **8.1. Exposure controls**

#### **Personal protection**

**Personal protection :** Avoid all unnecessary exposure.

- **Respiratory protection :** In case of insufficient ventilation, wear suitable respiratory equipment. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended.

- **Hand protection :** Wear protective gloves.

- **Skin protection :** Wear suitable protective clothing.

- **Eye protection :** Chemical goggles or safety glasses.

- **Others :** When using, do not eat, drink or smoke.

### **8.2. Control parameters**

**Occupational Exposure Limits :** No data available.

**Occupational Exposure Limits :** Xylene : ILV (EU) - 8 H - [mg/m<sup>3</sup>] : ( 221 Skin. )

Xylene : ILV (EU) - 8 H - [ppm] : ( 50 Skin. )

Xylene : ILV (EU) - 15 min - [mg/m<sup>3</sup>] : ( 442 Skin. )

Xylene : ILV (EU) - 15 min - [ppm] : ( 100 Skin. )

Xylene : HTP-värden - 8 H - [ppm] : 50

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**

**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**

**Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**

# Material Safety Data Sheet



**D.P.X. MOUNTANT FOR MICROSCOPY**

**VERSION : 02**

**DATE OF ISSUE : 26-08-2019**

**SUPERSEDES : 01**

**Product Code : 23140**

**Page 6 of 11**

Xylene : HTP-värden - 15min - [ppm] : 100  
Xylene : HTP-värden - 8 H - [mg/m<sup>3</sup>] : 220  
Xylene : HTP-värden - 15min - [mg/m<sup>3</sup>] : 440  
Xylene : NGV - [ppm] : 50  
Xylene : NGV - [mg/m<sup>3</sup>] : 200  
Xylene : KTV - [ppm] : 100  
Xylene : KTV - [mg/m<sup>3</sup>] : 450  
Xylene : VLA-ED [ppm] : 50  
Xylene : VLA-ED [mg/m<sup>3</sup>] : 221  
Xylene : VLA-EC [ppm] : 100  
Xylene : VLA-EC [mg/m<sup>3</sup>] : 442

## **9. Physical and chemical properties**

### **9.1. Information on basic physical and chemical properties**

**Physical state at 20 °C** : Liquid.

**Odour threshold** : No data available.

**pH value** : No data available.

**Melting point [°C]** : No data available.

**Decomposition point [°C]** : N/A

**Critical temperature [°C]** : No data available.

**Auto-ignition temperature [°C]** : No data available.

**Flammability (solid, gas)** : Flammable.

Flammable liquid and vapour.

**Flash point [°C]** : 24°C

**Boiling point [°C]** : N/A

**Initial boiling point [°C]** : No data available.

**Final boiling point [°C]** : No data available.

**Evaporation rate** : N/A

**Vapour pressure [20°C]** : No data available.

**Vapour pressure mm/Hg** : N/A

**Vapour density** : N/A

**Density [g/cm<sup>3</sup>]** : N/A

**Relative density, gas (air=1)** : N/A

**Relative density, liquid (water=1)** : N/A

**Solubility in water [% weight]** : N/A

**Solubility in water** : No data available.

**Log Pow octanol / water at 20°C** : No data available.

**Solubility** : 6 to7

**Viscosity at 40°C [mm<sup>2</sup>/s]** : No data available.

**MOLYCHEM Office:** 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

**Tel:** +91 22 4066 8111, 2205 7772 . **Fax:** + 91 22 2203 4442. **Email :** [info@molychem.net](mailto:info@molychem.net)

**Works:** Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503



# Material Safety Data Sheet



**D.P.X. MOUNTANT FOR MICROSCOPY**

**VERSION : 02**

**DATE OF ISSUE : 26-08-2019**

**SUPERSEDES : 01**

**Product Code : 23140**

**Page 7 of 11**

## **9.2. Other information**

**Explosive properties :** N/A

**Explosion limits - upper [%] :** No data available.

**Explosion limits - lower [%] :** No data available.

**Oxidising properties :** No data available.

## **10. Stability and reactivity**

### **10.1. Reactivity**

**Reactivity :** Not established.

### **10.2. Chemical stability**

**Chemical stability :** Stable under recommended storage conditions.

### **10.3. Possibility of hazardous reactions**

**Hazardous reactions :** Not established.

### **10.4. Conditions to avoid**

**Conditions to avoid :** Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

### **10.5. Incompatible materials**

**Materials to avoid :** Strong acids. Strong bases.

### **10.6. Hazardous decomposition products**

**Hazardous decomposition products :** Fumes. Carbon monoxide. Carbon dioxide. May release flammable gases.

## **11. Toxicological information**

### **11.1. Information on toxicological effects**

**Toxicity information :** The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations.

#### **Acute toxicity**

• **Inhalation :** Harmful if inhaled.

• **Dermal :** Harmful in contact with skin.

• **Ingestion :** Based on available data, the classification criteria are not met.

**Corrosion :** Based on available data, the classification criteria are not met.

**Irritation :** Causes serious eye irritation. Causes skin irritation. May cause respiratory irritation.

**Sensitization :** Based on available data, the classification criteria are not met.

**Mutagenicity :** Based on available data, the classification criteria are not met.

**Carcinogenicity :** Based on available data, the classification criteria are not met.

**Toxic for reproduction :** May damage the unborn child. Suspected of damaging fertility.

**STOT-single exposure :** Causes damage to organ. Causes damage to organ. Causes damage to organ.

**MOLYCHEM Office:** 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

**Tel:** +91 22 4066 8111, 2205 7772 . **Fax:** + 91 22 2203 4442. **Email :** [info@molychem.net](mailto:info@molychem.net)

**Works:** Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503

# Material Safety Data Sheet



**D.P.X. MOUNTANT FOR MICROSCOPY**

**VERSION : 02**

**DATE OF ISSUE : 26-08-2019**

**SUPERSEDES : 01**

**Product Code : 23140**

**Page 8 of 11**

**STOT-repeated exposure** : Based on available data, the classification criteria are not met.

**Aspiration hazard** : Based on available data, the classification criteria are not met.

## **12. Ecological information**

### **12.1. Toxicity**

**Toxicity information** : The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations.

Very toxic to aquatic life.

### **12.2. Persistence - degradability**

**Persistence - degradability** : Biodegradable.

### **12.3. Bioaccumulative potential**

**Bioaccumulative potential** : Not established.

### **12.4. Mobility in soil**

**Mobility in soil** : Not established.

### **12.5. Results of PBT and vPvB assessment**

**Results of PBT and vPvB assessment** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

### **12.6. Other adverse effects**

**Environmental precautions** : Avoid release to the environment.

## **13. Disposal considerations**

### **13.1. Waste treatment methods**

**General** : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.

Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

**Special precautions** : Handle empty containers with care because residual vapours are flammable.

## **14. Transport information**

### **14.1. Land transport (ADR-RID)**

**Proper shipping name** : XYLENES

**UN N°** : 1307

**H.I. nr** : 33

**ADR - Class** : 3

**Labelling - Transport** : 3 : Flammable liquid.

**ADR - Classification code** : F1

**MOLYCHEM Office:** 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

**Tel:** +91 22 4066 8111, 2205 7772 . **Fax:** + 91 22 2203 4442. **Email :** [info@molychem.net](mailto:info@molychem.net)

**Works:** Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503



# Material Safety Data Sheet



**D.P.X. MOUNTANT FOR MICROSCOPY**

**VERSION : 02**

**DATE OF ISSUE : 26-08-2019**

**SUPERSEDES : 01**

**Product Code : 23140**

**Page 9 of 11**

**ADR - Group : II**

**ADR - Packing instructions : P001 R001**

**ADR - Limited Quantity : 1 L**

**ADR - Tunnel code:** D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.

## **14.2. Sea transport (IMDG) [English only]**

**Proper shipping name : XYLENES**

**UN N° : 1307**

**IMO-IMDG - Class or division : 3 : Flammable liquid.**

**IMO-IMDG - Packing group : II**

**IMO- IMDG - Packing instructions : P001**

**IMO-IMDG - Limited quantities : 1 L**

**IMO-IMDG - Marine pollution : No**

**EMS-Nr : F-E S-D**

## **14.3. Air transport (ICAO-IATA) [English only]**

**Proper shipping name : XYLENES**

**UN N° : 1307**

**IATA - Class or division : 3 : Flammable liquid.**

**IATA - Packing group : II**

**IATA - Passenger and Cargo Aircraft : ALLOWED**

**- Passenger and Cargo - Packing : 353**

**instruction**

**- Passenger and Cargo - Maximum : 5 L**

**Quantity/Packing**

**IATA - Cargo only : ALLOWED**

**- Cargo only - Packing instruction : 364**

**- Cargo only - Maximum Quantity/ : 60 L**

**Packing**

**IATA - Limited Quantities : 1 L**

**ERG-Nr : 3L**

## **15. Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Safety, health and environmental :** Ensure all national/local regulations are observed.  
**regulations/legislation specific for the substance or mixture**

**REACH Restrictions - Annex XVII :** With the exception of those listed below:

The components of this product are not subject to restrictions.

• Dibutyl phthalate : Annex XVII

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**

**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**

**Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**

# Material Safety Data Sheet



**D.P.X. MOUNTANT FOR MICROSCOPY**

**VERSION : 02**

**DATE OF ISSUE : 26-08-2019**

**SUPERSEDES : 01**

**Product Code : 23140**

**Page 10 of 11**

**REACH Authorisation - Annex XIV** : With the exception of those listed below:

The components of this product are not subject to authorization.

- Dibutyl phthalate : Annex XIV

- Dibutyl phthalate : Annex XIV

## **15.2. Chemical Safety Assessment**

**Chemical Safety Assessment** : It has not been carried out.

## **16. Other information**

**Abbreviations and acronyms** : PBT: persistent, bioaccumulative and toxic.

vPvB: very persistent and very bioaccumulative

**Sources of key data used** : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

**Further information** : None.

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008 **DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

## **End of document**

**Prepared by: MOLYCHEM (INDIA)**

**For questions contact: MOLYCHEM**

**Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)**

**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442.**

**Email : [info@molychem.net](mailto:info@molychem.net)**


**Works: Plot No. B/9, Badlapur M.I.D.C., OPP. Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**

(The statements contained herein are offered for informational purposes only and are based upon technical data that MOLYCHEM believes to be accurate. It is intended for use only by persons having the necessary technical skills and at their own discretion and

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**

**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**

**Works: Plot No. B/9, Badlapur M.I.D.C., OPP. Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**

<b>Material Safety Data Sheet</b>	
<b>D.P.X. MOUNTANT FOR MICROSCOPY</b>	<b>VERSION : 02</b> <b>DATE OF ISSUE : 26-08-2019</b> <b>SUPERSEDES : 01</b>
<b>Product Code : 23140</b>	<b>Page 11 of 11</b>

risk. Since conditions and manner of use are outside our control, we make NO WARRANTY, EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS OR OTHERWISE.)