

# Material Safety Data Sheet



ANILINE AR

VERSION : 02  
DATE OF ISSUE : 26-08-2019  
SUPERSEDES : 01

Product Code : 31076

Page 1 of 10

## **1. Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

Trade name : ANILINE AR

Product code : 31076

Identification of the product : Aniline

CAS No : 62-53-3

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

Use : Industrial. For professional use only.

### **1.3. Details of the supplier of the safety data sheet**

Company identification : MOLYCHEM

Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA) Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442.

Email : [info@molychem.net](mailto:info@molychem.net)

Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503

### **1.4. Emergency telephone number**

Emergency number : +91 22 4066 8111 (10:00am - 6:00 pm)

## **2. Hazards identification -DSD**

### **2.1. Classification of the substance or mixture**

Classification EC 67/548 or EC 1999/45

Classification : Carc. Cat. 3; R40

Muta. Cat. 3; R68

T; R23/24/25-R48/23/24/25

Xi; R41

R43

N; R50

**Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)**

**Health hazards** : Germ cell mutagenicity - Category 2 - Warning (CLP : Muta. 2) H341

Carcinogenicity - Category 2 - Warning (CLP : Carc. 2) H351

Specific Target Organ Toxicity - Repeated exposure - Category 1 - Danger (CLP : STOT RE 1) H372

Acute toxicity, dermal - Category 3 - Danger (CLP : Acute Tox. 3) H311

Acute toxicity, Inhalation - Category 3 - Danger (CLP : Acute Tox. 3) H331

Serious eye damage - Category 1 - Danger (CLP : Eye Dam. 1) H318

Acute toxicity, Oral - Category 3 - Danger (CLP : Acute Tox. 3) H301

Skin sensitisation - Category 1 - Warning (CLP : Skin Sens. 1) H317

**Environmental hazards** : Hazardous to the aquatic environment - Acute hazard -  
Category 1 - Warning (CLP

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)

Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503

# Material Safety Data Sheet



ANILINE AR

VERSION : 02  
DATE OF ISSUE : 26-08-2019  
SUPERSEDES : 01

Product Code : 31076

Page 2 of 10

: Aquatic Acute 1) H400

## 2.2. Label elements

Labelling EC 67/548 or EC 1999/45

Symbol(s) : T : Toxic

N : Dangerous for the environment



**R Phrase(s)** : R23/24/25 : Toxic by inhalation, in contact with skin and if swallowed.

R40 : Limited evidence of a carcinogenic effect.

R41 : Risk of serious damage to eyes.

R43 : May cause sensitization by skin contact.

R48/23/24/25 : Toxic : danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed.

R68 : Possible risks of irreversible effects.

R50 : Very toxic to aquatic organisms.

**S Phrase(s)** : S1/2 : Keep locked up and out of reach of children.

S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S27 : Take off immediately all contaminated clothing.

S36/37/39 : Wear suitable protective clothing, gloves and eye/face protection.

S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible).

S46 : If swallowed seek medical advice immediately and show this container or label.

S61 : Avoid release to the environment. Refer to special instructions/Safety data sheets.

S63 : In case of accident by inhalation : remove casualty to fresh air and keep at rest.

Labelling Regulation EC 1272/2008 (CLP)

## Hazard pictograms



**Signal words** : Danger

**Hazard statements** : H318 : Causes serious eye damage.

H301 : Toxic if swallowed.

H311 : Toxic in contact with skin.

H331 : Toxic if inhaled.

H351 : Suspected of causing cancer.

H341 : Suspected of causing genetic defects.

H317 : May cause an allergic skin reaction.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)

Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503

# Material Safety Data Sheet



**ANILINE AR**

**VERSION : 02**  
**DATE OF ISSUE : 26-08-2019**  
**SUPERSEDES : 01**

**Product Code : 31076**

**Page 3 of 10**

H372 : Causes damage to organs through prolonged or repeated exposure.

H400 : Very toxic to aquatic life.

## Precautionary statements

• **General** : P102: Keep out of reach of children.

P103: Read label before use.

P101: If medical advice is needed, have product container or label at hand.

P201: Obtain special instructions before use.

• **Prevention** : P280: Wear protective gloves, protective clothing, eye protection, face protection.

P271: Use only outdoors or in a well-ventilated area.

P260: Do not breathe dust, fume, gas, mist, vapours, spray.

P273: Avoid release to the environment.

P264: Wash thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P272: Contaminated work clothing should not be allowed out of the workplace.

• **Response** : P301+P310: IF SWALLOWED : Immediately call a POISON CENTER or doctor.

P302+P352: IF ON SKIN : Wash with plenty of soap and water.

P308+P313: If exposed or concerned : get medical advice.

P391: Collect spillage.

P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.

P333+P313: If skin irritation or rash occurs : Get medical advice.

P363: Wash contaminated clothing before reuse.

P314: Get medical advice if you feel unwell.

P361: Remove immediately all contaminated clothing.

• **Storage** : P403+P233: Store in well-ventilated place. Keep container tightly closed.

P405: Store locked up.

• **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

## 2.3. Other hazards

**Other hazards** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**

**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**

**Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**

# Material Safety Data Sheet



ANILINE AR

VERSION : 02  
DATE OF ISSUE : 26-08-2019  
SUPERSEDES : 01

Product Code : 31076

Page 4 of 10

### **3. Composition/information on ingredients**

**Substance / Preparation** : Aniline

CAS No :62-53-3

Contains no other components or impurities which will influence the classification of the product.

### **4. First aid measures**

#### **4.1. Description of first aid measures**

**Inhalation** : Assure fresh air breathing. Allow the victim to rest. Remove to fresh air and keep at rest in a position comfortable for breathing. Specific treatment (see on this label). Immediately call a POISON CENTER or doctor.

**Skin contact** : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash contaminated clothing before reuse. Specific treatment (see on this label). Immediately call a POISON CENTER or doctor. Remove/Take off immediately all contaminated clothing. Get medical advice. If skin irritation or rash occurs : Wash with plenty of soap and water.

**Eye contact** : Rinse cautiously with water for several minutes. Immediately call a POISON CENTER or doctor. Remove contact lenses, if present and easy to do. Continue rinsing.

**Ingestion** : Specific treatment (see on this label). Immediately call a POISON CENTER or doctor. Do NOT induce vomiting. Rinse mouth.

#### **4.2. Most important symptoms and effects, both acute and delayed**

**Symptoms relating to use** : Repeated exposure to this material can result in absorption through skin causing significant health hazard. Suspected of causing cancer. Suspected of causing genetic defects. Causes damage to organs through prolonged or repeated exposure. Causes serious eye damage. Danger of serious damage to health by prolonged exposure through inhalation. May cause an allergic skin reaction. Swallowing a small quantity of this material will result in serious health hazard.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

**General information** : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

### **5. Fire-fighting measures**

#### **5.1. Extinguishing media**

**Suitable extinguishing media** : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

**Unsuitable extinguishing media** : Do not use a heavy water stream.

**Surrounding fires** : Use water spray or fog for cooling exposed containers.

#### **5.2. Special hazards arising from the substance or mixture**

# Material Safety Data Sheet



ANILINE AR

VERSION : 02  
DATE OF ISSUE : 26-08-2019  
SUPERSEDES : 01

Product Code : 31076

Page 5 of 10

**Hazardous combustion products** : Under fire conditions, hazardous fumes will be present.

### 5.3. Advice for fire-fighters

**Protection against fire** : Do not enter fire area without proper protective equipment, including respiratory protection.

**Special procedures** : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

## 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**For emergency responders** : Equip cleanup crew with proper protection. Ventilate area.

**For non-emergency personnel** : Evacuate unnecessary personnel.

### 6.2. Environmental precautions

**Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters. Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

**Clean up methods** : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

### 6.4. Reference to other sections

See section 8. Exposure controls/personal protection

## 7. Handling and storage

### 7.1. Precautions for safe handling

**Handling** : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Use personal protective equipment as required. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Obtain special instructions before use. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Do not breathe dust, fume, gas, mist, vapours, spray. Use only outdoors or in a well-ventilated area.

**Technical protective measures** : Provide good ventilation in process area to prevent formation of vapour.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage** : Keep only in the original container in a cool, well ventilated place. Keep container tightly closed.

**Storage - away from** : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

### 7.3. Specific end use(s)

**Specific end use(s)** : None.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)

Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503

# Material Safety Data Sheet



ANILINE AR

VERSION : 02  
DATE OF ISSUE : 26-08-2019  
SUPERSEDES : 01

Product Code : 31076

Page 6 of 10

## **8. Exposure controls/personal protection**

### **8.1. Exposure controls**

**Personal protection** : Avoid all unnecessary exposure.

- **Respiratory protection** : In case of insufficient ventilation, wear suitable respiratory equipment.
- **Hand protection** : Wear protective gloves.
- **Eye protection** : Chemical goggles or safety glasses.
- **Others** : When using, do not eat, drink or smoke.

### **8.2. Control parameters**

**Occupational Exposure Limits** : No data available.

## **9. Physical and chemical properties**

### **9.1. Information on basic physical and chemical properties**

**Physical state at 20 °C** : Liquid.

**Odour** : Weakly amine

**Odour threshold** : No data available.

**pH value** : No data available.

**Melting point [°C]** : -6 °C

**Decomposition point [°C]** : N/A

**Critical temperature [°C]** : N/A

**Auto-ignition temperature [°C]** : 615°C

**Flammability (solid, gas)** : Flammable.

**Flash point [°C]** : 70 °C

**Boiling point [°C]** : 184 °C

**Initial boiling point [°C]** : N/A

**Final boiling point [°C]** : N/A

**Evaporation rate** : <1

**Vapour pressure [20°C]** : 0.49 hPa at 20 °C

**Vapour pressure mm/Hg** : N/A

**Vapour density** : 3,22

**Density [g/cm<sup>3</sup>]** : 1,022

**Relative density, gas (air=1)** : N/A

**Relative density, liquid (water=1)** : N/A

**Solubility in water [% weight]** : 3.5 gm in 100 gm wat

**Solubility in water** : N/A

**Log Pow octanol / water at 20°C** : No data available.

**Solubility** : 8,1

**Viscosity at 40°C [mm<sup>2</sup>/s]** : N/A

### **9.2. Other information**

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)

Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503

# Material Safety Data Sheet



ANILINE AR

VERSION : 02  
DATE OF ISSUE : 26-08-2019  
SUPERSEDES : 01

Product Code : 31076

Page 7 of 10

**Explosive properties** : N/A  
**Explosion limits - upper [%]** : 23%  
**Explosion limits - lower [%]** : 1,30%  
**Oxidising properties** : No data available.

## 10. Stability and reactivity

### 10.1. Reactivity

**Reactivity** : Not established.

### 10.2. Chemical stability

**Chemical stability** : Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous reactions** : Not established.

### 10.4. Conditions to avoid

**Conditions to avoid** : Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

**Materials to avoid** : Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** : Fumes. Carbon monoxide. Carbon dioxide.

## 11. Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity

- **Inhalation** : Toxic if inhaled.
- **Dermal** : Toxic in contact with skin.
- **Ingestion** : Toxic if swallowed.

**Corrosion** : Causes serious eye damage.

**Irritation** : Based on available data, the classification criteria are not met.

**Sensitization** : May cause an allergic skin reaction.

**Mutagenicity** : Suspected of causing genetic defects.

**Carcinogenicity** : Suspected of causing cancer.

**Toxic for reproduction** : Based on available data, the classification criteria are not met.

**STOT-single exposure** : Based on available data, the classification criteria are not met.

**STOT-repeated exposure** : Causes damage to organs through prolonged or repeated exposure.

**Aspiration hazard** : Based on available data, the classification criteria are not met.

## 12. Ecological information

### 12.1. Toxicity

**Toxicity information** : Very toxic to aquatic life.

# Material Safety Data Sheet



ANILINE AR

VERSION : 02  
DATE OF ISSUE : 26-08-2019  
SUPERSEDES : 01

Product Code : 31076

Page 8 of 10

## 12.2. Persistence - degradability

Persistence - degradability : Biodegradable.

## 12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

## 12.4. Mobility in soil

Mobility in soil : Not established.

## 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

## 12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

## 13. Disposal considerations

### 13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Special precautions : Hazardous waste due to toxicity.

## 14. Transport information

### 14.1. Land transport (ADR-RID)

Proper shipping name : ANILINE

UN N° : 1547

H.I. nr : 60

ADR - Class : 6.1

Labelling - Transport : 6.1 : Toxic substances.

LE

ADR - Classification code : T1

ADR - Group : II

ADR - Packing instructions : P001

ADR - Limited Quantity : 100 ML

ADR - Tunnel code : D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.

### 14.2. Sea transport (IMDG) [English only]

Proper shipping name : ANILINE

UN N° : 1547

IMO-IMDG - Class or division : 6.1 : Toxic substances.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)

Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503



# Material Safety Data Sheet



ANILINE AR

VERSION : 02  
DATE OF ISSUE : 26-08-2019  
SUPERSEDES : 01

Product Code : 31076

Page 9 of 10

IMO-IMDG - Packing group : II  
IMO- IMDG - Packing instructions : P001  
IMO-IMDG - Limited quantities : 100 ml  
IMO-IMDG - Marine pollution : Yes  
EMS-Nr : F-A S-A  
**14.3. Air transport (ICAO-IATA) [English only]**  
Proper shipping name : ANILINE  
UN N° : 1547  
IATA - Class or division : 6.1 : Toxic substances.  
IATA - Packing group : II  
IATA - Passenger and Cargo Aircraft : ALLOWED  
- Passenger and Cargo - Packing : 654  
instruction  
- Passenger and Cargo - Maximum : 5 L  
Quantity/Packing  
IATA - Cargo only : ALLOWED  
- Cargo only - Packing instruction : 662  
- Cargo only - Maximum Quantity/ : 60 L  
Packing  
IATA - Limited Quantites : 1 L  
ERG-Nr : 6L

## 15. Regulatory information

### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Safety, health and environmental** : Ensure all national/local regulations are observed.  
**regulations/legislation specific for the substance or mixture**

**REACH Restrictions - Annex XVII** : The components of this product are not subject to restrictions.

**REACH Authorisation - Annex XIV** : The components of this product are not subject to authorization.

### **15.2. Chemical Safety Assessment**

**Chemical Safety Assessment** : It has not been carried out.

## 16. Other information

**Abbreviations and acronyms** : PBT: persistent, bioaccumulative and toxic.  
vPvB: very persistent and very bioaccumulative

# Material Safety Data Sheet



**ANILINE AR**

**VERSION : 02**  
**DATE OF ISSUE : 26-08-2019**  
**SUPERSEDES : 01**

**Product Code : 31076**

**Page 10 of 10**

**Sources of key data used :** REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

**Further information :** None.

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008 **DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

## End of document

**Prepared by: MOLYCHEM (INDIA)**

**For questions contact: MOLYCHEM**

**Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**

**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442.**

**Email : [info@molychem.net](mailto:info@molychem.net)**

**Works: Plot No. B/9, Badlapur M.I.D.C., OPP. Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**

(The statements contained herein are offered for informational purposes only and are based upon technical data that MOLYCHEM believes to be accurate. It is intended for use only by persons having the necessary technical skills and at their own discretion and risk. Since conditions and manner of use are outside our control, we make **NO WARRANTY, EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS OR OTHERWISE.**)

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**

**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**

**Works: Plot No. B/9, Badlapur M.I.D.C., OPP. Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**