

Material Safety Data Sheet



CHLOROTEX REAGENT

VERSION : 02

DATE OF ISSUE : 26-08-2019

SUPERSEDES : 01

Product Code : 31452

Page 1 of 10

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : CHLOROTEX REAGENT

Product code : 31452

Identification of the product : CHLOROTEX REAGENT

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification : MOLYCHEM

Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA) Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442.

Email : info@molychem.net

Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

1.4. Emergency telephone number

Emergency number : +91 22 4066 8111 (10:00am - 6:00 pm).

2. Hazards identification

Warning! Flammable liquid and vapor. Breathing vapors may cause drowsiness and dizziness. Causes eye and respiratory tract irritation. Aspiration hazard if swallowed. Can enter lungs and cause damage. Prolonged or repeated contact causes defatting of the skin with irritation, dryness, and cracking. May cause central nervous system depression. Flash Point: 24°C.

Target Organs: Central nervous system, Respiratory system, Eyes, Skin

Potential Health Effects

Eye: Produces irritation, characterized by a burning sensation, redness, tearing, inflammation, and possible corneal injury. May cause transient corneal injury.

Skin: May cause irritation with pain and stinging, especially if the skin is abraded. Isopropanol has a low potential to cause allergic skin reactions; however, rare cases of allergic contact dermatitis have been reported. May be absorbed through intact skin.

Ingestion: Causes gastrointestinal irritation with nausea, vomiting and diarrhea. May cause kidney damage. May cause central nervous system depression, characterized by excitement, followed by headache, dizziness, drowsiness, and nausea. Advanced stages may cause collapse, unconsciousness, coma and possible death due to respiratory failure. Aspiration of material into the lungs may cause chemical pneumonitis, which may be fatal.

Inhalation: Inhalation of high concentrations may cause central nervous system effects characterized by nausea, headache, dizziness, unconsciousness and coma.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net

Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503

Material Safety Data Sheet



CHLOROTEX REAGENT

VERSION : 02

DATE OF ISSUE : 26-08-2019

SUPERSEDES : 01

Product Code : 31452

Page 2 of 10

May cause narcotic effects in high concentration. Causes upper respiratory tract irritation. Inhalation of vapors may cause drowsiness and dizziness.

Chronic: Prolonged or repeated skin contact may cause defatting and dermatitis.

3. Composition/information on ingredients

Substance / Preparation :

Substance name	Contents	CAS No
Isopropyl alcohol	50-52 %	67-63-0
Dimineralized Water	48-50%	7732-18-5
Dihydrogen potassium phosphate	<1.0%	7778-77-0
Potassium iodide	<0.5%	7681-11-0
Proprietary Ingredient	0.010%	Not available

4. First aid measures

Eyes: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical aid.

Skin: In case of contact, flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical aid if irritation develops and persists. Wash clothing before reuse.

Ingestion: Potential for aspiration if swallowed. Get medical aid immediately. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If vomiting occurs naturally, have victim lean forward.

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid.

Notes to Physician: Urine acetone test may be helpful in diagnosis. Hemodialysis should be considered in severe intoxication. Treat symptomatically and supportively.

5. Fire-fighting measures

General Information:

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Vapors may form an explosive mixture with air. Use water spray to keep fire-exposed containers cool. Flammable liquid and vapor. Vapors are heavier than air and may travel to a source of ignition and flash back. Vapors can spread along the ground and collect in low or confined areas.

Extinguishing Media:

Water may be ineffective. Do NOT use straight streams of water. For large fires, use dry chemical, carbon dioxide, alcohol-resistant foam, or water spray. For small fires, use carbon dioxide, dry chemical, dry sand, or alcohol-resistant foam. Cool containers with flooding quantities of water until well after fire is out.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net

**Works: Plot No. B/9, Badlapur M.I.D.C., OPP. Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503**

Material Safety Data Sheet



CHLOROTEX REAGENT

VERSION : 02

DATE OF ISSUE : 26-08-2019

SUPERSEDES : 01

Product Code : 31452

Page 3 of 10

Autoignition Temperature:

Not available

Explosion Limits:

Lower: Not available Upper: Not available

Flash Point:

24°C (75.20°F)

NFPA Rating:

(estimated) Health: 1; Flammability: 3; Instability: 0

6. Accidental release measures

General Information:

Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Use water spray to dilute spill to a non-flammable mixture. Clean up spills immediately, observing precautions in the Protective Equipment section.

Remove all sources of ignition. Use a spark-proof tool. Provide ventilation. A vapor suppressing foam may be used to reduce vapors.

7. Handling and storage

Handling: Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Ground and bond containers when transferring material. Use spark-proof tools and explosion proof equipment. Avoid contact with eyes, skin, and clothing. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Take precautionary measures against static discharges. Keep container tightly closed. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames. Use only with adequate ventilation. Avoid breathing vapor or mist. Keep away from sources of ignition. Store in a tightly closed container. Keep from contact with oxidizing materials. Store in a cool, dry, well-ventilated area away from incompatible substances.

8. Exposure controls/personal protection

Engineering Controls:

Use explosion-proof ventilation equipment. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

Occupational Exposure Limits : No data available.

Personal Protective Equipment

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . **Fax:** + 91 22 2203 4442. **Email :** info@molychem.net

Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503

Material Safety Data Sheet



CHLOROTEX REAGENT

VERSION : 02

DATE OF ISSUE : 26-08-2019

SUPERSEDES : 01

Product Code : 31452

Page 4 of 10

Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin: Wear appropriate protective gloves to prevent skin exposure.

Clothing: Wear appropriate protective clothing to prevent skin exposure.

Respirators: A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use.

9. Physical and chemical properties

Physical State:	Liquid
Odor:	No information found
pH:	5-6
Vapor Pressure:	No information found
Vapor Density:	No information found
Evaporation Rate:	No information found
Viscosity:	No information found
Boiling Point:	No information found
Freezing/Melting Point:	No information found
Decomposition Temperature:	No information found
Solubility in water:	No information found
Specific Gravity/Density:	0.8-0.9
Molecular Weight:	No information found

10. Stability and reactivity

Chemical Stability: Stable.

Conditions to Avoid:

Ignition sources, excess heat

Incompatibilities with Other Materials

Strong oxidizing agents, strong acids, strong bases, amines, ammonia, ethylene oxide, isocyanates, acetaldehyde, chlorine, phosgene, Attacks some forms of plastics, rubbers, and coatings., aluminum at high temperatures

Hazardous Decomposition Products

Carbon monoxide, carbon dioxide

Hazardous Polymerization

Will not occur.

11. Toxicological information

RTECS:

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . **Fax:** + 91 22 2203 4442. **Email :** info@molychem.net

Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503

Material Safety Data Sheet



CHLOROTEX REAGENT

VERSION : 02

DATE OF ISSUE : 26-08-2019

SUPERSEDES : 01

Product Code : 31452

Page 5 of 10

CAS# 67-63-0: NT8050000

CAS# 7732-18-5: ZC0110000

CAS# 7778-77-0: TC6615500

CAS# 7681-11-0: TT2975000

LD50/LC50:

CAS# 67-63-0:

Draize test, rabbit, eye: 100 mg Severe

Draize test, rabbit, eye: 10 mg Moderate

Draize test, rabbit, eye: 100 mg/24H Moderate

Draize test, rabbit, skin: 500 mg Mild

Inhalation, mouse: LC50 = 53000 mg/m³

Inhalation, rat: LC50 = 16000 ppm/8H

Inhalation, rat: LC50 = 72600 mg/m³

Oral, mouse: LD50 = 3600 mg/kg

Oral, mouse: LD50 = 3600 mg/kg

Oral, rabbit: LD50 = 6410 mg/kg

Oral, rat: LD50 = 5045 mg/kg

Oral, rat: LD50 = 5000 mg/kg

Skin, rabbit: LD50 = 12800 mg/kg.

CAS# 7732-18-5:

Oral, rat: LD50 = >90 mL/kg.

CAS# 7778-77-0:

Skin, rabbit: LD50 = >4640 mg/kg.

CAS# 7681-11-0:

No information found

Carcinogenicity:

CAS# 67-63-0: Not listed as a carcinogen by ACGIH, IARC, NTP, or CA Prop 65.

CAS# 7732-18-5: Not listed as a carcinogen by ACGIH, IARC, NTP, or CA Prop 65.

CAS# 7778-77-0: Not listed as a carcinogen by ACGIH, IARC, NTP, or CA Prop 65.

CAS# 7681-11-0: Not listed as a carcinogen by ACGIH, IARC, NTP, or CA Prop 65.

Epidemiology:

No information found

Teratogenicity:

A rat & rabbit developmental toxicity study showed no teratogenic effects at doses that were clearly maternally toxic. In a separate rat study, no evidence of developmental neurotoxicity was associated with gestational exposures to IPA up to 1200 mg/kg/d.

Reproductive: See actual entry in RTECS for complete information.

Mutagenicity: See actual entry in RTECS for complete information.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . **Fax:** + 91 22 2203 4442. **Email :** info@molychem.net

Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,

Kulgaon, Badlapur (E), Dist.-Thane-421 503

Material Safety Data Sheet



CHLOROTEX REAGENT

VERSION : 02

DATE OF ISSUE : 26-08-2019

SUPERSEDES : 01

Product Code : 31452

Page 6 of 10

Neurotoxicity: In rats exposed to isopropanol by inhalation, acute neurotoxicity was noted at 1 and 6 hours at 5000 ppm, but only minimal effects were seen at 1500 ppm and the animals recovered within 5 hours. No toxicity was noted at 500 ppm.

Other: See actual entry in RTECS for complete information.

12. Ecological information

Ecotoxicity:

Fish: Fathead Minnow: >1000 ppm; 96h; LC50

Daphnia: >1000 ppm; 96h; LC50

Fish: Gold orfe: 8970-9280 ppm; 48h; LC50

IPA has a high biochemical oxygen demand and a potential to cause oxygen depletion in aqueous systems, a low potential to affect aquatic organisms, a low potential to affect secondary waste treatment microbial metabolism, a low potential to affect the germination of some plants, a high potential to biodegrade (low persistence) with unacclimated microorganisms from activated sludge.

Environmental: No information found

Physical:

THOD: 2.40 g oxygen/g

COD: 2.23 g oxygen/g

BOD-5: 1.19-1.72 g oxygen/g

Other: No information found

13. Disposal considerations

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Part 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P Series Wastes

None of the components are on this list.

RCRA U Series Wastes

None of the components are on this list.

14. Transport information

US DOT & Canadian TDG

Proper Shipping Name: ALCOHOLS,
N.O.S.
(Isopropanol)

Hazard Class: 3

UN Number: UN1987

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . **Fax:** + 91 22 2203 4442. **Email :** info@molychem.net

Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503

Material Safety Data Sheet



CHLOROTEX REAGENT

VERSION : 02

DATE OF ISSUE : 26-08-2019

SUPERSEDES : 01

Product Code : 31452

Page 7 of 10

Packing Group: II

15. Regulatory information

US Federal

TSCA

CAS# 67-63-0 is listed on the TSCA Inventory.

CAS# 7732-18-5 is listed on the TSCA Inventory.

CAS# 7778-77-0 is listed on the TSCA Inventory.

CAS# 7681-11-0 is listed on the TSCA Inventory.

Proprietary Ingredient is not listed on the TSCA Inventory. It is for research and development use only.

Health and Safety Reporting List

CAS# 67-63-0: Effective 12/15/86, Sunset 12/15/96

Chemical Test Rules

CAS# 67-63-0: 40 CFR 799.2325

TSCA Section 12b

None of the components are on this list.

TSCA Significant New Use Rule (SNUR)

None of the components are on this list.

CERCLA Hazardous Substances and corresponding RQs

None of the components are on this list.

SARA Section 302 Extremely Hazardous Substances

None of the components are on this list.

SARA Hazard Categories

CAS# 67-63-0: immediate, delayed, fire.

CAS# 7778-77-0: immediate.

CAS# 7681-11-0: immediate, delayed.

SARA Section 313

This material contains Isopropyl alcohol (CAS# 67-63-0, 50-52%), which is subject to the reporting requirements of Section 313 of SARA Title III and 40 CFR Part 372.

Clean Air Act - Hazardous Air Pollutants (HAPs)

None of the components are on this list.

Clean Air Act - Class 1 Ozone Depletors

None of the components are on this list.

Clean Air Act - Class 2 Ozone Depletors

None of the components are on this list.

Clean Water Act - Hazardous Substances

None of the components are on this list.

Clean Water Act - Priority Pollutants

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net

**Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503**

Material Safety Data Sheet



CHLOROTEX REAGENT

VERSION : 02

DATE OF ISSUE : 26-08-2019

SUPERSEDES : 01

Product Code : 31452

Page 8 of 10

None of the components are on this list.

Clean Water Act - Toxic Pollutants

None of the components are on this list.

OSHA - Highly Hazardous

None of the components are on this list.

OSHA - Specifically Regulated Chemicals

None of the components are on this list.

US State

State Right to Know

Isopropyl alcohol can be found on the following state Right-to-Know lists: California, New Jersey, Pennsylvania, Minnesota, Massachusetts.

No information found

California Prop 65

None of the components are on this list.

California No Significant Risk Level

None of the components are on this list.

None of the components are on this list.

None of the components are on this list.

None of the components are on this list.

None of the components are on this list.

European/International Regulations

European Labelling in Accordance with EC Directives:

Hazard Symbols: F XI

Risk Phrases: R 11 Highly flammable.

R 36 Irritating to eyes.

R 67 Vapours may cause drowsiness and dizziness.

Safety Phrases: S 7 Keep container tightly closed.

S 16 Keep away from sources of ignition - No smoking.

S 24/25 Avoid contact with skin and eyes.

S 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

WGK (Water Danger/Protection)

No information found

United Kingdom Occupational Exposure Limits

No information found

United Kingdom Maximum Exposure Limits

No information found

Canadian DSL/NDSL

CAS# 67-63-0 is listed on Canada's DSL List.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net

**Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503**

Material Safety Data Sheet



CHLOROTEX REAGENT

VERSION : 02

DATE OF ISSUE : 26-08-2019

SUPERSEDES : 01

Product Code : 31452

Page 9 of 10

CAS# 7732-18-5 is listed on Canada's DSL List.

CAS# 7778-77-0 is listed on Canada's DSL List.

CAS# 7681-11-0 is listed on Canada's DSL List.

Canadian WHMIS Classifications

This product has a WHMIS classification of B2, D2B.

This product has been classified in accordance with the hazard criteria of the Controlled Products

Regulations and the MSDS contains all of the information required by those regulations.

Canadian Ingredient Disclosure List

CAS# 67-63-0 is listed on the Canadian Ingredient Disclosure List.

CAS# 7681-11-0 is listed on the Canadian Ingredient Disclosure List.

16. Other information

Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

Further information : None.

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008 **DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

End of document

Prepared by: MOLYCHEM (INDIA)

For questions contact: MOLYCHEM

Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442.

Email : info@molychem.net

Works: Plot No. B/9, Badlapur M.I.D.C., OPP. Shobhavat Textile Co.,


Kulgaon, Badlapur (E), Dist.-Thane-421 503

(The statements contained herein are offered for informational purposes only and are

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)

Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net

**Works: Plot No. B/9, Badlapur M.I.D.C., OPP. Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503**

Material Safety Data Sheet	
CHLOROTEX REAGENT	VERSION : 02 DATE OF ISSUE : 26-08-2019 SUPERSEDES : 01
Product Code : 31452	Page 10 of 10

based upon technical data that MOLYCHEM believes to be accurate. It is intended for use only by persons having the necessary technical skills and at their own discretion and risk. Since conditions and manner of use are outside our control, we make NO WARRANTY, EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS OR OTHERWISE.)